#### **Dbase 2 Manual**



File Name: Dbase 2 Manual.pdf

**Size:** 4300 KB

Type: PDF, ePub, eBook

Category: Book

**Uploaded:** 20 May 2019, 12:41 PM

Rating: 4.6/5 from 661 votes.

### **Status: AVAILABLE**

Last checked: 17 Minutes ago!

In order to read or download Dbase 2 Manual ebook, you need to create a FREE account.

# **Download Now!**

eBook includes PDF, ePub and Kindle version

- ☐ Register a free 1 month Trial Account.
- ☐ Download as many books as you like (Personal use)
- **Cancel the membership at any time if not satisfied.**
- **☐ Join Over 80000 Happy Readers**

### **Book Descriptions:**

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dbase 2 Manual . To get started finding Dbase 2 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



### **Book Descriptions:**

## **Dhase 2 Manual**

Users of Visual dBASE 7.5 who wish to use their licensed copy of InstallShield Express to deploy Visual dBASE 7.5 applications. If you have the version of InstallShield that shipped with Visual dBASE 7.01, or have upgraded to InstallShield Express 2.01, this download has the files needed to deploy your 7.5 applications, including what is needed to install the BDE version 5.10. Read the file "ISX for 7.5 Documentation.doc" you can use Wordpad if you do not have Word, and follow the instructions. Download and unzip to a temporary folder, and run the SETUP program. This update enables the Visual dBASE 5.x Deployer to create deployment packages utilizing version 2.52 of the Borland Database Engine BDE. This kit contains instructions and utilities to modify the default copyright date displayed by the Visual dBASE 5.x Deployer. Unzip the contents of this.zip file into your UTILS folder. You may wish to delete the file CB.PRO. Read CB.TXT for details. The Visual dBASE 5.x Intranet Tools provides a single solution for users of Visual dBASE 5.x looking to integrate databases with World Wide Web technology. The package is made up of two products DeltaPoint WebTools, which brings Visual dBASE users powerful class library utilities for interactive WWW database application development using CGI and HTML. Installation Procedure. Download the Intranet Tools package into a temporary directory, extract the files from WEBTOOLS.ZIP, and run SETUP.EXE. For more information, see README.TXT. Used Like NewPlease try again.Please try again. Please try again. Please try your request again later. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account To calculate the overall star rating and percentage breakdown by star, we don't use a simple average.http://www.bizlawyer.ro/userfiles/huntron-tracker-manual.xml

• dbase 2 manual, dbase 2 manual download, dbase 2 manual pdf, dbase 2 manual free, dbase 2 manual downloads, dbase manual.

Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. This item may be a floor model or store return that has been used. See the seller's listing for full details and description of any imperfections. Well usually mention if a book is in new condition, or very worn. Otherwise, assume everything is in readable condition. EMS is not affiliated with any software company. We don't buy, sell, or support anything with Novells name on it, and never will. Please enable scripts and reload this page. Try again or register an account. For more information, please refer to our Privacy Policy. If youre not a subscriber, you can Please try after some time. Please try after some time. Please try after some time. Please try again soon. All rights reserved. By continuing to use this website you are giving consent to cookies being used. For information on cookies and how you can disable them visit our Privacy and Cookie Policy. Some features of WorldCat will not be available.By continuing to use the site, you are agreeing to OCLC's placement of cookies on your device. Find out more here. All rights reserved. You can easily create a free account. Several manual files were maintained of copies of the documents as they progressed through the system. Determining where a document was in the system required searching through the manual document log. Recommended articles No articles found. Citing articles Article Metrics View article metrics About ScienceDirect Remote access Shopping cart Advertise Contact and support Terms and conditions Privacy policy We use cookies to help provide and enhance our service and tailor content and ads. By continuing you agree to the use of cookies. Please try again. Please try again. Choose a different delivery location. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle

### device required.http://jun-travel.com/userfiles/huntsman-victorinox-manual.xml

To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Condition Good. 1st. Ships from the UK. Former Library book. Shows some signs of wear, and may have some markings on the inside. All Rights Reserved. AshtonTate. Esta nueva herramienta se presentaba en el emergenteEste tipo de estructuraQuicksilver, Foxbase, etc. En el primer contacto que se tiene conEsto repercute en la velocidad deNo requiere LAN Pack. Bloqueo manual. Para ello se debeSi hemos utilizadoClipper Summer 87 CREATE. Para definir los distintos campos de la futura base deSi existe un ficheroEXCLUSIVE se emplea para redes y posibilita la apertura deCon LIST STRUCTUREEn el ejemplo. El puntero se puede desplazar usando la sentencias GO y SKIP enEn Clipper la. MEMOEDIT, etc. ALL Marcar todos los registros En el momentoASCII, con campos de longitud fija. Si se deseaPor defecto,Los ficheros. Una base de datos puede tener. Los registros que seSe puede hacer referencia aLos tipos deLos siguientes nombres son nombres deUna variableEstas pueden modificar su valor en cualquier parte del programa. Cuando tras una macroLos datos han de serPress any key to continue. Asimismo, posicionaEl orden deOTHERWISE representa todos los casosENDDO devuelve el control alEs el equivalente al RENAME del DOSAl especificar el nombreSiempre que no le hayamos indicado alUna tabla consta de un identificativo. Para acceder a uno de los datosEste tipo de estructuras deLas diferentes modalidadesValores de retorno Para la lista de. By the start of 1984 dBASE II had retained about 70% of the computer database market with over 150,000 copies sold. This version would be seen as its downfall, as it was slow, buggy, slow, incompatible, slow, and unable to compete against newer SQL offerings.

It was eventually sold to Borland in 1991, who then continued to sell dBase III Plus as well as IV. Wanted dBase III Plus distributed by Borland. The first revision was copy protected; however it was still a widely successful product. As a result, one popular type of addon to the dBASE system were compilers which transformed a dBASE project into a standalone executable, thereby negating any need for a runtime. The most popular compiler was Clipper from Nantucket Software. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Although every attempt to verify that it works has been done, the seller cannot be held responsible if you receive it and it doesnt work due to its age. Bid accordingly. The seller assumes you know what you are bidding on, and are able to support it technically yourself and offers no assistance or returns on this unit once purchased other than for nondelivery. The seller has no ability to test this item, but it has been stored professionally. Software will probably work, but comes with no guarantee or warranty to that affect. " Contact the seller opens in a new window or tab and request post to your location. Please enter a valid postcode. Please enter a number less than or equal to 1. Sellers may be required to accept returns for items that are not as described. Learn more about your rights as a buyer.

### https://brandnewhomes.co/new-construction-homes/al/ferroli-modena-80e-boiler-manual

opens in a new window or tab Youre covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. The cost to change to a modern system would be astronomical and since I can code with some reasonable efficiency we keep it. It does all right,

but everyone is using a single user version on separate workstations. I want to install dBASE administrator and change things over to a networked environment. I figured going into it I would be a little out of my depth but would be able to work through it. I am currently running this on a Windows XP system, no internet connection, all simply LANd together. I mounted the image via Virtual Floppy. In the command prompt I navigate to the disk and follow the instructions from the manual I know that that is a batch file error and not an error from within the program. Also odd, the program mentions this DBA.COM and it is nowhere to be found on any of the disks. Any help or guidance anyone can provide would be greatly appreciated. You can also use theseThis will autoTo add more users, The ADDUSER program is located in The correct syntax is Install is aborted. Install is aborted.Install is aborted.Please run ID.Please run IDLAN.I mentioned before I cant seem to locate this DBA.COM file, and it is giving me an error because of it when trying to run the Adduser program. I will soldier on and see if I cant locate where that file is supposed to be Just use the MSDOS command interpreter. You can do this by entering command at the command prompt. Then just follow the instructions as normal. For example Please be sure to answer the question. Provide details and share your research. Making statements based on opinion; back them up with references or personal experience. To learn more, see our tips on writing great answers.

### http://oldsaltsclub.com/images/colnago-owners-manual.pdf

Browse other questions tagged batchfile cmd dos dbase ntvdm or ask your own question. Is it still a potential problemCan you help me with the nameAre there any claims that he was the first There is is noFoxPro, and their Windows equivalents Visual dBase, Visual Objects, II, III or 4 later owned by Borland.It can convert fields of type. Formats supported dBASE III, dBASEThis option hasIf this option is not used, Used this optionWhen this option is notThis option can provideValid values areThe file extenThe e m p x i m p t d option hanAll material is copyrighted and. By continuing to browseFind out about Lean Library here Find out about Lean Library here This product could help you Lean Library can solve it Simply select your manager software from the list below and click on download. Simply select your manager software from the list below and click on download. For more information view the SAGE Journals Sharing page. Also covered are the addon products Quickcode an automatic code generator and dGRAPH for charts. Find out about Lean Library here By continuing to browse. CategoryDatabase Programming. PlatformAll. ProductDelphi All. Description. Sometimes it is necessary to delve into a dBASE table outside the controlFor instance, if the DBT file thatThis necessitates toggling this byteOr, you may just want to writeBelow are the file structures for dBASE table files. Represented are the The data file header structure for dBASE III PLUS table file. The table file header. Byte Contents DescriptionThe size of the Table Field Descriptor Bytes. Byte Contents DescriptionTable Records. The records follow the header in the table file. Data records are precededFields are packed into recordsThe end of the file isYou can input OEM code page data as indicatedAllowable Input for dBASE Data Types. Data Type Data InputD Date Numbers and a character to separate month, day, and yearN Numeric . 0 1 2 3 4 5 6 7 8 9. L Logical Y y N n T t F f when not initialized.

### http://oeztuerk-industries.com/images/colloidal-dynamics-zeta-probe-manual.pdf

M Memo All OEM code page characters stored internally as 10 Binary, Memo, and OLE Fields And.DBT Files. Memo fields store data in.DBT files consisting of blocks numbered The size of these blocks are internallyMemo field of each record in the.DBF file contains the number of theWhen data is changed in a field, the block numbers may also change and theThis information is from the Using dBASE III PLUS manual, Appendix C. The data file header structure for dBASE IV 2.0 table file. File Structure. Byte Contents MeaningThe size of the arrayThe field descriptor array. Byte Contents MeaningDatabase records. The records follow the header in the database file. Data records areFields are packed intoThe end of the Allowable Input for dBASE Data Types. Data Type Data InputD Date Numbers and a character to separate month, day, andF Floating . 0 1 2 3 4 5 6 7 8 9N

Binary . 0 1 2 3 4 5 6 7 8 9L Logical Y y N n T t F f when not initialized. M Memo All OEM code page characters stored internally as 10Memo Fields And.DBT Files. Memo fields store data in.DBT files consisting of blocks numbered SET BLOCKSIZE determines the size ofEach memo field of each record in the.DBF file contains the number of theWhen data is changed in a field, the block numbers may also change and theThis information is from the dBASE IV Language Reference manual, AppendixThe table file header. Byte Contents DescriptionThe size of theTable Field Descriptor Bytes. Byte Contents DescriptionTable Records. The records follow the header in the table file. Data records are precededFields are packed into recordsThe end of the file isYou can input OEM code page data as indicatedAllowable Input for dBASE Data Types. Data Type Data InputD Date Numbers and a character to separate month, day, and yearF Floating . 0 1 2 3 4 5 6 7 8 9N Numeric . 0 1 2 3 4 5 6 7 8 9. L Logical Y y N n T t F f when not initialized. M Memo All OEM code page characters stored internally as 10Memo Fields And.DBT Files. Memo fields store data in.

DBT files consisting of blocks numbered SET BLOCKSIZE determines the size of Each memo field of each record in the DBF file contains the number of the When data is changed in a field, the block numbers may also change and the Unlike dBASE III PLUS, if you delete text in a memo field, dBASE 5.0 for. DOS may reuse the space from the deleted text when you input new text. This information is from the dBASE for DOS Language Reference manual. Appendix C. The data file header structure for dBASE 5.0 for Windows table file. The table file header. Byte Contents DescriptionThe size of the Table Field Descriptor Bytes. Byte Contents Description Table Records. The records follow the header in the table file. Data records are preceded Fields are packed into records The end of the file is You can input OEM code page data as indicated Allowable Input for dBASE Data Types. Data Type Data InputC Character All OEM code page characters. D Date Numbers and a character to separate month, day, and yearG General All OEM code page characters stored internally as 10N Numeric . 0 1 2 3 4 5 6 7 8 9. L Logical Y y N n T t F f when not initialized. M Memo All OEM code page characters stored internally as 10Binary, Memo, and OLE Fields And.DBT Files. Binary, memo, and OLE fields store data in.DBT files consisting of blocksSET BLOCKSIZE determines the Each binary, memo, or OLE field of each record in the DBF file contains When data is changed in a field, the block numbers may also change and the Unlike dBASE III PLUS, if you delete text in a memo field or binary and. OLE fields, dBASE for Windows unlike dBASE IV may reuse the space from This information is from the dBASE for Windows Language Reference manual. Appendix C. Reference. Works just as well today from a memory stick. download It is a member of the Microsoft Office suite of applications, included in the Professional and higher editions or sold separately.

Portable version download Files provided on this Access Advisor Companion Disks may be text format.TXT files, readable by any editor. Such files may contain several routines. download Requirements Windows 3.1 386 processor 2Mb RAM 6MB disk space AppleSeed 2017 download Disk images created with CopyQM, a respected DOSbased disk imager that works well under DOS and Win9x but a little finicky under WinXP. download It was produced by Stoneware Inc., and in 1986 it switched ownership to Macon Software Inc. Prior releases ran on the Apple II and IBM PC under the UCSD Pascal operating system. Note You must install ANSI.SYS in your CONFIG.SYS to use this program. download Bis zu drei Datenbankdateien konnen miteinander verbunden werden Relationen.Das Programm verfugt uber einen leistungsfahigen Reportgenerator und erlaubt die Erstellung grafischer Auswertungen. Alle Datenbank und Auswertungsoptionen werden menugesteuert ausgefuhrt. Es sind keinerlei Programmierarbeiten notwendig. It Automatically Converts Windows 3.1 Saved setting and files to the current version. download Requires hard drive as well as floppy drive. This is an easytouse yet powerful database system, download This archive contains an ISO image of the CD. download AppleSeed 96 download Includes original registration serial number serialno.txt download Download to your computer, unzip and run install in Disk1 for full version. Install from Disk2 for runtime version. Files copied from original installation disks years ago. Will not run with Windows 10 Home 64bit. download It was notable for its Query By Example

feature, and its Paradox Application Language. Paradox Runtime users have access to all Paradox capabilities and operations that are built into the application theyre using, including SQL Link Access. download. A relational database system allows two or more databases to be used concurrently, the manipulation of one affecting the manipulation of the others.

A circulation system is a good example of a relatively simple relational database management system. You can also find out more about Emerald Engage. They can be useful for other purposes such as interactive queries. This type can be Numeric, Character, Date or Logical. A common form of a dBASE expression is the name of a field. In this case, the type of the dBASE expression is the type of the field. Field names, constants, and functions can all be used as parts of a dBASE expression. These parts can be combined with other functions or with operators. However, dBASE expressions that are Constants are usually used within a more complicated dBASE expression. Unless otherwise specified, all dBASE Character constants in this manual are denoted by single quote characters. The values an operator acts on must have a type appropriate for the operator. The precedence of each operator is specified in the following tables that describe the various operators. The higher the precedence, the earlier the operation will be performed. For example, divide has a precedence of 6 and plus has a precedence of 5 which means divide is evaluated before plus. Evaluation order can be made explicit by using brackets. All operators, except Contain, operate on Numeric, Character or Date values. Contain operates on two character values and returns true if the first is contained in the second. Like operators, constants, and fields, dBase functions return a value. Functions always have a function name and are followed by a left and right parentheses. Some functions take parameters within the parentheses. ASCEND accepts all types of parameters, except complex Numeric expressions. ASCEND converts all types into a Character type in ascending order. In the case of Numeric types, the conversion is done so that the sorting will work correctly even if negative values are The integer must be between 0 and 255. DESCEND is compatible with Clipper, only if the parameter is a Character type.

DESCEND converts all types into a character type in descending order. The format of the resulting Character value is specified by the Otherwise, an error Decimals is the number of decimal places desired. The parameters LENGTH and DECIMALS must be constant. Description Friday! is a menu driven database from Ashton Tate that usesIt provides the ability to create, enter andThis archive contains the binaries and a README for usage. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. DBase is unique in that it allows for the hasslefree production of a wide variety of applications, including middleware applications, Web apps hosted on Windows servers and Windows rich client applications. DBase is designed to manipulate relational databases. It is a versatile thirdgeneration language with nonprocedural capability and is a very good debugger. Data storage in DBase format is widely accepted and supported by numerous database management systems. DBase uses procedural functions and commands similar to the BASIC language. It uses simple commands for data manipulation like USE and GO TOP to traverse records, STR and SUBSTR for string manipulation, and REPLACE AND STORE for field value manipulation. Other commands like STORE, DO, APPEND, and MODIFY are also used. The underlying file format of DBase is.dbf. DBase has many outstanding features that contribute to its prominence among database management systems and tools, such as A just in time JIT compiler, which converts the source language into machine language A linker to create DBase applications.

exe files A runtime engine installer for Web servers and machines that need to execute DBase runtime applications Preprocessors for reading the program source file and producing preprocessed files as output, which is fed into the compiler An integrated development environment with a command window and navigator Twoway graphical user interface GUI design tools, which possess the ability to switch back and forth between using a GUI design tool and a code editor A source code

editor, which allows for the manual editing and entry of codes DBase also has many visual classes and database classes. Visual classes include PushButton Image Grid Scroll Bar ActiveX Report ReportViewer SpinBox ComboBox ListBox Text TextLabel Form SubForm Notebook Container Entry field RadioButton Database classes include RowSet Field StoredProc Datamodule Session Database Query. Almost any databaseWhen I finallyI ran into programming bugs and problems that eventually left me lookingIve used about half of these with mixed results. This month I finallyFrom the early dayswhen the only products on the ST were nonGEM programsThe first manual, an STspecificAt least 480KIf you own a 520ST, forget aboutGEM functions familiar to ST users. When working with the interpreter youWhen using some of the associatedThe operatingIf you need moreYou can define five different typesThe memo fieldsWhile I find it difficultWhile it was impossibleV includes a programmable GEM interface, scrollable windows, creation ofOnce you have created aLightning! Compiler. Compiled databases and applications can run up toI am not a programmer,However, this wasntIts like owning a sports car. Theres more power under the hood than you need, but its nice knowingWriter is flexible enough to allow all of these.Assist lets you perform many ofIt lets you set up indexes and define relationshipsIt acts as a tutorial.

The principal authorSome other systems are For specialist data formats The primary function to import from a text file is scan, and this Often the simplest thing to do is to However, this is not alwaysFor Excel spreadsheets, the available methods are summarized inSuch data formatsThere is once again the option of See Relational databases. Importing data via network connections is For text files, a goodOtherwise most files will be in aIt is not possible toUnicode files. In the Unix world BOMs are rarely used, whereas in the UCS2 files without a BOM, but many other utilities will refuse to readWe have too often been reduced to There will be a target Function write just writes out a matrix or vector in a specifiedFor more control, useGreenmantle 2.5 650 16.083Such files are known as CSV comma separated values files, and wrapperNote that NaN s are treated as Argument quote controls if character and factor variables are All of these functions can write to a For use on Windows. Using UTF8 is a good wayA markup language which can be used toIt is being used byPackage StatDataML on CRAN is one example buildingBecause of the many possibilities, there are This is mainly an issue for reading. Latin1 files in a UTF8 locale, which can be done by something likeConventionally the header line has entries only for the columns and notThe set of valid quotingTo read such To strip the space. This can be changed It tries in turn logical, If all of these fail, the variable is converted to a factor. Using colClasses allows the desiredIt is optional in R whether such conventions are applied to data files. It will helpThis was very common in the days of punchedThe function reads the file into This is adequate for small files, but for anything more complicated we They are veryModes can be numeric, character orConsider reading a million distinct integersThe data were exported from Excel as a file mr.csv.

In categorical data analysis, such informationThese rows and columns are typicallyIn R, such "flat" contingencyAdmit Gender. Admitted Male 512 353 120 138 53 22Rejected Male 313 207 205 279 138 351If the full grid of levels of theThis is often best avoided, butIf SAS is available on your system,Transport format. It then calls read.xport to read the resultingAlpha platform can also be read. It should be possible to read dataFiles from versions 5For Stata versions 13 and laterThese have extension.sys Since all data being manipulated by R are resident in memory, andR to run out of memory, particularly on a 32bit operating system.That is, ifR and not easily manipulated by other systems.DBMSs RDBMSs are designed to do all of these things well. Their strengths areSeveral macOSServer on Windows and academic and smallsystem databases such as. MySQL 4, PostgreSQL, MicrosoftOpen Database Connectivity ODBC is a standard to use all ofThe database can reside on the same machine orThere is an ISO standard in factConventionally SQL is writtenSELECT sch, AVGsestat FROM student GROUP BY sch LIMIT 10The third and fourth queries doOR, and ORDER BY to sort the result. Unlike data frames, rows in RDBMSYou can sort inA HAVING clause allows the select toThis can be useful to retrieve rows aDELETE or UPDATE data.The range ofOften called real

orOften called char.Often called varchar. AlmostThey provide different levels of abstraction. Some provide means to copy whole data frames to and from databases. AllJDBC driver.MySQL database system see and Dubois,The current versionDBMSs and packages ROracle, RPostgreSQL or RSQLite The function dbHasCompleted indicates ifAlabama 13.2 236 58 21.2. Alaska 10.0 263 48 44.5. Arizona 8.1 294 80 31.0. Arkansas 8.8 190 50 19.5This is veryIBM DB2 on Windows and MySQL, MariaDB, Oracle, PostgreSQL and SQLite on. Linux.

ODBC interfaces to Access databases and to Excel spreadsheets not Aconnection is opened by aWindows GUI allows a database to be selected via dialog boxes whichWe use a databaseUnder Windows, Alabama 13.2 236 58 21.2. Alaska 10.0 263 48 44.5 HDF5 Hierarchical Data Format, seeBorland which has a binary flatfile format that became popular, withODBC driver and the Visual FoxPro driver can also be used viaThese provide commandline programsSee also packages biOps Packages rtiff and There some facilities for specialized subformats, for example in. Bioconductor package beadarray. Which formats it supports is determined when GDAL is compiled useIt can be useful for uncommon formats such as JPEG 2000 which is aRipley 2001, a set of functions to replace the use of file names by aFile connections canIn fact, files can beIn brief, leave the connection in the stateUnix R interface, stdin refers to the lines submitted fromThey may normally go toNote carefully the language used here They allow RClosing the connection Opening a pipe connection for writing it makes no sense to append to aR then writes to that connection. Conversely, opening a pipeSockets can be written to orHTTPS URL, the URL is opened for reading viaR connections have the The number of Read 4 items Unfortunately it depends on OS facilities which may be unreliable Function isSeekable It works only for file By default this isThis can be either an objectArgument n Argument signed allows 1byte and 2byte integers to beBy default binaryIBM R6000, SGI and most others are bigendian. NetworkTransferring at different sizesFunctions readChar andLinux, Unix and Windows ports of R. One potential problem with For new projects it Often this can be avoided, as functions such as read.table andThis chapter collects together advice andNote that most of the advice is for preExcelIf you haveExporting a DIF file and reading it using read.DIF is anotherOpenOffice . You can alsoR read.

https://www.ziveknihv.sk/audiokniha/ferroli-modena-102-boiler-manual