

z/OS  
2.5

*Metal C Programming Guide and  
Reference*



**Note**

Before using this information and the product it supports, read the information in [“Notices” on page 155.](#)

This edition applies to Version 2 Release 5 of z/OS® (5650-ZOS) and to all subsequent releases and modifications until otherwise indicated in new editions.

Last updated: 2023-04-25

© **Copyright International Business Machines Corporation 1998, 2021.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Figures.....</b>	<b>vii</b>
<b>Tables.....</b>	<b>xi</b>
<b>About this document.....</b>	<b>xiii</b>
Who should read this document.....	xiii
Where to find more information.....	xiii
z/OS Basic Skills in IBM Documentation.....	xiii
How to read syntax diagrams.....	xiii
How to send your comments to IBM.....	xvi
If you have a technical problem.....	xvi
<b>Summary of changes.....</b>	<b>xvii</b>
Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 5 (V2R5).....	xvii
Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 4 (V2R4).....	xvii
Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 3 (V2R3).....	xvii
<b>Chapter 1. About IBM z/OS Metal C.....</b>	<b>1</b>
Metal C environment.....	1
Programming with Metal C.....	1
Metal C and MVS linkage conventions.....	2
Compiler-generated HLASM source code.....	3
Prolog and epilog code.....	12
Supplying your own HLASM statements.....	19
Inserting HLASM instructions into the generated source code.....	20
AMODE-switching support.....	28
RENT mode support.....	29
argc argv parsing support.....	31
AR-mode programming support.....	32
Metal C function descriptor support.....	39
Defining an alternative name for function "main".....	40
Building Metal C programs.....	40
Summary of useful references for the Metal C programmer.....	48
<b>Chapter 2. Header files.....</b>	<b>51</b>
builtins.h — Declare built-in functions.....	51
ctype.h — Declare character classification functions.....	51
float.h — Define ISO C/C++ constants for floating-point data types.....	51
inttypes.h — Define macros for sprintf and scanf family.....	53
iso646.h — Define macros for operators.....	54
limits.h — Declare symbolic names for resource limits.....	55
math.h — Define macros for floating-point support.....	56
metal.h — Define Metal C related function prototypes and data.....	56
stdarg.h — Define macros for accessing variable-length argument lists in functions.....	57
stdbool.h — Define macros for bool type.....	57
stddef.h — Define ptrdiff_t, size_t, and ssize_t data types.....	57

stdio.h — Define I/O related functions.....	57
stdint.h — Define integer types and related limits and macros.....	58
stdlib.h — Define standard library functions.....	59
string.h — Declare string manipulation functions.....	60

### **Chapter 3. C functions available to Metal C programs.....61**

Characteristics of Metal C runtime library functions.....	61
System and static object libraries.....	61
User-replaceable heap services.....	62
abs() — Calculate integer absolute value.....	64
atoi() — Convert character string to integer.....	65
atol() — Convert character string to long.....	65
atoll() — Convert character string to signed long long .....	66
calloc() — Reserve and initialize storage.....	67
__cinit() - Initialize a Metal C environment.....	67
__cterm() - Terminate a Metal C environment.....	70
div() — Calculate quotient and remainder.....	70
free() — Free a block of storage.....	71
isalnum() to isxdigit() — Test integer value.....	71
isalpha() — Test for alphabetic character classification.....	72
isblank() — Test for blank character classification.....	72
iscntrl() — Test for control classification.....	72
isdigit() — Test for decimal-digit classification.....	73
isgraph() — Test for graphic classification.....	73
islower() — Test for lowercase.....	73
isprint() — Test for printable character classification.....	73
ispunct() — Test for punctuation classification.....	73
isspace() — Test for space character classification.....	73
isupper() — Test for uppercase letter classification.....	73
isxdigit() — Test for hexadecimal digit Classification.....	73
labs() — Calculate long absolute value.....	73
ldiv() — Compute quotient and remainder of integral division.....	74
llabs() — Calculate absolute value of long long integer.....	74
lldiv() — Compute quotient and remainder of integral division for long long type.....	75
malloc() — Reserve storage block.....	75
__malloc31() — Allocate 31-bit storage.....	76
memcpy() — Copy bytes in memory.....	76
memchr() — Search buffer.....	77
memcmp() — Compare bytes.....	77
memcpy() — Copy buffer.....	78
memmove() — Move buffer.....	79
memset() — Set buffer to value.....	79
qsort() — Sort array.....	80
rand() — Generate random number.....	80
rand_r() — Pseudo-random number generator.....	81
realloc() — Change reserved storage block size.....	81
snprintf() — Format and write data.....	82
sprintf() — Format and Write Data.....	83
srand() — Set Seed for rand() Function.....	89
scanf() — Read and Format Data.....	89
strcat() — Concatenate Strings.....	94
strchr() — Search for Character.....	95
strcmp() — Compare Strings.....	96
strcpy() — Copy String.....	96
strcspn() — Compare Strings.....	97
strdup() — Duplicate a String.....	98
strlen() — Determine String Length.....	98

strncat() – Concatenate Strings.....	99
strncmp() – Compare Strings.....	99
strncpy() – Copy String.....	100
strpbrk() – Find Characters in String.....	101
strrchr() – Find Last Occurrence of Character in String.....	102
strspn() – Search String.....	102
strstr() – Locate Substring.....	103
strtod – Convert Character String to Double.....	103
strtof – Convert Character String to Float.....	105
strtok() – Tokenize String.....	106
strtok_r() – Split String into Tokens.....	107
strtol() – Convert Character String to Long.....	107
strtold – Convert Character String to Long Double.....	108
strtoll() – Convert String to Signed Long Long.....	110
strtoul() – Convert String to Unsigned Integer.....	111
strtoull() – Convert String to Unsigned Long Long.....	112
tolower(), toupper() – Convert Character Case.....	113
va_arg(), va_copy(), va_end(), va_start() – Access Function Arguments.....	114
vsprintf() – Format and print data to fixed length buffer.....	115
vsnprintf() – Format and Print Data to Buffer.....	116
vsscanf() – Format Input of a STDARG Argument List.....	116
<b>Appendix A. Function stack requirements.....</b>	<b>119</b>
<b>Appendix B. CICS programming interface examples.....</b>	<b>123</b>
Runtime environment adapter.....	123
CICS application programming interface example.....	123
Data structures.....	124
Example description.....	124
Example code.....	125
CICS exit programming interface example.....	138
Example code.....	139
CICS definitions.....	148
JCL example.....	149
<b>Appendix C. Accessibility.....</b>	<b>153</b>
<b>Notices.....</b>	<b>155</b>
Terms and conditions for product documentation.....	156
IBM Online Privacy Statement.....	157
Policy for unsupported hardware.....	157
Minimum supported hardware.....	157
Programming interface information.....	158
Standards.....	158
Trademarks.....	158
<b>Index.....</b>	<b>159</b>



---

# Figures

1. Prefix data fixed area fields.....	6
2. A sample program to generate prefix data.....	7
3. Prefix data generated.....	8
4. Function entry point marker in generated assembler code.....	8
5. Function property block fixed area fields.....	9
6. Function property block in generated assembler code.....	11
7. Debug data block generated.....	12
8. Specification of your own prolog and epilog code for a function.....	13
9. SCCNSAM(CCNZGBL).....	16
10. SCCNSAM(MYPROLOG).....	17
11. SCCNSAM(MYEPILOG).....	19
12. Simple code format string.....	20
13. Code format string with two instructions.....	20
14. Code format string with two instructions, formatted for readability.....	21
15. Substitution of a C variable into an output <code>__asm</code> operand.....	21
16. HLLASM source code embedded by the compiler.....	22
17. Substitution of a C pointer into an <code>__asm</code> operand.....	22
18. <code>__asm</code> operand lists.....	23
19. Compiler-generated HLLASM code from the <code>__asm</code> statement.....	23
20. Unsuccessful attempt to specify registers.....	23
21. Register specification with clobbers.....	24
22. Incorrect <code>__asm</code> operand definition for both input and output.....	24

23. Incorrect compiler-generated HLASM source code from the incorrect __asm operand definition for both input and output.....	24
24. Successful definition of an __asm operand for both input and output.....	25
25. Correct compiler-generated HLASM source code from the correct __asm operand definition for both input and output.....	25
26. The + constraint to define an __asm operand for both input and output.....	25
27. Error: Redundant definition of an __asm operand.....	26
28. Specifying and using the WTO macro (no reentrancy).....	26
29. Support for reentrancy in a code format string.....	27
30. Code that supplies specific DSECT mapping macros.....	27
31. Register specification.....	28
32. AMODE31 program that calls an AMODE64 program.....	29
33. Far pointer sizes under different addressing modes.....	33
34. Built-in functions for setting far-pointer components.....	34
35. Built-in functions for getting far-pointer components.....	35
36. Library functions for use only in AR-mode functions.....	35
37. Allocation and deallocation routines.....	37
38. Copying a C string pointer to a far pointer.....	39
39. Example of a simple dereference of a far pointer.....	39
40. Metal C application build process .....	41
41. C source file (mycode.c) that builds a Metal C program.....	41
42. C compiler invocation to generate mycode.s.....	42
43. Command that invokes HLASM to assemble mycode.s.....	42
44. Command that compiles an HLASM source file containing symbols longer than eight characters.....	42
45. Command that binds mycode.o and produces a Metal C program in an MVS data set.....	43
46. Commands that compile and link programs with different addressing modes.....	43
47. Job step that compiles HLQ.SOURCE.C(MYCODE).....	43



48. Assembly step of HLQ.SOURCE.ASM(MYCODE).....	44
49. Job step that binds the generated HLASM object into a program.....	44
50. The process of building Metal C programs with IPA.....	45
51. JCL that invokes the ASMLANGX utility.....	48
52. CICS API example flow.....	124
53. CICS Bootstrap for metal C code example: MTLBOOT.....	126
54. CICS API used under Metal C example code: MTLHALO.....	133
55. Metal C for CICS main prolog: MTLTENT.....	134
56. Metal C for CICS main epilog: MTLXIT.....	135
57. Metal C for CICS subroutine prolog: MTLSENT.....	136
58. Metal C for CICS subroutine epilog: MTLXIT.....	138
59. CICS XPI example flow.....	139
60. CICS bootstrap for Metal C example program: MTLBTXPI.....	140
61. CICS exit programming API example program: MTL2XPI.....	146
62. CICS CEDA definition for the API example program.....	149
63. CICS transaction definition.....	149
64. Defining the CICS XPI example in the CEDA.....	149
65. CICS LNKXPI JCL example.....	150
66. CICS ASMXPI JCL example.....	150
67. CICS CCXPI JCL example.....	151
68. CICS OPTXPI JCL example.....	151



---

# Tables

1. Syntax examples.....	xiv
2. Compiler-generated global SET symbols.....	14
3. User modifiable global SET symbols.....	16
4. Language constructs that may have special impact on far pointers.....	33
5. Implicit ALET associations for AR-mode-function variables.....	34
6. Summary of useful references for the Metal C programmer.....	48
7. Definitions in float.h .....	52
8. Macros and associated operators.....	55
9. Macros that are defined in stdbool.h.....	57
10. csysenv argument in __cinit().....	68
11. csysenvtkn argument in __cterm().....	70
12. Flag Characters for sprintf() Family.....	84
13. Precision Argument in sprintf().....	86
14. Type Characters and their Meanings.....	87
15. Conversion Specifiers in sscanf().....	92
16. Stack frame requirements for Metal C runtime functions.....	119



## About this document

---

This document contains reference information that is intended to help you understand the IBM® z/OS Metal C runtime library and use the header files and functions provided by the runtime to write applications that can be compiled using the METAL option of the z/OS XL C compiler.

For more information about the z/OS XL C compiler and the METAL compiler option, see [z/OS XL C/C++ User's Guide](#).

## Who should read this document

---

This document is intended for application programmers interested in writing Metal C applications using the z/OS Metal C runtime library.

## Where to find more information

---

For an overview of the information associated with z/OS, see [z/OS Information Roadmap](#).

## z/OS Basic Skills in IBM Documentation

z/OS Basic Skills in IBM Documentation is a Web-based information resource intended to help users learn the basic concepts of z/OS, the operating system that runs most of the IBM mainframe computers in use today. IBM Documentation is designed to introduce a new generation of Information Technology professionals to basic concepts and help them prepare for a career as a z/OS professional, such as a z/OS system programmer.

Specifically, z/OS Basic Skills is intended to achieve the following objectives:

- Provide basic education and information about z/OS without charge
- Shorten the time it takes for people to become productive on the mainframe
- Make it easier for new people to learn z/OS.

[z/OS Basic Skills in IBM Documentation \(www.ibm.com/docs/en/zos-basic-skills?topic=zosbasics/com.ibm.zos.zbasics/homepage.html\)](http://www.ibm.com/docs/en/zos-basic-skills?topic=zosbasics/com.ibm.zos.zbasics/homepage.html) is available to all users (no login required).

## How to read syntax diagrams

---

This section describes how to read syntax diagrams. It defines syntax diagram symbols, items that may be contained within the diagrams (keywords, variables, delimiters, operators, fragment references, operands) and provides syntax examples that contain these items.

Syntax diagrams pictorially display the order and parts (options and arguments) that comprise a command statement. They are read from left to right and from top to bottom, following the main path of the horizontal line.

For users accessing the Information Center using a screen reader, syntax diagrams are provided in dotted decimal format.

### Symbols

The following symbols may be displayed in syntax diagrams:

Symbol	Definition
--------	------------

▶ —
-----

Indicates the beginning of the syntax diagram.

- Indicates that the syntax diagram is continued to the next line.
- ←  
Indicates that the syntax is continued from the previous line.
- Indicates the end of the syntax diagram.

## Syntax items

Syntax diagrams contain many different items. Syntax items include:

- Keywords - a command name or any other literal information.
- Variables - variables are italicized, appear in lowercase, and represent the name of values you can supply.
- Delimiters - delimiters indicate the start or end of keywords, variables, or operators. For example, a left parenthesis is a delimiter.
- Operators - operators include add (+), subtract (-), multiply (\*), divide (/), equal (=), and other mathematical operations that may need to be performed.
- Fragment references - a part of a syntax diagram, separated from the diagram to show greater detail.
- Separators - a separator separates keywords, variables or operators. For example, a comma (,) is a separator.

**Note:** If a syntax diagram shows a character that is not alphanumeric (for example, parentheses, periods, commas, equal signs, a blank space), enter the character as part of the syntax.

Keywords, variables, and operators may be displayed as required, optional, or default. Fragments, separators, and delimiters may be displayed as required or optional.

### Item type Definition

#### Required

Required items are displayed on the main path of the horizontal line.

#### Optional

Optional items are displayed below the main path of the horizontal line.

#### Default

Default items are displayed above the main path of the horizontal line.







## Syntax examples

The following table provides syntax examples.

*Table 1. Syntax examples*

Item	Syntax example
Required item. Required items appear on the main path of the horizontal line. You must specify these items.	
Required choice. A required choice (two or more items) appears in a vertical stack on the main path of the horizontal line. You must choose one of the items in the stack.	

Table 1. Syntax examples (continued)

Item	Syntax example
<p>Optional item.</p> <p>Optional items appear below the main path of the horizontal line.</p>	
<p>Optional choice.</p> <p>An optional choice (two or more items) appears in a vertical stack below the main path of the horizontal line. You may choose one of the items in the stack.</p>	
<p>Default.</p> <p>Default items appear above the main path of the horizontal line. The remaining items (required or optional) appear on (required) or below (optional) the main path of the horizontal line. The following example displays a default with optional items.</p>	
<p>Variable.</p> <p>Variables appear in lowercase italics. They represent names or values.</p>	
<p>Repeatable item.</p> <p>An arrow returning to the left above the main path of the horizontal line indicates an item that can be repeated.</p> <p>A character within the arrow means you must separate repeated items with that character.</p> <p>An arrow returning to the left above a group of repeatable items indicates that one of the items can be selected, or a single item can be repeated.</p>	
<p>Fragment.</p> <p>The fragment symbol indicates that a labelled group is described below the main syntax diagram. Syntax is occasionally broken into fragments if the inclusion of the fragment would overly complicate the main syntax diagram.</p>	

## How to send your comments to IBM

---

We invite you to submit comments about the z/OS product documentation. Your valuable feedback helps to ensure accurate and high-quality information.

**Important:** If your comment regards a technical question or problem, see instead [“If you have a technical problem”](#) on page xvi.

Submit your feedback by using the appropriate method for your type of comment or question:

### Feedback on z/OS function

If your comment or question is about z/OS itself, submit a request through the [IBM RFE Community](#) ([www.ibm.com/developerworks/rfe/](http://www.ibm.com/developerworks/rfe/)).

### Feedback on IBM Documentation function

If your comment or question is about the IBM Documentation functionality, for example search capabilities or how to arrange the browser view, send a detailed email to IBM Documentation Support at [ibmdocs@us.ibm.com](mailto:ibmdocs@us.ibm.com).

### Feedback on the z/OS product documentation and content

If your comment is about the information that is provided in the z/OS product documentation library, send a detailed email to [mhvrcfs@us.ibm.com](mailto:mhvrcfs@us.ibm.com). We welcome any feedback that you have, including comments on the clarity, accuracy, or completeness of the information.

To help us better process your submission, include the following information:

- Your name, company/university/institution name, and email address
- The following deliverable title and order number: z/OS Metal C Programming Guide and Reference, SC14-7313-50
- The section title of the specific information to which your comment relates
- The text of your comment.

When you send comments to IBM, you grant IBM a nonexclusive authority to use or distribute the comments in any way appropriate without incurring any obligation to you.

IBM or any other organizations use the personal information that you supply to contact you only about the issues that you submit.

## If you have a technical problem

If you have a technical problem or question, do not use the feedback methods that are provided for sending documentation comments. Instead, take one or more of the following actions:

- Go to the [IBM Support Portal](#) ([support.ibm.com](http://support.ibm.com)).
- Contact your IBM service representative.
- Call IBM technical support.



## Summary of changes

---

This information includes terminology, maintenance, and editorial changes. Technical changes or additions to the text and illustrations for the current edition are indicated by a vertical line to the left of the change.

**Note:** IBM z/OS policy for the integration of service information into the z/OS product documentation library is documented on the z/OS Internet Library under [IBM z/OS Product Documentation Update Policy \(www-01.ibm.com/servers/resourcelink/svc00100.nsf/pages/ibm-zos-doc-update-policy?OpenDocument\)](http://www-01.ibm.com/servers/resourcelink/svc00100.nsf/pages/ibm-zos-doc-update-policy?OpenDocument).

## Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 5 (V2R5)

---

This information contains no technical changes for this release.

## Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 4 (V2R4)

---

IBM z/OS Metal C delivers the following performance and usability enhancements for z/OS Version 2 Release 4:

### New header files

- [“iso646.h — Define macros for operators” on page 54](#)
- [“stdbool.h — Define macros for bool type” on page 57](#)

## Summary of changes for z/OS Metal C Programming Guide and Reference for Version 2 Release 3 (V2R3)

---

IBM z/OS Metal C delivers the following performance and usability enhancements for z/OS Version 2 Release 3:

### Prefix data block

The Metal C compiler sets two new flags and adds two new optional fields in the prefix data block. The flag on bit 2 in Flag Set 4 indicates the presence of the optional field that contains the offset of the end of current CSECT. The flag on bit 3 in Flag Set 4 indicates the presence of the optional field that contains the offset of the debug data block. For detailed information, see [“Prefix data” on page 5](#).

### Debug data block

A new debug data block is added for each CSECT, which can be used to check whether the debug side file matches the object file. The debug data block contains the debug data block signature, size of the debug data block, reserved bytes, MD5 signature, Metal C source file name, and debug side file name. For detailed information, see [“Debug data block” on page 11](#).

### Metal C function descriptors

You can declare a function pointer with the new `__fdptr` keyword so that this function pointer points to a Metal C function descriptor. Metal C function descriptors can point to and call functions with their own set of associated data for the particular program or invocation. For detailed information, see [“Metal C function descriptor support” on page 39](#).



---

# Chapter 1. About IBM z/OS Metal C

The XL C METAL compiler option generates code that does not require access to the Language Environment® support at run time. The METAL option provides C-language extensions that allow you to specify assembly statements that call system services directly. Using these language extensions, you can provide almost any assembly macro, and your own function prologs and epilogs, to be embedded in the generated HLASM source file. When you understand how the METAL-generated code uses MVS™ linkage conventions to interact with HLASM code, you can use this capability to write freestanding programs.

Because a freestanding program does not depend on any supplied runtime environment, it must obtain the system services that it needs by calling assembler services directly. For information about how METAL-generated code uses MVS linkage conventions, see [“Metal C and MVS linkage conventions” on page 2](#). For information about embedding assembly statements in the METAL-generated HLASM source code, see [“Inserting HLASM instructions into the generated source code” on page 20](#).

You do not always have to provide your own libraries. IBM supplies a subset of the XL C runtime library functions. This subset includes commonly used basic functions such as `malloc()`. For more information, see [Chapter 3, “C functions available to Metal C programs,” on page 61](#).

**Note:** You can use these supplied functions or the ones that you provide yourself.

---

## Metal C environment

Some of the functions require that an environment be created before they are called. You can create the environment by using a new function, `__cinit()`. This function will set up the appropriate control blocks and return an environment token to the caller. The caller must then ensure that GPR 12 contains this token when calling Metal C functions that require an environment. When the environment is no longer needed, a new function, `__cterm()`, can be used to perform cleanup, freeing all resources that had been obtained by using the token.

An environment created by `__cinit()` can be used in both AMODE 31 and AMODE 64. In conjunction with this, the Metal C run time maintains both a below-the-bar heap and an above-the-bar heap for each environment. Calls to `__malloc31()` always affect the below-the-bar heap. Calls made in AMODE 31 to all other functions that obtain storage will affect the below-the-bar heap; calls made in AMODE 64 affect the above-the-bar heap.

The storage key for all storage obtained on behalf of the environment is the psw key of the caller. The caller needs to ensure that the environment is always used with the same or compatible key.

Metal C environments are intended to be used serially by a single dispatchable unit of work. If you need to share environments between multiple dispatchable units, you must make sure that the use of each environment is serialized.

---

## Programming with Metal C

When you want to build an XL C program that can run in any z/OS environment, you can use the Metal C programming features provided by the XL C compiler as a high level language (HLL) alternative to writing the program in assembly language.

Metal C programming features facilitate direct use of operating system services. For example, you can use the C programming language to write installation exits.

When the METAL option is in effect, the XL C compiler:

- Generates code that is independent of Language Environment.

**Note:** Although the compiler generates default prolog and epilog code that allows the Metal C code to run, you might be required to supply your own prolog and epilog code to satisfy runtime environment requirements.

- Generates code that follows MVS linkage conventions. This facilitates interoperations between the Metal C code and the existing code base. See [“Metal C and MVS linkage conventions”](#) on page 2.
- Note:** Metal C also provides a feature that improves the program's runtime performance. See [“NAB linkage extension”](#) on page 3.
- Provides support for accessing the data stored in data spaces. See [“AR-mode programming support”](#) on page 32.
  - Provides support for embedding your assembly statements into the compiler-generated code. See [“Inserting HLASM instructions into the generated source code”](#) on page 20.

If you use the METAL compiler option together with XL C optimization capabilities, you can use C to write highly optimized system-level code.

The METAL compiler option implies certain other XL C compiler options and disables others. For detailed information, see the [METAL | NOMETAL \(C only\)](#) option in [z/OS XL C/C++ User's Guide](#).

## Metal C and MVS linkage conventions

Because Metal C can follow MVS linkage conventions, it can enable the compiler-generated code to interoperate directly with the existing code base depending on the linkage that is used. For detailed information about MVS linkage conventions, see the topic about linkage conventions in [z/OS MVS Programming: Assembler Services Guide](#).

For information about the default linkage, refer to the following sections:

- [“Parameter passing”](#) on page 2
- [“Return values”](#) on page 2
- [“Function save areas”](#) on page 3

### Parameter passing

The pointer to the parameter list is in GPR 1.

The parameter list is divided into slots.

- The size of each slot depends on the addressing mode:
  - For 31-bit mode (AMODE 31), each slot is four bytes in length.
  - For 64-bit mode (AMODE 64), each slot is eight bytes in length.
- Metal C derives the content of each slot from the function prototype, which follows C by-value semantics (that is, the value of the parameter is passed into the slot).

#### Notes:

1. If a parameter needs to be passed by reference, the function prototype must specify a pointer of the type to be passed.
2. Under AMODE 31 only: The high-order bit is set on the last parameter if both of the following are true:
  - The called function is a variable arguments function.
  - The last parameter passed is a pointer.

### Return values

For any addressing mode, integral type values are returned in GPR 15. Under AMODE 31 only, a 64-bit integer value is returned in GPR 15 + GPR 0 (that is, the high-half of the 64-bit value is returned in GPR 15 and the low-half is returned in GPR 0). All other types are returned in a buffer whose address is passed as the first parameter.

## Function save areas

GPR 13 contains the pointer to the dynamic storage area (DSA).

The DSA includes:

- 72-byte save area size for an AMODE 31 function.
- Parameter area for calling other functions. The default pointer size for a parameter or return value is based on the amode attribute of the function prototype.
- Temporary storage that is preallocated for the compiler-generated code and the user-defined automatic variables.

The save area is set up at the beginning of the DSA.

If the function calls only primary-mode functions, the save area format depends on the AMODE:

- Under AMODE 31, the save area takes the standard 18-word format.
- Under AMODE 64, the save area takes the 36-word F4SA format and the compiler will generate code to set up the F4SA signature in the second word of the save area.

If the function needs to call an AR-mode function, the save area will take the 54-word F7SA format, regardless of the addressing mode.

The F4SA signature generation can be suppressed by setting the &CCN\_SASIG global SET symbol to 0 in your prolog code. For information about the &CCN\_SASIG global SET symbol, see [Table 3 on page 16](#) User modifiable global SET symbols.

## NAB linkage extension

Metal C code needs to use dynamic storage area (DSA) as stack space. Each time a function is called, its prolog code acquires this space and, when control is returned to the calling function, its epilog code releases the stack space.

Metal C avoids excessive acquisition and release operations by providing a mechanism that allows a called function to rely on pre-allocated stack space. This mechanism is the next available byte (NAB). All Metal C runtime library functions, as well as functions with a default prolog code, use it and expect the NAB address to be set by the calling function. The code that is generated to call a function includes the setup instructions to place the NAB address in the "Address of next save area" field in the save area. The called function simply goes to the calling function's save area to pick up the NAB address that points to its own stack space. As a result, the called function does not need to explicitly obtain and free its own stack space.

**Note:** If usage of the NAB linkage extension requires more stack space than has been allocated, there will be unexpected results. The program must establish a DSA that is large enough to ensure the availability of stack space to all downstream programs. Downstream programs include all functions that are defined in the program as well as the library functions listed in [Appendix A, "Function stack requirements," on page 119](#).

The location of the "Address of next save area" field depends on the save area format:

- In the standard 72-byte save area, it is the third word.
- In the F4SA or F7SA save area, it is the 18th doubleword.

## Compiler-generated HLASM source code

When the METAL option is in effect, the XL C compiler generates code in the HLASM source code format.

## Characteristics of compiler-generated HLASM source code

Any assembly instructions that you provide need to work with the instructions that are generated by the compiler. Before you provide those instructions, you need to be aware of the characteristics of compiler-generated HLASM source code.

You need to be aware that:

- Because the compiler uses relative-branching instructions, it is not necessary to establish code base registers. When the compiler detects user-embedded assembly statements, you can use the IEABRCX DEFINE instruction to assist any branching instructions that might rely on establishment of a code base register. For other instructions (such as LA or EX) that rely on the establishment of a code base register, you might need to add code to establish your own code base register. To disable the effect of IEABRCX, you can add the instruction IEABRCX DISABLE. For more information about the IEABRCX macro, see [z/OS MVS Programming: Authorized Assembler Services Reference EDT-IXG](#).
- If the compiler needs to produce literals, GPR 3 will be set up as the base register to address the literals. This addressability is established after the prolog code. The literals are organized by the LTORG instruction placed at the end of the epilog code. With the presence of user-embedded assembly statements, the compiler assumes there will be literals and establishes GPR 3 to address those literals.
- If you want code to be naturally reentrant, you must not use writable static or external variables; such variables are part of the code.
- There is only one CSECT for each compilation unit. The CSECT name is controlled by the CSECT option.
- Due to the flat name space and the case insensitivity required by HLASM, the compiler prepends extra qualifiers to user names to maintain the uniqueness of each name seen by HLASM. This is referred to as *name encoding*. External symbols are not subject to the name-encoding scheme as they need to be referenced by the exact symbol names.
- The external symbols are determined by the compiler LONGNAME option.
  - If the NOLONGNAME option is in effect:
    - All external symbols are truncated to eight characters.
    - All external symbols are converted to upper case.
    - All "\_" characters are replaced with the "@" character.
  - If the LONGNAME option is in effect the compiler emits an ALIAS instruction to make the real C name externally visible. Because the length limit supported by the ALIAS instruction depends on the HLASM release, the C compiler does not enforce any length limit here.

**Note:** The HLASM GOFF option is necessary to allow the ALIAS instructions to be recognized. See [Figure 44 on page 42](#).
- GPR 13 is established as the base of the stack space.
- GPR 10 and GPR 11 may be used exclusively to address static and constant data. They should not be used in the user-embedded assembly statements.
- The compiler will generate code to preserve FPR 8 through FPR 15 if they are altered by the function.
- For AMODE 31 functions: The compiler will generate code to preserve the high halves of the 64-bit GPRs if they are altered or if there are user-embedded assembly statements.
- The addressing mode is determined by the compiler option. When the compiler option LP64 is in effect, the addressing mode is AMODE 64; otherwise it is AMODE 31.

## Structure of a compiler-generated HLASM source program

Each compiler-generated HLASM source program has the following elements:

- File-scope header
- For each function:
  - A function header

- A function entry point marker
- A function property block (FPB)
- A function body
- A function trailer
- File-scope trailer

### ***File-scope header***

Statements in the file-scope header apply to the entire compilation unit and might have the following statements:

- TITLE statement to specify the product information of the compiler and the source file being compiled.
- ALIAS/EXTRN statement to declare the external symbols that are referenced in the program, if the LONGNAME compiler option is in effect.
- CSECT statement to identify the relocatable control section in the program.
- AMODE statement to specify the addressing mode.
- RMODE statement to specify the residency mode for running the module.
- Assembly statements to declare the HLASM global SET symbols used by the compiler-generated code for communicating information to the user-embedded prolog and epilog code, if the compiler detects user-embedded prolog and epilog code.
- SYSSTATE ARCHLVL statement, which identifies the minimum hardware requirement. SYSSTATE ARCHLVL=3, if and only if ARCH(7) or up and OSREL(ZOSV2R1) or higher are in effect; otherwise, SYSSTATE ARCHLVL=2.
- IEABRCX DEFINE statement ensures that all branch instructions are changed to relative-branching instructions, in the event that the XL C compiler encounters user-embedded assembly statements.
- Prefix data to embed a compiler signature and to record attributes about the compilation.

### **Prefix data**

Prefix data is generated to supply a signature, the timestamp of the compilation date, the compiler version, and some control flags. It is placed at the beginning of the code that follows an instruction for branching around the prefix data.

**Note:** Program code should reference ENTRY rather than CSECT to avoid unnecessary branching.

The prefix data consists of a fixed part (36 bytes in size) followed by a contiguous optional part, with the presence of optional fields indicated by flag bits in flag set 4. Optional fields, if present, are stored immediately following the fixed part of the prefix data aligned on halfword boundaries in the order specified by the left to right bits in flag set 4.

Figure 1 on page 6 shows the prefix data fixed area fields and definitions.




Figure 1. Prefix data fixed area fields

**Signature**

An 8-byte field that is set to 0x00C300C300D50000. The last byte in the signature is the version number which can change in future releases.

**Compile date**

An 8-byte field that contains the date of the compile in YYYYMMDD format.

**Compile time**

A 6-byte field that contains the time of the compile in HHMMSS format.

**Compiler version**

A 4-byte field that contains the binary value of the compiler version and release.

**Flag Set 1**

**Flag definition**

'1.....'

Compiled with RENT option.

'0.....'

Compiled with NORENT option.

'0.000000'

Reserved.

**Flag Set 2**

**Flag definition**

'00000000'

Reserved.

**Flag Set 3**

**Flag definition**

'00000000'

Reserved.

**Flag Set 4**

**Flag definition**

'1.....'

Indicates the presence of a user comment string.


'0.....'

Indicates no optional user comment string.




- '1.....'  
Indicates the presence of a service string.
- '0.....'  
Indicates no service string.
- '..1.....'  
Indicates the presence of the offset of the end of the current CSECT.
- '..0.....'  
Indicates no offset of the end of the current CSECT.
- '...1....'  
Indicates the presence of the offset of the debug information block.
- '...0....'  
Indicates no offset of the debug information block.
- '...0000'  
Reserved.

There are four optional prefix data fields, whose presence is indicated by a flag bit in flag set 4.



**User Comment String:** The user comment string comes from the string specified in both or one of `#pragma comment(copyright, "...")` and `#pragma comment(user, "...")`. If you have either or both `#pragma`, the flag bit is set to one, and the user comment string contains the concatenated strings from multiple `#pragma`.



**Service String:** The service string comes from the string specified in the SERVICE compiler option.



**Signed offset of the end of current CSECT:** A 32-bit field that contains the signed offset from PFD (Prefix Data) to the end of the current CSECT.



**Signed offset of the debug data block :** A 32-bit field that contains the signed offset from PFD to the debug data block.

### Examples

Figure 2 on page 7 and Figure 3 on page 8 show how prefix data is generated from a sample program that is compiled with the RENT, SERVICE ("Service String"), and DEBUG (or -g) options.

```
#pragma comment(copyright,"copyright comment")
#pragma comment(user,"user comment")
int main(){
    return 0;
}
```

Figure 2. A sample program to generate prefix data

@@PFD@@	DC	XL8'00C300C300D50000'	Prefix Data Marker	000008
	DC	CL8'20160513'	Compiled Date YYYYMMDD	000008
	DC	CL6'152705'	Compiled Time HHMMSS	000008
	DC	XL4'42030000'	Compiler Version	000008
	DC	XL2'0000'	Reserved	000008
	DC	BL1'00000000'	Flag Set 1	000008
	DC	BL1'00000000'	Flag Set 2	000008
	DC	BL1'00000000'	Flag Set 3	000008
	DC	BL1'11110000'	Flag Set 4	000008
	DC	XL4'00000000'		000008
	DS	0H		000008
	DC	AL2(30)		000008
	DC	C'copyright comment user comment'		000008
	DS	0H		000008
	DC	AL2(14)		000008
	DC	C'Service String'		000008
	DC	A(@@END@@-@@PFD@@)		000008
	DC	A(@@DDB@@-@@PFD@@)		000008

Figure 3. Prefix data generated

## Function elements

### Function header

The function header might have the following statements or code:

- ALIAS/ENTRY statement to define the entry point by associating its C symbol with the generated HLASM name, if the LONGNAME compiler option is in effect.
- Assembly statements to set the values for the declared HLASM global SET symbols, if the compiler detects user-embedded prolog and epilog code.
- Prolog code, which might be either the default prolog code generated by the compiler or user-embedded prolog code.

### Function entry point marker

A function entry point marker is generated immediately before the entry point of each function. The function entry point marker is an 8-byte field containing the signature 0x00C300C300D501nn. Immediately following the marker is a 4-byte signed offset from the start of the entry point marker to the function property block belonging to the current function. [Figure 4 on page 8](#) shows what a function entry point marker looks like in generated assembler code.

@@CCN@2	ENTRY @@CCN@2		000005
	AMODE 31		000005
	DC XL8'00C300C300D50100'	Function entry point marker	000005
	DC A(@@FPB@1-#+8)	Signed offset to FPB	000005
	DC XL4'00000000'	Reserved	000005
@@CCN@2	DS 0F		

Figure 4. Function entry point marker in generated assembler code

### Function property block

The function property block (FPB) is made up of a fixed part (20 bytes in size) followed by a contiguous optional part, with the presence of optional fields indicated by flag bits. Optional fields, if present, are stored immediately following the fixed part of the FPB aligned on fullword boundaries in the order specified below.

[Figure 5 on page 9](#) shows the FPB fixed area fields and the definitions.

+0	X'CCD5' Eyecatcher		Saved GPR Mask	
+4	Signed offset to Prefix Data from the start of FPB			
+8	Flag Set 1	Flag Set 2	Flag Set 3	Flag Set 4
+12 0xC	X'00000000' Reserved			
+16 0x10	X'00000000' Reserved			

Figure 5. Function property block fixed area fields

### Eyecatcher

A 16-bit field that is set to 0xCCD5.

### Saved GPR Mask

A 16-bit mask, indicating which registers are saved and restored by the associated routine. Bit 0 indicates register 0, followed by bits for registers 1 to 15 in order.

### Signed offset to Prefix Data from the start of FPB

The offset of the prefix data belonging to the compilation unit containing the function described by this FPB.

### Flag Set 1

#### Flag definition

'1.....'

Function is AMODE 64.

'0.....'

Function is AMODE 31.

'1.....'

Function is AR mode.

'0.....'

Function is primary mode.

'..00000.'

Reserved.

'.....1'

A vararg function.

'.....0'

Not a vararg function.

### Flag Set 2

#### Flag definition

'1.....'

External function.

'0.....'

Internal function.

'.....00'

This function has the standard 72-byte save area.

'.....01'

This function has the F4SA 144-byte save area.

'.....10'

This function has the F7SA 216-byte save area.

'..00000.'

Reserved.

### Flag Set 3

#### Flag definition

'1.....'

Indicates the floating-point registers (FPR) are saved in the DSA and the FPR mask and offset to the FPR save area are present in the optional part of the FPB.

'0.....'

Indicates the floating-point registers (FPR) are not saved in the DSA.

'.1.....'

Indicates the high-half of 64-bit general purpose registers (GPR) are saved in the DSA and the HGPR mask and offset to the HGPR save area are present in the optional part of the FPB.

'.0.....'

Indicates the high-half of 64-bit general purpose registers (GPR) are not saved in the DSA.

'..000000'

Reserved.

### Flag Set 4

#### Flag definition

'0000000.'

Reserved.

'.....1'


Indicates that the length of the function name and the function name field are present in the optional part of the FPB.

'.....0'

Indicates that the function name field is not present in the FPB.

**Note:** When the COMPRESS compiler option is in effect, the function name field is not present in the FPB.

There are several optional FPB fields. The presence of each field is indicated by a flag bit in FPB flag set 3 or FPB flag set 4. When an optional field is less than 4 bytes in length, the entire word is present if any of the fields in that word are present. Unused parts of the word are filled with zeroes. The optional fields are fullword aligned and appear in the order listed below.




#### FPR Mask

A 16-bit mask indicating which of floating-point registers (FPR) are saved and restored by this function. Bit 0 indicates FPR0, followed by bits for FPR1 to FPR 15.

#### HGPR Mask


A 16-bit mask indicating which of 64-bit general purposes registers (GPR) whose high-words are saved and restored by this function. Bit 0 indicates GPR0, followed by bits for GPR1 to GPR 15.

**Note:** If either bit 0 or bit 1 of flag set 3 is on, the fullword variable representing FPR mask and HGPR mask is present.



#### FPR Savearea Offset

A 32-bit field containing the offset from the start of the DSA to the FPR save area. The contents of the FPRs indicated by the FPR Mask are stored contiguously from the beginning of the FPR save area regardless of the register number. For example, if the FPR Mask contains 0x00A0 and the FPR save area offset contains 0x100, FPR8 is stored at R13+0x100 and FPR10 is stored at R13+0x108.



## HGPR Savearea Offset

A 32-bit field containing the offset from the start of the DSA to the HGPR save area. The HGPR save area is 64-byte in size which holds 16 32-bit high-words. The order of the high-words stored in the save area is GPR14, GPR15, and GPR0 - GPR13. Only the slots which correspond to the bits in the HGPR Mask contain the saved high-word contents.

Length of Name (Flag Set 4 Bit 7)	Name of Function	Variable Length
Name of Function (continue)		

## Name of Function

The optional function name fields start with a 2-byte length field which contains the actual length of the function name that follows.

Figure 6 on page 11 shows what a function property block looks like in generated assembler code.

```

@@FPB@ LOCTR
@@FPB@1 DS 0F                Function Property Block          000000
      DC XL2'CCD5'           Eyecatcher                        000000
      DC BL2'111110000000011' Saved GPR Mask                000000
      DC A(@@PFD@@-@@FPB@1) Signed Offset to Prefix Data 000000
      DC BL1'00000000'       Flag Set 1                      000000
      DC BL1'10000000'       Flag Set 2                      000000
      DC BL1'01000000'       Flag Set 3                      000000
      DC BL1'00000001'       Flag Set 4                      000000
      DC XL4'00000000'       Reserved                        000000
      DC XL4'00000000'       Reserved                        000000
      DC XL2'0000'           Saved FPR Mask                    000000
      DC BL2'111100000000011' Saved HGPR Mask                000000
      DC XL4'00000058'       HGPR Save Area Offset           000000
      DC AL2(4)
      DC C'main'

```

Figure 6. Function property block in generated assembler code

In this example, the @@FPB@ LOCTR instruction tells the assembler to group all FPBs separate from the code and data generated for the functions.

## File-scope trailer

The file-scope trailer might have the following statements or areas:

- DC statements to define static variables with their initial values.
- DSECT statement to provide a map for the static variables.
- DC statements that define constants.
- ALIAS/ENTRY statement to define all external variables with their initial values.
- END statement to specify compiler product information and the compilation date.
- A debug data block to check whether the debug side file matches the object file.
- A label to mark the end of a CSECT.

### Debug data block

When you specify the -g or DEBUG option, a new debug data block is added for each CSECT in the Metal C generated assembly file. The debug data block can be used to check whether the debug side file matches the object file. When a debug session starts, the debugger checks whether the debug data block for the first CSECT exists. If it exists, the debugger retrieves the information from the debug data block.

The debug data block contains the following information:

### Debug data block signature

An 8-byte field that is set to 0x '00C300C300D50200'. The last two bytes of the signature is 0x '0200', in which the first byte 0x '02' is the block signature for the debug data block, while the second byte 0x '00' represents the current version of the debug data block.

### Size of the debug data block

A 4-byte field that represents the size of the debug data block.

### Reserved bytes

A 4-byte field that is reserved for future usage.

### MD5 signature

A 16-byte field that is derived from the time stamp.

### Source file name

A string with 2-byte prefix length, containing the source file name.

### Debug side file name

A string with 2-byte prefix length, containing the debug side file name.

### Example

The following example shows a sample debug data block followed by a CSECT end label.

```
@@DDB@@ DC XL8 '00C300C300D50200'  
        DC A(@@DBGEE@@-@@DBGB@@)  
        DC XL4 '00000000'  
@@DSIG@@ DC X16 '194ab396eb68ebd68d476285b476abda'  
        DC AL2(23)  
        DC C '/home/temp/a.c '  
@@DSFN@@ DC AL2(25)  
        DC C '/home/temp/a.dbg '  
@@DDBE@@ EQU *  
@@END@@  EQU *
```

Figure 7. Debug data block generated

Labels for @@DDBE@@ and @@END@@ do not have to be the same.

## Prolog and epilog code

The primary functions of prolog code are:

- To save the calling function's general-purpose registers in the calling function's save area.
- To obtain the dynamic storage area for this function.
- To chain this function's save area to the calling function's save area, in accordance with the MVS linkage convention.

The primary functions of epilog code are:

- To relinquish this function's dynamic storage area.
- To restore the calling function's general-purpose registers.
- To return control to the calling function.

**Note:** AR-mode functions require additional prolog and epilog functions. See [“AR-mode programming support”](#) on page 32 for details.

## Supplying your own prolog and epilog code

If you need the prolog and epilog code to provide additional functionality, you can use #pragma directives to instruct the compiler to use your own HLASM prolog and epilog code. [Figure 8 on page 13](#) provides an example.

```

#pragma prolog(foo,"MYPROLOG")
#pragma epilog(foo,"MYEPILOG")
int foo() {
    return 0;
}

```

Figure 8. Specification of your own prolog and epilog code for a function

To apply the same prolog and epilog code to all your functions in the C source file, use the PROLOG and EPILOG compiler options. When you use the PROLOG and EPILOG compiler options, by default, your prolog and epilog code is applied only to the functions that have external linkage. To apply your prolog and epilog code to all functions defined in the compilation unit, use the new "all" suboption provided by z/OS V1R11 XL C compiler. For detailed information, see PROLOG and EPILOG options in [z/OS XL C/C++ User's Guide](#).

The string you supplied to the PROLOG/EPILOG options or the #pragma directives must contain valid HLASM statements. The compiler does not validate the content of the string but it does take care of some formatting for you:

- If your string contains only a macro name, as shown in [Figure 8 on page 13](#), you do not need to supply leading blanks.
- If the length of your HLASM statement exceeds 71 characters, you do not need to break it into multiple lines. The compiler will handle that for you.

Your prolog code needs to ensure that:

- The primary functions of the prolog code have been performed.
- Extra DSA space is acquired, in the event that the NAB is needed for the referenced functions.
- Upon exit of your prolog code:
  - GPR 13 points at the DSA for this function.
  - GPR 1 points at the parameter list supplied by the calling function.

Your epilog code needs to ensure that:

- The primary functions of the epilog code have been performed.
- The content of GPR 15, on entry to your epilog code, is preserved.
- If a 64-bit integer value is returned from an AMODE 31 program, the low half of the return value contained in GPR 0 is preserved.

Your prolog and epilog code does not need to perform the following functions:

- Preserve the calling function's floating-point registers.
- Preserve the calling function's vector registers.
- Preserve the high-halves of 64-bit general purpose registers in AMODE 31 functions.
- Preserve the registers used by the compiler generated code.
- Set up the NAB for the called functions.

## User reserved DSA space

User reserved DSA space can be enabled by using the compiler option DSAUSER(*value*). If DSAUSER is specified without suboption, a user field with the size of a pointer is reserved on the stack. The user field is a 4-byte field for AMODE 31 and an 8-byte field for AMODE 64. This user field can be utilized by your prolog or epilog code.

If a *value* suboption is specified with DSAUSER, a user field with the size of *value* 32-bit words is allocated. Specifying DSAUSER with a suboption requires ARCH(6). The *value* must be an integer in the range of 0 to 50.

The user field can be located by the HLASM global set symbol &CCN\_DSAUSER, which provides the offset to the user field. The compiler allocates the field on the stack only, without initializing it.

The following example shows how &CCN\_DSAUSER is set by the compiler:

```
&CCN_DSAUSER SETC '#USER_2-@@AUTO@2'
```

The following example shows how &CCN\_DSAUSER can be used in your prolog code:

```
STG 0,&CCN_DSAUSER.(,13)
```

For detailed information about the DSAUSER compiler option, see the topic about DSAUSER and NODSAUSER in *z/OS XL C/C++ User's Guide*.

## Compiler-generated global SET symbols

When you supply your prolog and epilog code, the compiler generates the assembly instructions that set up global SET symbols for communicating compiler-collected information to your prolog and epilog code. Your prolog and epilog code can use this information to determine the code sequence generated by your macros.

Table 2 on page 14 describes global SET symbols defined by the compiler.

Global SET symbol	Type	Description
&CCN_DSASZ	Arithmetic	The size of the dynamic storage area for the function.
&CCN_SASZ	Arithmetic	The size of the function save area: <ul style="list-style-type: none"> <li>• 72 = standard format</li> <li>• 144 = F4SA format</li> <li>• 216 = F7SA format</li> </ul>
&CCN_ARGS	Arithmetic	The number of fixed arguments expected by the function.
&CCN_RLOW	Arithmetic	The starting register number to be used in the STORE MULTIPLE instruction for saving the registers of callers if the compiler were to generate that instruction itself.
&CCN_RHIGH	Arithmetic	The ending register number to be used in the STORE MULTIPLE instruction for saving the registers of callers.
&CCN_LP64	Logical	Set to "1" if the LP64 compiler option is specified.
&CCN_NAB	Logical	Set to "1" when there are called programs that depend on the dynamic storage to be pre-allocated. In this case, the prolog code needs to add a generous amount to the size set in &CCN_DSASZ when the dynamic storage is obtained.
&CCN_ALTGPR(16)	Logical	The array representing the general purpose registers. Subscript 1 represents GPR 0 and subscript 16 represents GPR 15. A subscript is set to "1" whenever the corresponding register is altered by the compiler-generated code.
&CCN_STATIC	Logical	Set to "1" if the function is static.
&CCN_MAIN	Logical	Set to "1" if this is function "main".
&CCN_RENT	Logical	Set to "1" if the RENT compiler option is specified.
&CCN_PRCN	Character	The symbol representing the function.
&CCN_CSECT	Character	The symbol representing the CSECT in effect.



Table 2. Compiler-generated global SET symbols (continued)

Global SET symbol	Type	Description
&CCN_DSAUSER	Character	The assembly time computed offset to the user field on the stack of the function.
&CCN_LITN	Character	The symbol representing the LTORG generated by the compiler.
&CCN_BEGIN	Character	The symbol representing the first executable instruction of the function generated by the compiler.
&CCN_ARCHLVL	Character	The symbol representing the architecture level specified in the ARCH option.
&CCN_ASCM	Character	The ASC mode of the function: <ul style="list-style-type: none"> <li>• A=AR mode</li> <li>• P=Primary mode</li> </ul> For information about AR mode, see <a href="#">“AR-mode programming support”</a> on page 32.
&CCN_NAB_OFFSET	Character	The assembly time computed offset to the NAB pointer on the stack of the function. The following example shows how &CCN_NAB_OFFSET is set by the compiler: <pre>&amp;CCN_NAB_OFFSET SETC '#NAB_2-@@AUTO@2'</pre> The following example shows how &CCN_NAB_OFFSET can be used in the prolog code: <pre>STG 0,&amp;CCN_NAB_OFFSET.(,13)</pre>
&CCN_IASM_MACRO	Character	The name of the in-stream macro that contains all the #pragma insert_asm supplied statements. The setting of &CCN_IASM_MACRO only happens in the presence of inserted assembler statements provided by #pragma insert_asm directives. In the presence of such directives, the compiler generates an in-stream HLASM MACRO like this: <pre>MACRO   @@IASM@ *from #pragma insert_asm #1 000004 *from #pragma insert_asm #2 000006 *from #pragma insert_asm #3 000008 MEND</pre> The following example shows how &CCN_IASM_MACRO is set by the compiler: <pre>&amp;CCN_IASM_MACRO SETC '@@IASM@'</pre> The MACRO name in &CCN_IASM_MACRO can be placed anywhere within the prolog/epilog code.
&CCN_PRCN_LONG	Character	The actual function name up to the 1024 character HLASM limit. The setting of &CCN_PRCN_LONG is subject to the HLASM limit of 1024 characters on a SETC instruction. When the function name is longer than 1024 characters, the character value set will be truncated to 1021 characters and appended with '!..!'

Table 3 on page 16 describes the global SET symbols that can be set by your prolog and epilog code to conditionally enable or disable code sequences generated by the compiler.

Table 3. User modifiable global SET symbols			
Global SET symbol	Type	Default	Description
&CCN_SASIG	Logical	1	Set to "1" to enable the save area signature generation. Set to "0" to disable the save area signature generation.
&CCN_NAB_STORED	Logical	0	Set to "1" to indicate that NAB pointer storing code was done in the prolog code. The following example shows the code that is generated by the compiler to cause the NAB computing and storing code to be conditionally assembled based on the setting of &CCN_NAB_STORED:  <pre>AIF (&amp;CCN_NAB_STORED) .@@NONAB2     LGHI 0,160     ALGR 0,13     STG 0,#NAB_2-@@AUTO@2(,13)     .@@NONAB2 ANOP</pre>
&CCN_IASM_FRONT	Logical	0	Set to "1" to indicate that &CCN_IASM_MACRO was already called. The following example shows the code that is generated by the compiler to cause the &CCN_IASM_MACRO to be conditionally assembled based on the setting of &CCN_IASM_STORE:  <pre>AIF (&amp;CCN_IASM_FRONT) .@@NOIASM1     @@IASM@     .@@NOIASM1 ANOP</pre>
&CCN_WSA_INIT	Character	'CCNZWSAI' for 31-bit 'CCNZQWSI' for 64-bit	Function name for WSA initialization routine.
&CCN_WSA_TERM	Character	'CCNZWSAT' for 31-bit 'CCNZQWST' ' for 64-bit	Function name for WSA termination routine.
&CCN_APARSE	Logical	1	Set to "1" to trigger CCNZINIT call to parse argc and argv. Set to "0" to disable argc and argv parsing.

## SCCNSAM(CCNZGBL) macro

Sample macros for prolog and epilog code are supplied in the SCCNSAM data set. The SCCNSAM(CCNZGBL) macro contains assembler instructions to declare all the Global Set Symbols to be referenced. You need to copy the CCNZGBL macro into your prolog and epilog code. [Figure 9 on page 16](#) shows the sample CCNZGBL macro.

Figure 9. SCCNSAM(CCNZGBL)

```
*****
* *
* MACRO-NAME = CCNZGBL *
* DESCRIPTIVE-NAME = METAL C GLOBAL SET SYMBOLS *
* *
* USAGE = COPY CCNZGBL *
* *
*****
GBLA &CCN_DSASZ DSA size of the function
```

```

GBLA &CCN_SASZ Save area size of this function
GBLA &CCN_ARGS Number of fixed parameters
GBLA &CCN_RLOW 1st GPR on STM/STMG in prolog
GBLA &CCN_RHIGH 2nd GPR on STM/STMG in prolog
GBLB &CCN_MAIN True if function is main
GBLB &CCN_LP64 True if compiled with LP64
GBLB &CCN_NAB True if NAB needed
.* &CCN_NAB is to indicate if there are called functions that depend on
.* stack space being pre-allocated. When &CCN_NAB is true you'll need
.* to add a generous amount to the size set in &CCN_DSASZ when you
.* obtain the stack space.
GBLB &CCN_ALTGPR(16) Altered GPRs by the function
GBLB &CCN_SASIG True to gen savearea signature
GBLC &CCN_PRCN Entry symbol of the function
GBLC &CCN_CSECT CSECT name of the file
GBLC &CCN_LITN Symbol name for LTOrg
GBLC &CCN_BEGIN Symbol name for function body
GBLC &CCN_ARCHLVL n in ARCH(n) option
GBLC &CCN_ASCM A=AR mode P=Primary mode
GBLC &CCN_IASM_MACRO MACRO name for all insert_asm
GBLB &CCN_IASM_FRONT True if insert_asm at front
GBLC &CCN_NAB_OFFSET Offset to NAB pointer in DSA
GBLB &CCN_NAB_STORED True if NAB pointer stored
GBLC &CCN_PRCN_LONG Full func name up to 1024 chars
GBLB &CCN_STATIC True if function is static
GBLB &CCN_RENT True if compiled with RENT
GBLC &CCN_WSA_INIT WSA initialization function name
GBLC &CCN_WSA_TERM WSA termination function name
GBLB &CCN_APARSE True to parse OS PARM
GBLC &CCN_DSAUSER Offset to user field in DSA

```

## SCCNSAM(MYPROLOG) macro

Sample macros for prolog code are supplied in the SCCNSAM data set. [Figure 10 on page 17](#) shows the sample prolog code.

```

&NAME      MACRO
           MYPROLOG
           COPY   CCNZGBL
           LARL   15,&CCN_LITN
           USING  &CCN_LITN,15
           GBLA   &MY_DSASZ
&MY_DSASZ SETA 0
           AIF    (&CCN_LP64).LP64_1
           STM    14,12,12(13)
           AGO    .NEXT_1
.LP64_1    ANOP
           STMG   14,12,8(13)
.NEXT_1    ANOP
           AIF    (NOT &CCN_RENT).SKIP_R1
           AIF    (&CCN_LP64).LP64_11
           LR     2,0
           AGO    .SKIP_R1
.LP64_11   ANOP
           LGR    2,0
.SKIP_R1   ANOP
           AIF    (&CCN_DSASZ LE 0).DROP
&MY_DSASZ SETA &CCN_DSASZ
           AIF    (&CCN_DSASZ GT 32767).USELIT
           AIF    (&CCN_LP64).LP64_2
           LHI    0,&CCN_DSASZ
           AGO    .NEXT_2
.LP64_2    ANOP
           LGHI   0,&CCN_DSASZ
           AGO    .NEXT_2
.USELIT    ANOP
           AIF    (&CCN_LP64).LP64_3
           L      0,=F'&CCN_DSASZ'
           AGO    .NEXT_2
.LP64_3    ANOP
           LGF    0,=F'&CCN_DSASZ'

```

### SCCNSAM(MYPROLOG) (Part 1 of 2)

Figure 10. SCCNSAM(MYPROLOG)

```

.NEXT_2 AIF (NOT &CCN_NAB) .GETDSA
&MY_DSASZ SETA &MY_DSASZ+1048576
        LA 1,1
        SLL 1,20
        AIF (&CCN_LP64) .LP64_4
        AR 0,1
        AGO .GETDSA
.LP64_4 ANOP
        AGR 0,1
.GETDSA ANOP
        STORAGE OBTAIN,LENGTH=(0),BNDRY=PAGE
        AIF (&CCN_LP64) .LP64_5
        LR 15,1
        ST 15,8(,13)
        L 1,24(,13)
        ST 13,4(,15)
        LR 13,15
        AGO .CHECK_R
.LP64_5 ANOP
        LGR 15,1
        STG 15,136(,13)
        LG 1,32(,13)
        STG 13,128(,15)
        LGR 13,15
.CHECK_R ANOP
        AIF (NOT &CCN_RENT) .DROP
        AIF (&CCN_LP64) .LP64_12
        LR 0,2
        AGO .DROP
.LP64_12 ANOP
        LGR 0,2
.DROP ANOP
        DROP 15
        MEND

```

### **SCCNSAM(MYPROLOG) (Part 2 of 2)**

### **SCCNSAM(MYEPILOG) macro**

Sample macros for epilog code are supplied in the SCCNSAM data set. [Figure 11 on page 19](#) shows the sample epilog code.

```

MACRO
&NAME MYEPILOG
COPY CCNZGBL
GBLA &MY_DSASZ
AIF (&MY_DSASZ EQ 0) .NODSA
AIF (&CCN_LP64) .LP64_1
LR 1,13
AGO .NEXT_1
.LP64_1 ANOP
LGR 1,13
.NEXT_1 ANOP
AIF (&CCN_LP64) .LP64_2
L 13,4(,13)
AGO .NEXT_2
.LP64_2 ANOP
LG 13,128(,13)
.NEXT_2 ANOP
AIF (&CCN_LP64) .LP64_3
ST 15,16(,13)
AGO .NEXT_3
.LP64_3 ANOP
STG 15,16(,13)
.NEXT_3 ANOP
LARL 15,&CCN_LITN
USING &CCN_LITN,15
STORAGE RELEASE,LENGTH=&MY_DSASZ,ADDR=(1)
DROP 15
AIF (&CCN_LP64) .LP64_4
L 15,16(,13)
AGO .NEXT_4
.LP64_4 ANOP
LG 15,16(,13)
.NEXT_4 ANOP
.NODSA ANOP
AIF (&CCN_LP64) .LP64_5
L 14,12(,13)
LM 1,12,24(13)
AGO .NEXT_5
.LP64_5 ANOP
LG 14,8(,13)
LMG 1,12,32(13)
.NEXT_5 ANOP
BR 14
MEND

```

Figure 11. SCCNSAM(MYEPILOG)

## Compiler-generated default prolog and epilog code

The default prolog and epilog code generated for the "main" function is very much the same as the code produced by the sample prolog and epilog macros in [Figure 10 on page 17](#) and [Figure 11 on page 19](#). That is, a STORAGE macro is used to obtain and release a dynamic storage area of 1 MB. For functions other than "main", the prolog code simply picks up its DSA pointer (the NAB pointer) from the "Address of next save area" field in the calling function's save area.

## Supplying your own HLASM statements

Before you insert your own HLASM statements into your C source file, be aware of the following information:

- The compiler does not recognize either the syntax or the semantics of the HLASM statements embedded in the C `__asm` statement. You need to ensure that the embedded HLASM statements:
  - Meet the requirements of the assembly step that follows the compilation step.
  - Function correctly when embedded in the compiler-generated HLASM source file.
- In the HLASM syntax, the first field is the label field, followed by the op-code, and the rest of the HLASM instruction. If there is no label field, you must leave a blank space at the beginning of the string. Other than this, you can code the rest of the HLASM instruction as you do in HLASM.
- You do not have to consider HLASM line-width requirements. You can code an instruction in the code format string continuously, in accordance with the limitation of the C source file. The C compiler

breaks up a code format string that exceeds 71 characters in the HLASM output, inserting continuation characters as required.

## Inserting HLASM instructions into the generated source code

You can use the `__asm` language extension to specify assembly instructions to be embedded within the generated HLASM source code. For example, you can embed assembly statements that invoke assembler macros to obtain system services.

Use the `__asm` statement only to embed a short sequence of assembler instructions into a C function, to perform actions that cannot be done using C statements. If you need to use a long routine, put the assembly statements into a source file, assemble it separately, and then call the routine from the C program.

**Note:** The compiler supports a collection of hardware built-in functions, such as `__csg`. These hardware built-in functions allow the compiler more freedom in blending embedded assembly statements with the rest of the code. For this reason, a hardware built-in function might be better than an `__asm` statement for embedding the assembly instructions that you need.

In addition to the `__asm` language extension, there are language constructs for the following purposes:

- Reserving a register for a global variable of the pointer type. See [“Reserving a register for a global variable”](#) on page 27.
- Invoking a macro in the list form. See [“Specifying and using the list form of a macro”](#) on page 26.
- Supplying your own function prologs and epilogs. See [“Prolog and epilog code”](#) on page 12.

For information about hardware built-in functions, see [Using hardware built-in functions in z/OS XL C/C++ Programming Guide](#).

## Using the `__asm` statement

For the complete `__asm` statement syntax, see [Inline assembly statements \(IBM extension\)](#) in [z/OS XL C/C++ Language Reference](#).

Within the `__asm` statement, the *code format string* specifies the assembly statement to be embedded in the compiler-generated HLASM source file. [Figure 12 on page 20](#) provides an example of a simple code format string, enclosed in double quotation marks, in an `__asm` statement.

```
void foo() {
    __asm ( " AR 1,2" );
}
```

Figure 12. Simple code format string

## Treatment of the code format string

The compiler treats the code format string in an `__asm` statement similarly to the way the `printf` function treats a format string, with the following exception: Instead of printing out the string during program execution, the compiler inserts it after the generated sequence of assembly statements, before the `END` statement.

More than one assembler instruction can be put into the code format string. As shown in [Figure 13 on page 20](#), each assembler statement must be separated by the new line character `'\n'` (like the new line character that is used in a `printf` format string).

```
void foo() {
    __asm ( " AR 1,2\n AR 1,2" );
}
```

Figure 13. Code format string with two instructions

The example in [Figure 13 on page 20](#) will embed two `" AR 1,2"` instructions in the HLASM source code. You can make the statement more readable by breaking the string into two. In C, adjacent string literals

are automatically concatenated and treated as one. The sample code in [Figure 13 on page 20](#) and [Figure 14 on page 21](#) generate the same output.

```
void foo() {
    __asm ( " AR 1,2\n" 1
           " AR 1,2" ); 2
}
```

Figure 14. Code format string with two instructions, formatted for readability

#### Notes:

1. The character "\n" is still required to delimit statements.
2. The second statement also begins with a blank space.

## C expressions as \_\_asm operands

You can use substitution specifiers in a code format string just as you can in a `printf` format string. The substitution specifier tells the compiler to substitute the specified C expression into the corresponding `__asm operand` when it embeds the assembly statement in the HLASM source code. You must ensure that the substitution converts the code format string into a valid assembler instruction.

**Note:** In this document, operands used in a code format string are referred to as `__asm` operands.

An embedded assembly statement can use any C-language expression that is in scope as an `__asm` operand. The *constraint* tells the compiler what to do with the C expression that follows it.

## Substitution of a C variable into an \_\_asm operand

Figure 15 on page 21 shows an `__asm` statement that substitutes a C variable into an output `__asm` operand. Figure 16 on page 22 shows those assembly instructions.

```
void foo() {
    int x;
    __asm ( " ST 12,%0\n" 1 2 3
           4 5 " =m" (x) :: "r12" );
}
```

Figure 15. Substitution of a C variable into an output \_\_asm operand

#### Notes:

1. A colon that marks the beginning of the list of output `__asm` operands, it follows the code format string.
2. The output `__asm` operand is `"=m" (x)`. The constraint `"m"` communicates the syntactic requirement to the compiler:
  - The symbol `"="` means the (output) `__asm` operand will be modified.
  - The letter `"m"` means that the output `__asm` operand is a memory operand.
3. The C expression is the variable `x`.
4. The compiler does not know that the embedded assembly instruction is `ST`, nor does it know the HLASM syntactic requirement of the second `ST` operand.
5. The variable `x` is the first `__asm` operand in the example, and therefore corresponds to `%0` in the code format string.

From the `__asm` statement used in Figure 15 on page 21, the compiler embeds the instructions shown in Figure 16 on page 22 in the generated HLASM source code.

```

1      2
LA    1,@3x
ST    12,0(1)
      3

```

Figure 16. HLASM source code embedded by the compiler

#### Notes:

1. The LA instruction is inserted by the C compiler as a result of processing the “=m”(x) \_\_asm operand.
2. @3x is the HLASM symbol name that the compiler assigned to the local variable x. Local C symbol names are mapped to HLASM symbol names so that each local variable has a unique name in the HLASM source file.
3. 0(1) is substituted into "%0", which specified the first \_\_asm operand in the code format string in [Figure 15 on page 21](#) (ST 12,%0).

### Substitution of a C pointer into an \_\_asm operand

The code format string in [Figure 17 on page 22](#) invokes the WTO macro by using the execute form of the macro with a user-defined buffer.

In general, you do not control which registers are used during the operand substitution, as illustrated in [Figure 17 on page 22](#). For an example that allows you to specify registers, see [Figure 21 on page 24](#).

```

int main() {
    struct WTO_PARM {
        unsigned short len;
        unsigned short code;
        char text[80];
    } wto_buff = { 4+11, 0, "hello world" };

    __asm( " WTO MF=(E,(%0)) " : : "r"(&wto_buff));
    return 0;
}

```

Figure 17. Substitution of a C pointer into an \_\_asm operand

#### Notes:

1. The absence of a label necessitates that a blank space begin the code format string.
2. There are no output \_\_asm operands. The end of the output \_\_asm operands list is marked by a colon, which is then followed by a comma-separated list of input \_\_asm operands. The colon starting the list of input \_\_asm operands is not necessary if there are no input operands (which is the case in [Figure 15 on page 21](#)).
3. The input \_\_asm operand consists of two components:
  - A constraint "r" that tells the compiler that the operand will be stored in a GPR.
  - An expression (&wto\_buff) that states that the operand is the address of the message text in the C structure wto\_buff.

### Definition of multiple \_\_asm operands

In [Figure 18 on page 23](#), the compiler is instructed to store the third defined C variable (z) in a register, and then substitute that register into the third \_\_asm operand %2.



```

void foo() {
    int x, y, z;
    __asm ( " ST 12,%0\n"
           " ST 12,%1\n"
           " AR 12,%2" : "=m"(x), "=m"(y) : "r"(z) : "r12" );
}

```

Figure 18. `__asm` operand lists

#### Notes:

1. The code format string instructs the compiler to embed an assembly statement that substitutes the register (with contents of the C variable z) into the third `__asm` operand (%2).
2. The constraint `"=m"` instructs the compiler to use memory operands for the output variables x and y.
3. The constraint `"r"` instructs the compiler to use a register for the input variable z.

Figure 19 on page 23 shows the compiler-generated HLASM code from the `__asm` statement in Figure 18 on page 23. GPR 4 is assigned to the variable z.

```

L 4,@5z           1
LA 2,@4y          2
LA 1,@3x
ST 12,0(1)        3
ST 12,0(2)
AR 12,4

```

Figure 19. Compiler-generated HLASM code from the `__asm` statement

#### Notes:

1. The first assembly statement `L 4,@5z` is added by the compiler to get z into the form specified by the input `__asm` operand constraint `"r"`.
2. The next two instructions are added by the compiler to get the variables x and y into the form specified by the output `__asm` operand constraints `"=m"`.
3. The contents of the code format string are appended in the last three instructions.

## Register specification

In general you do not have control over which registers are used during operand substitutions. The register assignment might change when you use different options or optimization levels, or when the surrounding C code is changed.

In cases where you specify explicit registers to be used in the embedded instructions, you should code a clobber list, as shown in Figure 21 on page 24. Without the clobber list, the `__asm` statement embeds incorrect assembly statements, as shown in Figure 20 on page 23.

```

__asm ( " LR 0,%0\n"      /* load &p1 */
       " LR 1,%1\n"      /* load &dcB */
       " SVC 21"
       : : "r"(&p1), "r"(&dcB)); 1

```

Figure 20. Unsuccessful attempt to specify registers

**Note:** The output and input `__asm` operand lists are positional. If there are no output `__asm` operands, the colons separating the output and input operand list are still needed. Because the compiler has no knowledge of assembly instructions and does not understand the LR instruction, it does not know that the registers GPR 0 and GPR 1 are being used in the statement. Any connection between the `__asm` statement and the rest of the C code must be specified via the `__asm` operand lists. The information provided in the lists should prevent the compiler from incorrectly moving the other references surrounding the `__asm` statement. In this example, because the compiler doesn't know that GPR 0 and GPR 1 are being used, it will embed incorrect assembly statements.

To prevent the compiler from incorrectly moving the other references surrounding the `__asm` statement, add a clobber list after a colon that follows the input `__asm` operands, as shown in [Figure 21 on page 24](#).

**Note:** Do not try to use the `__asm` statement to embed a long piece of assembly code with many operand specifiers and stringent register requirements. There is a limited number of registers available for the compiler to use in the operand specifiers, and in the surrounding code generation. If too many registers are clobbered, there may not be enough registers left for the `__asm` statement. The same applies if there are too many specifiers.

```
__asm ( " LR 0,%0\n"          /* load &p1 */
       " LR 1,%1\n"          /* load &dcb */
       " SVC 21"
       : : "r"(&p1), "r"(&dcb) : "r0", "r1");
```

Figure 21. Register specification with clobbers

#### Notes:

1. This colon is not needed if there is no clobber list.
2. The clobber list specifies the registers that can be modified by the assembly instructions.

## C expressions as read-write `__asm` operands

If you use the same `__asm` operand for both input and output, you must take care that you tell the compiler that the input `__asm` operand refers to the same variable as the corresponding output `__asm` operand. For example, the code format string in [Figure 22 on page 24](#) uses one register to store a single `__asm` operand that is used for both input and output.

## Definition of `__asm` operands for both input and output via an operand list

This topic describes how to use a code format string to define `__asm` operands that can be used for both input and output.

You can use either input and output operand strings both incorrectly ([Figure 22 on page 24](#)) and correctly ([Figure 24 on page 25](#)). The code in [Figure 22 on page 24](#) is incorrect because the AR statement reads the first operand and then modifies it, but the `=r` constraint specifies the output aspect only.

```
__asm ( " AR %0,%1" : "=r"(x) : "r"(y) );
```

Figure 22. Incorrect `__asm` operand definition for both input and output

**Note:** No input operand is specified for variable `x`. The compiler will not know that input and output are stored in the same variable.

The compiler-generated HLLASM source code in [Figure 23 on page 24](#) is the result of the incorrect definition in [Figure 22 on page 24](#).

```
L 2,@4y
LA 1,@3x
AR 4,2
ST 4,0(,1)
```

Figure 23. Incorrect compiler-generated HLLASM source code from the incorrect `__asm` operand definition for both input and output

**Note:** GPR 4, which is meant for input as well as output, is not loaded from variable `x` before the code format string is embedded because the code format string in [Figure 22 on page 24](#) specified variable `x` as an output operand only.

If a code format string uses a single `__asm` operand for both input and output, you must ensure that the embedded assembly statements will perform both of the following tasks:

- Define the variable as an input operand as well as an output operand.
- Define both an input operand and an output operand that refers to the same variable. The variable name is not sufficient for this purpose. See [Figure 24 on page 25](#).

[Figure 24 on page 25](#) shows the code format string that will embed the correct assembler statements (as shown in [Figure 25 on page 25](#)).

```
__asm ( " AR %0,%1" : "=r"(x) : "r"(y), "0"(x) );
```

*Figure 24. Successful definition of an \_\_asm operand for both input and output*

#### Notes:

1. %0 is the first operand in the code format string.
2. This example has one output \_\_asm operand, "=r" (x).
3. Within the input \_\_asm operand list "r" (y), "0" (x), the \_\_asm operands are separated by a comma.
4. An input operand "0" (x) is added to the input field. The constraint of this \_\_asm operand is the ("0"), which tells the compiler that:
  - This input \_\_asm operand is the same as the output \_\_asm operand %0. (A numeral zero in the constraint ("0") refers to %0; a numeral one in a constraint would refer to %1; and so on.)
  - The register needs to be loaded with variable x, as shown in [Figure 25 on page 25](#), before the code format string is embedded in the HLASM output.

The compiler-generated HLASM source code in [Figure 25 on page 25](#) is the result of the correct definition in [Figure 24 on page 25](#).

```
L 2,@4y
L 4,@3x
LA 1,@3x
AR 4,2
ST 4,0(,1)
```

*Figure 25. Correct compiler-generated HLASM source code from the correct \_\_asm operand definition for both input and output*

**Note:** The compiler inserted L 4,@3x at the beginning of the instruction sequence because the code format string in [Figure 24 on page 25](#) included both the output operand "=r" (x) and the input operand "0" (x). Together, these statements tell the compiler that the register for the first operand %0 will be used for variable x, which has a value that can be either an input or an output operand.

## Definition of an \_\_asm operand for both input and output via the "+" constraint

You can also use the "+" constraint to specify that an \_\_asm operand is used for both input and output.

In [Figure 26 on page 25](#), the "+" constraint is used to define that the variable x is used both as input and output.

```
__asm ( " AR %0,%1" : "+r"(x) : "r"(y));
```

**Note:** This example is parsed as though the operand list in [Figure 24 on page 25](#) is given.

*Figure 26. The + constraint to define an \_\_asm operand for both input and output*

Note that an operand can be matched only once. When you use the "+" constraint to implicitly define matching input and output \_\_asm operands, do not explicitly define a corresponding \_\_asm operand.

[Figure 27 on page 26](#) shows an erroneous example of an \_\_asm operand that is defined both implicitly and explicitly. The notes identify the unnecessary code.

```
__asm ( " AR %0,%1" : "+r"(x) : "r"(y), "0"(x));
```

### Notes:

1. %0 is the first operand in the code format string.
2. This example has one output \_\_asm operand, "+r" (x). The "+" constraint implicitly defines a matching input \_\_asm operand.
3. You do not have to define \_\_asm operand "0" (x) explicitly.

Figure 27. Error: Redundant definition of an \_\_asm operand

## Specifying and using the list form of a macro

When you specify and use the list form of a macro, you can code for reentrancy by embedding assembly statements that:

1. Allocate space on the stack (that is, use a local variable). See [Figure 29 on page 27](#).
2. Copy the parameter field values from the list form to this allocated space.
3. Invoke the execute form of the macro that will use the allocated space.

**Note:** The code format string in [Figure 17 on page 22](#) invokes the WTO macro by using the execute form of the macro with a user-defined buffer. That example does allow for reentrancy.

You should not have direct reference to symbols within your code format string as the addressability is not guaranteed. The proper way to use the macro is shown in [Figure 29 on page 27](#), in which all \_\_asm statements are connected through the C variable operands listmsg1 and buff.

[Figure 28 on page 26](#) provides an example that uses the list form of a macro without considering reentrancy.

```
__asm(" WTO 'hello world',MF=L" : "DS"(listmsg1));
int main() {
    __asm( " WTO MF=(E,(%0)) " : : "r"(&listmsg1));
    return 0;
}
```

### Notes:

1. The first \_\_asm statement invokes the macro WTO in the list form (MF=L). In order for the list form of the macro to be invoked with the values of the parameter fields defined, the \_\_asm statement must be specified in the global scope.
2. The message text "hello world" is provided as a macro parameter.
3. The "DS" constraint indicates that this is a data definition, with the name of the C variable defined as the variable listmsg1. Because listmsg1 is implicitly defined as a structure, it can be referenced in subsequent \_\_asm statements, therefore the "DS" constraint must be specified in the output operand list. By default, the compiler allocates 256 bytes of memory for the variable listmsg1, which should satisfy most requirements. You can change the memory allocation size (for example, "DS:100" (listmsg1) to allocate 100 bytes). You can allocate more than 256 bytes of space.
4. The second \_\_asm statement invokes the macro WTO in the execute form (MF=(E,(%0))). It takes the address of the storage defined in the list form.
5. The address of the variable listmsg1 is defined as an input operand that is stored in a register.

Figure 28. Specifying and using the WTO macro (no reentrancy)

## Support of reentrancy requirements

If the execute form of the macro needs to change the fields provided in the list form, the assembly statements embedded by the `__asm` statement in [Figure 28 on page 26](#) will be incorrect when support for reentrancy is required. The proper way to use the macro is shown in [Figure 29 on page 27](#).

```
__asm(" WTO 'hello world',MF=L" : "DS"(listmsg1)); 1

int main() {
    __asm(" WTO 'hello world',MF=L" : "DS"(buff)); 2
    buff = listmsg1; 3
    __asm(" WTO MF=(E,(%0)) " : "r"(&buff));
    return 0;
}
```

### Notes:

1. The first `__asm` statement uses the list form of the macro `WTO` to define the variable `listmsg1`.
2. The second `__asm` statement, specified within function scope with a "DS" constraint, will allocate stack space for the variable `buff` but will not actually initialize the parameter values.
3. The size of this variable should match that of the corresponding `__asm` statement in global scope. An assignment copies the actual parameter values from the list form to this buffer.

*Figure 29. Support for reentrancy in a code format string*

## Inserting non-executable HLASM statements into the generated source code

You can use the `#pragma insert_asm` directive to supply your own non-executable HLASM statements to the generated source code. The primary purpose of this directive is that you can use it to include the DSECT mapping macros that are required by your embedded assembly statements. The syntax is `#pragma insert_asm("string")`.

The `#pragma insert_asm` directive causes the compiler to insert *string* at an appropriate place in the generated HLASM code. When you use multiple `#pragma insert_asm` directives, they are placed in the same order as they appear in your C source code.

**Note:** The `#pragma insert_asm` directive can be used with a `_Pragma` operator. If you use the `_Pragma` operator, you must put a slash ("/") character before the double quotation marks that surround the string literal. For example: `_Pragma ("insert_asm(\"MYSTRING\")")`.

### Example: Using the `#pragma insert_asm` directive to map specific DSECT information

[Figure 30 on page 27](#) uses the `#pragma insert_asm` directive to get the system `CVTUSER` field to address your specified `CVT` extension data. Because the `CVTPTR` and `CVTUSER` fields are defined in the `CVT` mapping macro, you can use the `#pragma insert_asm` directive to map specific DSECT information.

```
void foo() {
    void * user_cvt;
    __asm(" L 2,CVTPTR\n"
        " L 2,CVTUSER-CVT(2)\n"
        " ST 2,%0"
        : "m"(user_cvt) : "r2");
}
#pragma insert_asm(" CVT DSECT=YES,LIST=NO")
```

*Figure 30. Code that supplies specific DSECT mapping macros*

## Reserving a register for a global variable

The *register* storage class specifier is the C-language extension that allows you to specify, for the entire compilation unit, a general purpose register (GPR) for a global variable, as shown in [Figure 31 on page 28](#).

When you use a code format string to specify a GPR for a global variable, be aware that:

- Only GPR 0 through GPR 15 can be specified for storage of a global variable.
- The variable must be declared as a pointer type.
- A declaration with register specifier cannot have an initializer.

For more information, see [The register storage class specifier in z/OS XL C/C++ Language Reference](#).

```
register int * p 1__asm(2"r5");
```

#### Notes:

1. The variable declaration `int * p` defines the variable as a pointer type.
2. The register "r5" is not initialized.

*Figure 31. Register specification*

## AMODE-switching support

Within a Metal C application, AMODE 31 and AMODE 64 programs can call each other.

To take advantage of the Metal C AMODE-switching support, be aware of the following information:

- The called and calling programs must be in separate source files. Mixing addressing modes within a single C source file is not supported.
- The save area format for the called program is determined by the AMODE and ASC mode of the called program, that is, 72-byte for AMODE 31 programs, F4SA for AMODE 64 programs, F7SA for AR mode programs. The ability for tracing the save areas chain will be interrupted across AMODE switches.
- The parameter list is prepared according to the AMODE of the called program, that is, 4-byte slots for AMODE 31 programs and 8-byte slots for AMODE64 programs.
- It is the user's responsibility to ensure that all storage addresses passed to the AMODE 31 functions are addressable by the AMODE 31 functions. Because the save area and parameter lists are part of the caller's DSA, the caller must have its DSA allocated in the below-the-bar storage.
- The AMODE of the called program can be specified by the new `amode31` and `amode64` type attributes. For detailed information, see [amode31 | amode64 type attribute](#) in [z/OS XL C/C++ Language Reference](#).
- The calling program switches the addressing mode before the call and switches back to its own addressing mode on return from the call.
- The implicit sizes of types `long` and `pointer` in the function prototype are determined by the addressing mode of the called program.
- The `__ptr64` qualifier can be used to specify a 64-bit pointer on an AMODE 31 program; the pointer cannot be dereferenced at the AMODE 31 program.

### Example of an AMODE31 program that calls an AMODE64 program

In [Figure 32 on page 29](#), AMODE 31 program "main" in `a31.c` makes calls to AMODE 64 programs `a64a1` and `a64a2` in `a64a.c`. For the commands that compile and link `a31.c` and `a64a.c`, see ["Commands that compile and link applications that switch addressing modes" on page 43](#).

```

a31.c
long a64a1 (long j, int k, short s) __attribute__((amode64));
int a64a2 (long j, int k, short s) __attribute__((amode64));
int main () {
    int a = 40;
    return a64a1(99LL, a, 4) + a64a2(-120LL, -60, -18);
}

a64a.c

long a64a1 (long a, int b, short c) {
    return -(a+b+c);
}

int a64a2 (long a, int b, short c) {
    return -(a+b+c);
}

```

Figure 32. AMODE31 program that calls an AMODE64 program

## RENT mode support

The RENT option supports constructed reentrancy for C programs with writable static and external variables. This makes Metal C programs with writable static and external variables to be reentrant so a program can be concurrently used by multiple users. The writable static area (WSA) can be managed by user provided routines. Using the RENT support, you can use Metal C as an alternative to assembler, to write programs to run in CICS® environment. For information about how the CICS API and the CICS XPI can be used in Metal C and for programming examples, see Appendix B, “CICS programming interface examples,” on page 123. The default of the RENT option is NORENT.

**Note:** The Metal C RENT support is independent of and different from the NOMETAL RENT support. They should not be mixed.

### Example

```

xlc -qMETAL -qRENT -S a.c
as -mgoff a.s
export _LD_SYSLIB="//'CBC.SCCNOBJ'"
ld a.o

```

1  
2  
3

#### Notes:

1. Request Metal C RENT support.
2. The HLASM GOFF option is required to assemble the compiler generated code for RENT.
3. It is necessary to add CBC.SCCNOBJ dataset to the binder SYSLIB for the resolution of CCNZINIT and CCNZTERM.

### Linkage convention

General Purpose Register 0 (GPRO) is used to pass the WSA address. The prolog code you supplied needs to preserve the content of GPRO on exit of the prolog code. Programs compiled with RENT and NORENT can be mixed as long as the NORENT programs do not call RENT programs.

**Note:** Global variables compiled with RENT and NORENT cannot have the same name.

### Assembler code interface

The runtime RENT support is accomplished by additional calls generated for the function "main" between the prolog/epilog code and the function code. The RENT environment initialization and termination routines are called to establish and terminate the dynamically allocated WSA storage with the static initialization data applied. For the AMODE 31 "main" function, CCNZINIT and CCNZTERM are the names of these routines. While for the AMODE 64 "main" function, CCNZQINI and CCNZQTRM are the function names. For the simplicity of further references, only the names of the 31-bit version are used.

The actual WSA storage management is done by user supplied plug-in routines called from CCNZINIT and CCNZTERM. Two user modifiable Global Set Symbols, &CCN\_WSA\_INIT and &CCN\_WSA\_TERM, can be used in the user supplied prolog code to set the user supplied WSA initialization and termination function names. The AMODE of the user supplied routines has to be the same as the AMODE of function "main".

**Note:** CCNZINIT, CCNZTERM, CCNZWSAI and CCNZWSAT require the stack space to be supplied by function "main" prolog code. Both CCNZINIT and CCNZTERM require NAB to be established by function "main". Also, CCNZINIT and CCNZTERM assume stack space to be available for the WSA initialization and termination functions. This arrangement is to ensure that the stack space used by CCNZINIT and CCNZTERM as well as the WSA initialization and termination routines is consistent with the stack space used by function "main". Allocating 1K of extra stack space (in addition to the DSA size suggested by &CCN\_DSASZ for "main") by function "main" should be sufficient for AMODE 31. For AMODE 64, the extra stack space is roughly doubled.

The following new Global Set Symbols are introduced for the RENT option.

- &CCN\_MAIN
- &CCN\_RENT
- &CCN\_WSA\_INIT
- &CCN\_WSA\_TERM

For detailed information about these new Global Set Symbols, see [“Compiler-generated global SET symbols” on page 14.](#)

You can provide your own WSA initialization and termination routines by setting these Global Set Symbols with the module names of your own routines. For example:

```
GBLC &CCN_WSA_INIT  
GBLC &CCN_WSA_TERM  
&CCN_WSA_INIT SETC 'MYWSAI'  
&CCN_WSA_TERM SETC 'MYWSAT'
```

Your own WSA initialization and termination routines can be object modules, load modules, or program modules, and they need to be supplied to the binder's input.

The compiler generated code for "main" has the following kind of assembly statements in it:

- For AMODE 31:

```
DC V(&CCN_WSA_INIT)  
DC V(&CCN_WSA_TERM)
```

- For AMODE 64:

```
DC VD(&CCN_WSA_INIT)  
DC VD(&CCN_WSA_TERM)
```

## WSA initialization routine

Given the size of the WSA for the whole application and the image of the WSA with initialization data applied, the WSA initialization routine you provided dynamically allocate the WSA storage for the application and copy the WSA image into it. The address of the allocated storage is returned which CCNZINIT saves it on the function main's stack to be propagated to the rest of the application. You are responsible for ensuring that the allocated storage is addressable to all parts of the application. This particularly means if there are AMODE 31 parts in the application, the WSA storage should not be allocated above the 2G bar if the AMODE 31 parts need to access it. Also, the WSA storage has to be allocated in the primary address space. WSA storage in data spaces is not supported.

The routine you provide is given an address of an area to store whatever extra information you want to keep and pass to the WSA termination routine you provided. The storage area size is the size of a pointer, that is, 4 bytes for AMODE 31, and 8 bytes for AMODE 64.



## Function prototype:

```
typedef void * (init_func_t) (void * wsa_image_addr,  
unsigned long wsa_size, void * *user_info_addr, unsigned int alignment);
```

## Input parameters:

- `wsa_image_addr` - the address of the WSA image in the loaded program object
- `wsa_size` - the total size of the application's WSA
- `user_info_addr` - the address of the CCNZINIT provided save area for saving user information
- `alignment` - the minimum required alignment of the allocated WSA storage. For example, "alignment=8" means double-word alignment.

## Return value:

The address of the allocated and initialized WSA storage. The default is the IBM supplied routine CCNZWSAI or CCNZQWSI, which allocates storage for both AMODE 31 and AMODE 64 with the following macro:

```
STORAGE OBTAIN, LENGTH=(n), BNDRY=PAGE
```

## WSA termination routine

This routine is called from CCNZTERM for the WSA termination and cleanup process. It is passed in the address of the WSA storage allocated by the WSA initialization routine. It is also given the same WSA size that was originally passed to the WSA initialization routine.

## Function prototype:

```
typedef void (term_func_t) (void * allocated_wsa_addr,  
unsigned long wsa_size, void * user_info_addr);
```

## Input parameters:

- `allocated_wsa_addr` - the address of the allocated WSA storage
- `wsa_size` - the total size of the application's WSA
- `user_info_addr` - the saved user information

## Return value:

The default is the IBM supplied routine CCNZWSAT or CCNZQWST, which frees the storage with the following macro:

```
STORAGE RELEASE, LENGTH=(n), ADDR=(m)
```

## argc argv parsing support

If your `main()` function uses the standard `argc` and `argv` arguments, the Metal C initialization routine is called to parse the raw parameter data received from the hosting environment and to convert the parameter to the standard `argc` and `argv` format. If your program is not invoked in or otherwise connected (not dubbed) to the z/OS UNIX System Services (z/OS UNIX) environment, you can use the `ARGPARSE` or `NOARGPARSE` options to determine if the EXEC PARM needs to be further parsed into individual arguments; the EXEC PARM must be in this format: a halfword length field followed by a maximum of 100 characters where the length field contains a binary count of the number of bytes in the PARM field. For more information about the `ARGPARSE` option, see [z/OS XL C/C++ User's Guide](#).

If your `main()` function uses `argc` and `argv` arguments and you do not want the parsing to be performed, you can set the new Global Set Symbol `&CCN_APARSE` to 0 in your prolog code to conditionally bypass the argument parsing. For detailed information, see [Table 3 on page 16](#).

## AR-mode programming support

With the METAL option, an AR-mode function can access data stored in data spaces by using the hardware access registers. For more information about AR-mode, see [z/OS MVS Programming: Assembler Services Guide](#). A non-AR-mode function is said to be in *primary mode*.

The following sections describe the compiler options, language constructs, and built-in functions that support AR-mode programming.

### AR-mode function declaration

You can declare a function to be an AR-mode function with the `armode` attribute. The syntax is:

```
void armode_func() __attribute__((armode));
```

You can also use the `ARMODE` compiler option to declare that all functions in the source program to be AR-mode functions. If you use the `ARMODE` compiler option and you want to single out the functions in the source program to be primary mode functions you can declare the function with the `noarmode` attribute. The syntax is:

```
void nonarmode_func() __attribute__((noarmode));
```

### Far pointer declaration, reference, and dereference

The ability to reference data stored in different data spaces is achieved through a C language extension to pointer types called far pointer types. A far pointer type is declared by adding the `__far` qualifier. The syntax is

```
int * __far my_far_pointer;
```

A far pointer can be declared in a function of any mode (AR mode or primary mode). But only an AR-mode function can directly or indirectly dereference a far pointer. In other words, only an AR-mode program can access data stored in data spaces with far pointers.

**Note:** For an example of a simple dereference of a far pointer, see [Figure 39 on page 39](#).

Regardless of the mode of the function, a far pointer can be manipulated in the following ways:

- It can be passed as a parameter.
- It can be received as a function return value.
- It can be compared with another pointer.
- It can be cast as another pointer type.
- It can be used in pointer arithmetic expressions.

A far pointer consists of ALET and an offset. Although an ALET is always 32 bits in length, the size of a far pointer is twice the size of a regular pointer. The layout of a far pointer in memory depends on the `AMODE` of the function:

- Under `AMODE 31`, a far pointer occupies eight bytes.
  - The ALET occupies the first four bytes.
  - The offset occupies the last four bytes.
- Under `AMODE 64`, a far pointer occupies 16 bytes.
  - The first four bytes are unused.
  - The ALET occupies the second four bytes.
  - The offset occupies the last eight bytes.

This difference in pointer size is illustrated in [Figure 33 on page 33](#).




Figure 33. Far pointer sizes under different addressing modes

## C language constructs and far pointers

[Table 4 on page 33](#) describes the effects of language constructs that might have special impact on far pointers.

Language Construct	Effect
Implicit or explicit cast from normal to far pointer	Because the normal pointer is assumed to point to primary address space, the ALET of the far pointer is set to 0.
Explicit cast from far pointer to normal pointer	The offset of the far pointer is extracted and used to form the normal pointer. Unless the ALET of the far pointer was 0, the normal pointer is likely to be invalid.
Operators !=, ==	If either operand is a far pointer, the other operand is implicitly cast to a far pointer before the operands are compared. The comparison is performed on both the ALET and offset components of a far pointer.
Operators <, <=, >, >=	Only the offset of the far pointer is used in the comparison. Unless the ALETs of the far pointers were the same, the result might be meaningless.
Compare to NULL	Because of the implicit cast of NULL to a far pointer, the != and == operators compare both the ALET and the offset to zero. A test of !(p>NULL) is not sufficient to ensure that the ALET is also 0.
Pointer arithmetic	The effects of pointer arithmetic are applied to the offset component of a far pointer only. The ALET component remains unchanged.
Address of Operator, operand of &	The result is a normal pointer, except in the following cases: <ul style="list-style-type: none"> <li>• If the operand of &amp; is the result of an indirection operator (*), the type of &amp; is the same as the operand of the indirection operator.</li> <li>• If the operand of &amp; is the result of the arrow operator (-&gt;, structure member access), the type of &amp; is the same as the left operand of the arrow operator.</li> </ul>

## Implicit ALET association

In addition to explicitly specifying ALETs that use far pointers to access data in data spaces, the compiler must associate those ALETs with all the memory references contained in the AR-mode function.

In a non-AR-mode function, all variable references are to primary data space (ALET 0). In an AR-mode function, the compiler manages access registers (ARs) so that every memory reference uses an ALET associated with the variable type to reach the appropriate data space. [Table 5 on page 34](#) lists the ALET associations for different types of variables.

Variable type	Implied ALET
File-scope variable	ALET 0 (primary data space)
Stack variables (function local variable)	The ALET that is in AR 13 at the time of function entry. This points to the stack frame.
Parameters (function formal parameters)	The ALET that is in AR 1 at the time of function entry. This points to the parameter list.
Data pointed to by regular pointers	ALET 0 (primary data space).
Data pointed by far pointer	ALET contained in far pointer.

## Far pointer construction

The Metal C Runtime Library does not provide functions for allocating or deallocating alternative data spaces. You can use the DSPSERV and ALESERV HLASM macros to allocate space and obtain a valid ALET and offset. For an example, see [Figure 37 on page 37](#). For more information, see [z/OS MVS Programming: Assembler Services Guide](#).

## Built-in functions that manage far-pointer components

The compiler provides built-in functions for setting and getting the individual components of far pointers. Whenever you use these built-in functions, you must:

- Define the macro `_MI.BUILTN` to "1".
- Include the header file `builtins.h`.

[Figure 34 on page 34](#) lists the constructors.

```
void * __far __set_far_ALET_offset(unsigned int alet, void * offset);  
void * __far __set_far_ALET(unsigned int alet, void * __far offset); 1  
void * __far __set_far_offset(void * __far alet, void * offset); 2
```

### Notes:

1. The `__set_far_ALET` function does not modify the far-pointer parameter offset. It simply uses it to provide the offset component of the far pointer being constructed. Its return value is the constructed far pointer.
2. Similarly, the `__set_far_offset` function that uses the far-pointer parameter ALET is not modified; it simply provides the ALET for the far pointer being constructed.

*Figure 34. Built-in functions for setting far-pointer components*

[Figure 35 on page 35](#) lists the extractors.

```

unsigned int __get_far_ALET(void * __far p);
void * __get_far_offset(void * __far p);

```

Figure 35. Built-in functions for getting far-pointer components

For information about ARMODE built-in functions, see [Using hardware built-in functions in z/OS XL C/C++ Programming Guide](#).

## Library functions that manipulate data stored in data spaces

The XL C compiler provides far versions of some of the standard C string and memory library functions. The far versions can be called by either AR-mode or primary-mode functions. If these functions are called by an AR mode function, the compiler will generate inline code for them.

Whenever you use these functions, you must:

- Define the macro `_MI.BUILTIN` to "1".
- Include the header file `builtins.h`.

The semantics of these functions, listed in [Figure 36 on page 35](#), are identical to the standard version.

```

void * __far __far_memcpy(void * __far s1, const void * __far s2, size_t n);
int __far memcmp(const void * __far s1, const void * __far s2, size_t n);
void * __far __far_memset(void * __far s, int c, size_t n);
void * __far __far_memchr(const void * __far s, int c, size_t n);
char * __far __far_strcpy(char * __far s1, const char * __far s2); See Note
char * __far __far_strncpy(char * __far s1, const char * __far s2, size_t n);
int __far strcmp(const char * __far s1, const char * __far s2);
int __far strncmp(const char * __far s1, const char * __far s2, size_t n);
char * __far __far_strcat(char * __far s1, const char * __far s2);
char * __far __far_strncat(char * __far s1, const char * __far s2, size_t n);
char * __far __far_strchr(const char * __far s, int c);
char * __far __far_strrchr(const char * __far s, int c);
size_t __far strlen(const char * __far s);

```

**Note:** For an example that illustrates the use of this function, see [Figure 38 on page 39](#).

Figure 36. Library functions for use only in AR-mode functions

## AR-mode function linkage conventions

AR mode functions follow the same linkage conventions as do primary-mode functions, with the following additional requirements:

- Any function that calls an AR-mode function must supply the 54-word F7SA save area for saving the access registers.
- The AR-mode function must preserve the calling function's access registers.
- The AR-mode function is responsible for switching into AR mode on entry and switching back to calling function's ASC mode on exit.

**Note:** A primary-mode function does not switch the ASC mode when calling an AR-mode function.

- An AR-mode function must switch to primary mode before calling a primary mode function.
- A far pointer is passed and returned as a `struct` that is based on the layout for the calling function's AMODE.

## Default prolog and epilog code for AR-mode functions

If the calling function is in non-AR mode, the DSA and parameter areas are assumed to be located in the primary address space.

For AR-mode functions, the default prolog code generates additional instructions that:

- Save the calling function's access registers in the F7SA save area.
- Save the ASC mode of the calling function in the F7SA save area.
- Switch to AR mode.
- Prime AR 1 and AR 13 with LAE instructions.

For AR-mode functions, the default epilog code generates additional instructions that:

- Restore the calling function's access registers.
- Restore the ASC mode of the calling function.

## **Data space allocation and deallocation**

[Figure 37 on page 37](#) provides examples of routines for allocating and deallocating data space.

```

#define _MI_BUILTN 1
#include builtins.h
#include string.h

/*****
/* Allocation/Deallocation example routines */
*****/

int alloc_data_space(void * __far *ret, char dstok[8],
                    long size_blocks, char name[8])
{
    __asm("DSPARMS DSPSERV MF=L\n" : "XL:DS:64"(DSPARMS));
    __asm("ALPARMS ALESERV MF=L\n" : "XL:DS:16"(ALPARMS));
    int res,res2;
    struct _myparms /* To reduce number of operands to __asm */
    {
        unsigned origin; /* +0 */
        unsigned blocks; /* +4 */
        unsigned alet; /* +8 */
        char name[8]; /* +12 */
        char dstok[8]; /* +20 */
    } myparms;

    strncpy(myparms.name,name,8);
    myparms.blocks = size_blocks;

    __asm(
        "          DSPSERV CREATE,GENNAME=COND,NAME=12(%1),OUTNAME=12(%1),\"
        \"STOKEN=20(%1),ORIGIN=0(%1),BLOCKS=(4(%1)),MF=(E,(%2))\n\"
        \"          ST          15,%0\n\"
        : \"m\"(res)
        : \"a\"(&myparms), \"a\"(&DSPARMS)
        : \"r0\" , \"r1\" , \"r14\" , \"r15\");

    if(res==0)
    {
        __asm(
            "          ALESERV ADD,STOKEN=20(%1),ALET=8(%1),MF=(E,(%2))\n\"
            \"          ST          15,%0\n\"
            : \"m\"(res2) : \"a\"(&myparms), \"a\"(&ALPARMS) : \"r0\" , \"r1\" , \"r14\" , \"r15\");

        if(res2!=0)
        {
            __asm(
                "          DSPSERV DELETE,STOKEN=20(%1),MF=(E,(%2))\n\"
                \"          ST          15,%0\n\"
                : \"m\"(res2) : \"a\"(&myparms), \"a\"(&DSPARMS) : \"r0\" , \"r1\" , \"r14\" , \"r15\");
            return -res2;
        }
    }
    else
    {
        return res;
    }

    *ret = __set_far_ALET_offset(myparms.alet,(void *)myparms.origin);
    strncpy(dstok,myparms.dstok,8);
    strncpy(name,myparms.name,8);
    return 0;
}

```

### **Allocation and deallocation routines (Part 1 of 3)**

Figure 37. Allocation and deallocation routines

```

void * __far allocate_far(long size)
{
    void * __far ret;

    ret = NULL;
    if(size > 0)
    {
        int blocks = (size+4095)/4096;
        char name[8];
        char dstok[8];
        stincpy(name,"Z",8); /* provide a prefix */
        alloc_data_space(&ret, dstok, blocks, name);
    }
    return ret;
}

void delete_data_space(void * __far p, char dstok[8])
{
    __asm("DSPARMS DSPSERV MF=L\n" : "XL:DS:64"(DSPARMS));
    __asm("ALPARMS ALESERV MF=L\n" : "XL:DS:16"(ALPARMS));
    int alet;

    if(p!=NULL)
    {
        alet = __get_far_ALET(p);
        __asm(
            "          ALESERV DELETE,ALET=0(%0),MF=(E,(%1))\n"
            : : "a"(&alet), "a"(&ALPARMS) : "r0", "r1", "r14", "r15");

        __asm(
            "          DSPSERV DELETE,STOKEN=0(%0),MF=(E,(%1))\n"
            : : "a"(dstok), "a"(&DSPARMS) : "r0", "r1", "r14", "r15");
    }
}

int get_data_space_token(void * __far p, char *dstok)
{
    __asm("ALPARMS ALESERV MF=L\n" : "XL:DS:16"(ALPARMS));
    unsigned alet;
    int res;

    if(p!=NULL)
    {
        alet = __get_far_ALET(p);
        __asm(
            "          ALESERV EXTRACT,ALET=0(%1),STOKEN=0(%2),MF=(E,(%3))\n"
            "          ST          15,%0\n"
            : "=m"(res) : "a"(&alet), "a"(dstok), "a"(&ALPARMS)
            : "r0", "r1", "r14", "r15");

        return res;
    }
    return -1;
}

```

### ***Allocation and deallocation routines (Part 2 of 3)***

```

void * __far free_far(void * __far p)
{
    int x;
    void * __far ret;

    if(p != NULL)
    {
        char dstok[8];
        x = get_data_space_token(p,dstok);
        if(x==0)
        {
            delete_data_space(p, dstok);
        }
    }
    return NULL;
}

```

### ***Allocation and deallocation routines (Part 3 of 3)***



## Copying a string pointer to a far pointer

Figure 38 on page 39 provides an example of using a built-in function to copy a C string pointer to a far pointer.

```
/* *****  
/* __far_strcpy example  
/* *****  
  
char *__far far_strcpy_example() __attribute__((armode));  
char *__far far_strcpy_example()  
{  
    char *__far far_string;  
    char * near_string;  
  
    near_string = "Hello World!\n";  
  
    far_string = allocate_far(1024);  
  
    __far_strcpy(far_string, near_string);  
  
    return far_string; /* Assume caller will free allocated data space */  
}
```

Figure 38. Copying a C string pointer to a far pointer

## Far pointer dereference

The Metal C Runtime Library does not provide functions for allocating or deallocating alternative data spaces. Figure 39 on page 39 provides an example of code that dereferences a far pointer.

```
/* *****  
/* Simple dereference example  
/* *****  
  
char get_ith_character(char *__far s, int i) __attribute__((armode));  
char get_ith_character(char *__far s, int i)  
{  
    return s[i];  
}  
  
int main()  
{  
    char c;  
    char *__far far_string;  
  
    far_string = far_strcpy_example();  
  
    c = get_ith_character(far_string, 1);  
  
    free_far(far_string);  
  
    return c;  
}
```

Figure 39. Example of a simple dereference of a far pointer

## Metal C function descriptor support

When a library or a set of functions are used by multiple applications, these functions have the same code in all the applications while their associated data is application-specific. In this case, you can use Metal C function descriptors to call these library functions instead of using normal function pointers.

A Metal C function descriptor encapsulates all the information that a function call needs to access both the function and the application-specific data. You can use Metal C function descriptors to point to and call functions with their own set of associated data for the particular program or invocation.

A function pointer that is declared with the `__fdptr` keyword points to a Metal C function descriptor, which is an internal control block that contains two fields:

- The address of the actual function to be called when the function pointer is dereferenced
- The address of the data location or function environment

The length of each field is the same as that of a pointer in the current compilation's unit AMODE.

## Related information

- [The `\_\_fdptr` type qualifier \(C only\) in \*z/OS XL C/C++ Language Reference\*](#)

## Defining an alternative name for function "main"

When building a Metal C program, you might need to define an alternative entry point name for function "main" while maintaining all the characteristics of function "main".

For example, if you want to call your Metal C "main" function as "ANEWMAIN", you can add the following directive in your source file where "main" is defined:

```
#pragma map(main, "ANEWMAIN")
void dosomething(char *);
int main(int argc, char *argv[]) {
    int i;
    for (i=1; i<argc; i++) {
        dosomething(argv[i]);
    }
    return 0;
}
```

The entry point name in the generated prolog/epilog code will be ANEWMAIN. When you link your program, you need to tell the binder that the entry point name is ANEWMAIN. For example:

```
/bin/ld -o a.out a.o -e ANEWMAIN
```

### Notes:

1. In your C program, you can have only one "main" function, whether it is called "main" or otherwise. If you use IPA, IPA will terminate with an error message issued when more than one "main" function is detected.
2. The mapped entry point name for function "main" is subject to the effect of the LONGNAME option. If the NOLONGNAME option is in effect, the mapped name will be truncated to maximum of 8 characters, and the name will be in upper case, with "\_" in the name converted to "@". For example, "a\_newmain" will become "A@NEWMAI".

## Building Metal C programs

Because the Metal option produces the final code in HLASM source code format, the build process needs to include an assembly step to produce the object files. The build process is demonstrated in [Figure 40 on page 41](#). Note that the build process with IPA is more elaborated. For more information, see [“Building Metal C programs with IPA” on page 44](#).




Figure 40. Metal C application build process

In summary, the C source file is sent to the C compiler, which generates the assembler source file. The assembler source file is sent to the HLASM assembler, which generates an object file and a listing.

## Examples of building Metal C programs

A set of examples illustrates how to build a Metal C program by using either z/OS UNIX System Services commands or MVS JCL procedures. In these examples:

- MYADD is the name of the entry point in the C program.
- The name of the C source file used to generate the HLASM source file is `mycode.c`.
- The name of the HLASM source file is `mycode.s` if it is generated under z/OS UNIX System Services.
- Under MVS, if the C source file is a data set, the compiler uses the C source file name to form the name of the HLASM source file. The high-level qualifier is replaced with the userid under which the compiler is running, and `.ASM` is appended as the low-level qualifier.

## C source file

Figure 41 on page 41 shows a C source file `mycode.c` that can be used to generate an HLASM source file. The name of the generated HLASM source file is `mycode.s` under z/OS UNIX System Services.

```

int myadd(void) {
    int a , b;
    a = 1;
    b = 2;
    __asm(" AR  %0,%1 "
          : "=r"(a)
          : "r"(b), "0"(a)
          );
    return a;
}
  
```

Figure 41. C source file (`mycode.c`) that builds a Metal C program

## Building Metal C programs using z/OS UNIX System Services

There are three steps for building a Metal C program under z/OS UNIX System Services:

1. Use the **xlc** command to generate an HLASM source file.
2. Use the **as** command to generate the object file.
3. Use the **ld** command to generate the program.

### Generating an HLASM source file using the xlc command

To generate an HLASM source file from a C source file, the **xlc** command must be invoked with the `-qmetal` option and the `-S` flag.

#### Notes:

- Without the `-S` flag, the `xlc` utility invokes the compiler with the `OBJECT` option, which is in conflict with the `METAL` option. This causes the compiler to emit a severe error message and stop processing.
- You must use the header files for the Metal C Runtime Library instead of the header files for the Language Environment® C/C++ Runtime Library, which might have the same file names as the Metal C header files. For detailed information, see [Chapter 2, “Header files,” on page 51](#).

The generated HLASM source file has the same name as the C source file with the suffix derived from the `ssuffix` attribute in the `xlc` configuration file. The default suffix is `s`, so in the examples in this section, the HLASM source file name is `mycode.s`.

```
xlc -S -qmetal mycode.c
```

Figure 42. C compiler invocation to generate `mycode.s`

### Generating an object file from the HLASM source using the z/OS UNIX System Services `as` command

The generated object file does not have to be a z/OS UNIX file. The **as** command can write the object file directly to an MVS data set, as shown in [Figure 43 on page 42](#). The `-o` flag can be used to name the output file, where it can be a UNIX file or an MVS data set.

```
as mycode.s
```

Figure 43. Command that invokes HLASM to assemble `mycode.s`

A successful assemble will produce `mycode.o`.

If the C source file was compiled with the `LONGNAME` compiler option, the generated HLASM source file will contain symbols that are more than eight characters in length. In that case, the HLASM `GOFF` option must be specified. Use the `as` utility `-m` flag to specify HLASM options, as shown in [Figure 44 on page 42](#).

```
as -mgoff mycode.long.s
```

Figure 44. Command that compiles an HLASM source file containing symbols longer than eight characters

A successful assemble will produce `mycode.long.o`.

### Creating a program with the z/OS UNIX System Services `ld` command

Use the **ld** command to link the object file produced by the **as** command into a program. The program does not have to be a z/OS UNIX file. The `ld` utility can write the program directly to a specified MVS data set.

Common **ld** command options that control the bind step are:

- **-e** to specify the entry point.
- **-o** to specify the name of the program created by the ld utility.
- **-V** to direct the binder listing to stdout.
- **-b** to specify other binder-specific options.

**Note:** If you compile your C source file with the LONGNAME option, you should use **-b case=mixed** and the **-e** option must specify the entry point in its original case, as shown in [Figure 45 on page 43](#).

```
ld -b case=mixed -e MYADD -o "//LOAD(mycode)" mycode.o
```

Figure 45. Command that binds mycode.o and produces a Metal C program in an MVS data set

A successful bind produces HLQ.LOAD(MYCODE) with entry point MYADD.

## Commands that compile and link applications that switch addressing modes

[Figure 46 on page 43](#) shows the commands that compile and link the programs in [Figure 32 on page 29](#).

```
xlc -S -qmetal a31.c           1
xlc -S -qmetal -q64 a64a.c    2
as -a=a31.lst -mgoff a31.s     3
as -a=a64a.lst -mgoff a64a.s   3
ld -o a.out a31.o a64a.o -e MAIN 4
```

Figure 46. Commands that compile and link programs with different addressing modes

### Notes:

1. To generate an HLASM source file from a C source file, the **xlc** command must be invoked with the **-qmetal** option and the **-S** flag.
2. The called program **a64a.c** is an external function in a separate source file.
3. The **-mgoff** command is used to compile an HLASM source file containing symbols longer than eight characters.
4. The **ld** command links the object file produced by the **as** command into a program. The **-e** command specifies the entry point.

## Building Metal C programs using JCL

When you build Metal C programs using JCL, you cannot use standard JCL procedures that combine the compilation step with the link step (or link and run steps) because compiling Metal C programs produces HLASM source files that must be assembled by HLASM before they can be linked.

After successful completion of the assembly step, you can use an appropriate [binder invocation JCL procedure](#) to produce an program.

**Note:** Binder invocation JCL procedures are available in the CEE.SCEEPROC data set.

## Compilation of HLQ.SOURCE.C(MYCODE)

```
//PROC JCLLIB ORDER=(CBC.SCCNPRC)
//*-----
//* Invoke METAL C compiler
//*-----
//METALCMP EXEC EDCC,
//      INFILE='HLQ.SOURCE.C(MYCODE)',
//      OUTFILE='HLQ.SOURCE.ASM(MYCODE)',DISP=SHR',
//      CPARAM='METAL'
```

Figure 47. Job step that compiles HLQ.SOURCE.C(MYCODE)

## Assembly of HLQ.SOURCE.ASM(MYCODE)

```
/*-----  
/* ASSEMBLY STEP:  
/*-----  
/*ASM      EXEC  HLASMC  
/*SYSIN    DD   DSN=HLQ.SOURCE.ASM(MYCODE),DISP=SHR  
/*SYSLIN   DD   DSN=HLQ.OBJ(MYCODE),DISP=OLD
```

Figure 48. Assembly step of HLQ.SOURCE.ASM(MYCODE)

## Bind of HLQ.OBJ(MYCODE) into a Metal C program

```
/*-----  
/* BIND STEP:  
/*-----  
/*BIND     EXEC  PGM=IEWL,  
/*          PARM='AMODE=31,MAP,CASE=MIXED'  
/*SYSLMOD  DD   DSN=HLQ.LOAD(MYCODE),DISP=SHR 1  
/*SYSPRINT DD   SYSOUT=*  
/*OBJECT   DD   DSN=HLQ.OBJ,DISP=SHR  
/*SYSLIN   DD   *  
/*          INCLUDE OBJECT(MYCODE)  
/*          ENTRY MYADD 2  
/*
```

Figure 49. Job step that binds the generated HLASM object into a program

### Notes:

1. The program is written to SYSLMOD.
2. The entry point can be specified using the ENTRY binder control statement.

## Building Metal C programs with IPA

Starting with z/OS V1R13 XL C compiler, the IPA option can be used with the METAL option. IPA is an optimization option that enables the compiler to find more optimization opportunities to improve your application performance. For more information about IPA, see the Using the IPA option section in [z/OS XL C/C++ Programming Guide](#) and the IPA considerations section in [z/OS XL C/C++ User's Guide](#).




Figure 50. The process of building Metal C programs with IPA

You need to be aware of the following adjustments when invoking IPA for METAL.

- The LONGNAME option is in effect by default when IPA is specified.
- The IPA compile step only produces IPA object in the output file. Only IPA(NOOBJECT) is allowed, which instructs IPA to stop the compile process after the IPA object is produced. It does not produce HLASM source code, so the GENASM option cannot be used.
- The output file from IPA link step is one single HLASM source file for the whole program, and the GENASM option is required. There could be multiple structures in the HLASM source program, one for each partition. Under z/OS UNIX, the output HLASM source file resides in the directory where the IPA link took place. The default output file name for z/OS UNIX is a.s. In BATCH mode, the output HLASM source file goes in the dataset allocated to DD SYSLIN in the IPA link step.
- At the IPA link phase, all external references must be resolved. For Metal C, IPA does not attempt to convert external object modules or load modules into object code for the inclusion in the IPA produced program. You need to provide the same set of library data sets to both IPA link and the binder for symbol resolution.
- If you specify the PROLOG and EPILOG compiler options to supply your own prolog and epilog macros at compile time, the macros will only be applied to the functions defined in the source file.
- If you have #pragma insert\_asm in your source file, IPA will assume the strong connection between the string provided by the pragma and the functions in the source file. IPA will not move functions defined in that source file to anywhere else.

- If you use global register variable or the RESERVE\_REGS option during your compile, IPA link will merge the registers specified in the compile steps and apply the merged set of the originated compilation units to a partition.
- If you use the DSAUSER option in any of your compile steps, IPA link applies the option to the entire program.

The following compiler options are not supported by METAL with IPA:

- DEBUG
- REPORT

The following IPA suboptions are not supported with the METAL option:

- ATTRIBUTE
- GONUM
- PDF suboptions

The following IPA control file directives are not supported with the METAL option:

- EXPORT
- NOEXPORTS

## Example

The following example shows how to compile a Metal C program with IPA.

### IPA compile phase:

```
xlc -qmetal -qipa -c x.c
```

```
xlc -qmetal -qipa -c y.c
```

The above commands produce x.o and y.o.

#### Notes:

1. The -c option indicates compile.
2. No HLASM output is generated.
3. The objects are IPA objects, which can only be used for IPA link.
4. LONGNAME is implicitly turned on.

### IPA link phase:

```
xlc -qmetal -qipa -S x.o y.o
```

This command produces a.s.

**Note:** The structure of the compiler-generated HLASM source program is similar to that described in “Structure of a compiler-generated HLASM source program” on page 4, except that at IPA link there could be multiple structures in the HLASM source program, one for each partition.

The rest of the build process is similar to building Metal C programs without IPA. You need to add the assembly step to produce the object file from the IPA link generated HLASM source file. You also need to supply the object file produced by the assembler along with all other library data sets to the binder for producing the final executable program.

### Assembly phase:

```
as -mgoff a.s
```

This command produces a.o.



**Note:** The HLASM GOFF option must be specified because of the LONGNAME compiler option requirement with IPA.

### Bind/Link phase:

```
ld -b case=mixed -e main a.o
```

This command produces a.out.

**Note:** Because of the LONGNAME compiler option requirement with IPA, you should use the **-b case=mixed** ld utility option and the **-e** option with the entry point in its original case.

## Generation of debugging information

When the NOMETAL (the default) and DEBUG compiler options are in effect, the compiler either generates debugging information as a separate binary file in DWARF format, or embeds debugging information within the object file in ISD format. When the METAL and DEBUG compiler options are specified, debugging information in both ADATA and DWARF format can be generated. The ADATA debug format allows debugging of the generated HLASM source. The DWARF debug format allows debugging of the original C source.

## CDAASMC JCL procedure to generate debugging information

The **as** command is a z/OS UNIX System Services utility that invokes the HLASM assembler and can produce debugging information in DWARF format. CDAASMC is the JCL procedure provided with the XL C compiler to do the same thing in a batch environment.

**Note:** If you wish to use the HLASM ASMLANGX debugging utility, you must first assemble your source with the ADATA assembler option. The CDAASMC JCL procedure allows you to generate both ADATA and DWARF debugging information.

The cataloged CDAASMC JCL procedure invokes CDAHLASM.

## Debugging information for the IDF debugger

The Interactive Debug Facility (IDF) is a symbolic debugging tool for assembly language programs. It uses information from the load module file to determine the locations of a program's control sections and external symbols.

Optionally, IDF can make use of additional information to help disassemble the program. The additional information can be generated by specifying the assembler TEST option and the linkage editor TEST option.

**Note:** The Linkage Editor TEST option can make the final load module file quite large. If you prefer to suppress them, either omit the linkage editor TEST option or specify the NOTEST option.

The Linkage Editor TEST option increases the size of the load module file, so do not use it for production modules.

## ADATA debugging information

The ASMLANGX utility extracts source level information from the ADATA debugging information. The output is an extract file. Although you can create extract files as sequential files, they are typically stored in a PDS.

The recommended format for the extract file is:

```
RECFM(VB) LRECL(1562) BLKSIZE(27998)
```

```
//ASMLANGX EXEC PGM=ASMLANGX,REGION=4096K,
// PARM='member (ASM LOUD ERROR'
//SYSADATA DD DISP=SHR,DSN=h1q..SYSADATA
//ASMLANGX DD DISP=OLD,DSN=h1q..ASMLANGX
```

1  
2  
3

### Notes:

1. The PDS member name of the input and output file is passed as a parameter. For sequential files, this name is ignored.
2. The SYSADATA DD statement specifies the input data set name.
3. The ASMLANGX DD statement specifies the output data set name.

Figure 51. JCL that invokes the ASMLANGX utility

## IDF debugger invocation

If you want to use an interactive utility to debug your program, invoke the IDF debugger by performing the following steps:

1. Specify the problem load module and the extract file that contains the debugging information by entering the following commands.

```
ALLOC FI (ASMLANGX) DS('h1q.ASMLANGX') SHR
TSOLIB ACT DS('h1q.LOAD')
```

2. Invoke IDF by entering the following command:

```
ASMIDF MYCODE
```

3. Press F9 to get the **Program Source and Disassembly** view.

## Summary of useful references for the Metal C programmer

Table 6 on page 48 lists topics of interest to the Metal C programmer and, for each topic, lists information found in this document, as well as external references.

Table 6. Summary of useful references for the Metal C programmer		
Information	Internal reference	External references
The base linkage conventions that are used by the generated modules.	<a href="#">“Metal C and MVS linkage conventions” on page 2</a>	For detailed information about MVS linkage conventions, see <a href="#">Linkage conventions in z/OS MVS Programming: Assembler Services Guide</a> .
The Metal C Runtime Library.	<a href="#">Chapter 2, “Header files,” on page 51</a>	For additional information about the Metal runtime library, see <a href="#">METAL compiler option and Metal C Runtime Library (www.ibm.com/systems/z/os/zos/features/metalc)</a> .

Table 6. Summary of useful references for the Metal C programmer (continued)

Information	Internal reference	External references
Using assembler statements within a C program.	<ul style="list-style-type: none"> <li>• <a href="#">“Inserting HLASM instructions into the generated source code”</a> on page 20</li> <li>• <a href="#">“Inserting non-executable HLASM statements into the generated source code”</a> on page 27</li> </ul>	<p>For detailed information about HLASM programming, see <i>HLASM MVS &amp; VM Programmer's Guide</i>.</p> <p>For detailed information about inline assembly statements, see <a href="#">Inline assembly statements (IBM extension)</a> in <i>z/OS XL C/C++ Language Reference</i>.</p> <p>For more information about callable system services, see <i>z/OS MVS Programming: Callable Services for High-Level Languages</i>.</p>
Using the METAL option.	<a href="#">“Programming with Metal C”</a> on page 1	<b>Note:</b> For detailed information about the METAL option and how it interacts with other XL C compiler options, see <a href="#">METAL   NOMETAL (C only) option</a> in <i>z/OS XL C/C++ User's Guide</i> .
Making access registers available to the Metal C application.	<a href="#">“AR-mode programming support”</a> on page 32	For detailed information about using access registers, see <i>z/OS MVS Programming: Extended Addressability Guide</i> .
Providing prolog and epilog code to customize the environment.	<ul style="list-style-type: none"> <li>• <a href="#">“Compiler-generated global SET symbols”</a> on page 14</li> <li>• <a href="#">“Supplying your own prolog and epilog code”</a> on page 12</li> </ul>	<i>Not applicable.</i>
Building the application by using JCL procedures.	<a href="#">“Building Metal C programs using JCL”</a> on page 43	<i>Not applicable.</i>
Building the application by using z/OS UNIX System Services.	<a href="#">“Building Metal C programs using z/OS UNIX System Services”</a> on page 42	<i>Not applicable.</i>
Generating the appropriate debugging information.	<a href="#">“Generation of debugging information”</a> on page 47	<i>Not applicable.</i>
Invoking the IDF debugger.	<a href="#">“IDF debugger invocation”</a> on page 48	For specific information about IDF, see <a href="#">IBM z/OS Debugger (developer.ibm.com/mainframe/products/ibm-zos-debugger)</a> .



---

## Chapter 2. Header files

Header files for the Metal C Runtime Library are located in the z/OS UNIX file system directory: `/usr/include/metal/`. To use these headers with a Metal C compiler, you must instruct the compiler to search this directory. There are a number of ways to do this.

**Note:** Some Metal C header files such as `stdio.h` have the same names as header files for the Language Environment C/C++ Runtime Library. To avoid including these, or inadvertently including any other headers supported by the LE library and not by Metal C, remove the non-Metal libraries from the search order. Depending on how you specify the system library search path, you need to remove other libraries from the SYSLIB concatenation of the compiler, or specify the `NOSEARCH` compiler option before pointing to `/usr/include/metal/`.

If you are compiling in batch, you can use the `SEARCH` compiler option:

```
SEARCH(/usr/include/metal/)
```

If you are compiling using the `NOSEARCH` compiler option, you have the following options:

- Use the `-I` option of the `xlc` utility.

```
-I /usr/include/metal/
```

- Use the `cinc` attribute in the `xlc` configuration file.

```
cinc = -I /usr/include/metal/
```

---

### **builtins.h – Declare built-in functions**

The `builtins.h` header contains a list of built-in functions supported by the compiler. A built-in function is inline code that is generated in place of an actual function call. For more information about the built-in functions, see [Using hardware built-in functions in z/OS XL C/C++ Programming Guide](#) and [“AR-mode programming support” on page 32](#).

---

### **ctype.h – Declare character classification functions**

The `ctype.h` header file declares functions used in character classification. The `ctype.h` header file declares the following functions.

<code>isalnum()</code>	<code>isalpha()</code>	<code>isblank()</code>	<code>iscntrl()</code>	<code>isdigit()</code>
<code>isgraph()</code>	<code>islower()</code>	<code>isprint()</code>	<code>ispunct()</code>	<code>isspace()</code>
<code>isupper()</code>	<code>isxdigit()</code>	<code>tolower()</code>	<code>toupper()</code>	

**Note:** All the functions in the previous table use code page IBM-1047.

---

### **float.h – Define ISO C/C++ constants for floating-point data types**

The `float.h` header file contains definitions of constants listed in ISO C/C++ 5.2.4.2.2. The constants describe the characteristics of the internal representations of the three floating-point data types: `float`, `double`, and `long double`. [Table 7 on page 52](#) lists the definitions contained by `float.h`.

Table 7. Definitions in float.h

Constant	Description
FLT_RADIX	The radix for a z/OS XL C Metal C application. For FLOAT(IEEE), the value is 2.
FLT_MANT_DIG DBL_MANT_DIG LDBL_MANT_DIG	The number of hexadecimal digits stored to represent the significand of a fraction.
FLT_DIG DBL_DIG LDBL_DIG	The number of decimal digits, q, such that any floating-point number with q decimal digits can be rounded into a floating-point number with p radix FLT_RADIX digits, and back again, without any change to the q decimal digits.
FLT_MIN_10_EXP DBL_MIN_10_EXP LDBL_MIN_10_EXP	The minimum negative integer such that 10 raised to that power is in the range of normalized floating-point numbers.
FLT_MAX_EXP DBL_MAX_EXP LDBL_MAX_EXP	The maximum integer such that FLT_RADIX raised to that power minus 1 is a representable finite floating-point number.
FLT_MAX_10_EXP DBL_MAX_10_EXP LDBL_MAX_10_EXP	The maximum integer such that 10 raised to that power is in the range of representable finite floating-point numbers.
FLT_MAX DBL_MAX LDBL_MAX	The maximum representable finite floating-point number.
FLT_EPSILON DBL_EPSILON LDBL_EPSILON	The difference between 1.0 and the least value greater than 1.0 that is representable in the given floating-point type.
FLT_MIN DBL_MIN LDBL_MIN	The minimum normalized positive floating-point number.
DECIMAL_DIG	The minimum number of decimal digits needed to represent all the significant digits for type long double.
FLT_EVAL_METHOD	Describes the evaluation mode for floating point operations. This value is 1, which evaluates <ul style="list-style-type: none"> <li>• All operations and constants of types float and double to type double.</li> <li>• All operations and constants of long double to type long double.</li> </ul>

## inttypes.h – Define macros for sprintf and scanf family

The following macros are defined in `inttypes.h`. Each expands to a character string literal containing a conversion specifier which can be modified by a length modifier that can be used in the *format* argument of a formatted input/output function when converting the corresponding integer type. These macros have the general form of PRI or SCN, followed by the conversion specifier, followed by a name corresponding to a similar type name in `inttypes.h`. In these names, the suffix number represents the width of the type. For example, `PRIdFAST32` can be used in a format string to print the value of an integer of type `int_fast32_t`.

**Compile requirement:** In the following list all macros with the suffix MAX or 64 require `long long` to be available.

Macros for `sprintf` family for signed integers.

<code>PRId8</code>	<code>PRId16</code>	<code>PRId32</code>	<code>PRId64</code>
<code>PRIdLEAST8</code>	<code>PRIdLEAST16</code>	<code>PRIdLEAST32</code>	<code>PRIdLEAST64</code>
<code>PRIdFAST8</code>	<code>PRIdFAST16</code>	<code>PRIdFAST32</code>	<code>PRIdFAST64</code>
<code>PRIdMAX</code>			
<code>PRIdPTR</code>			
<code>PRi8</code>	<code>PRi16</code>	<code>PRi32</code>	<code>PRi64</code>
<code>PRiLEAST8</code>	<code>PRiLEAST16</code>	<code>PRiLEAST32</code>	<code>PRiLEAST64</code>
<code>PRiFAST8</code>	<code>PRiFAST16</code>	<code>PRiFAST32</code>	<code>PRiFAST64</code>
<code>PRiMAX</code>			
<code>PRiPTR</code>			

**Compile requirement:** In the following list all macros with the suffix MAX or 64 require `long long` to be available.

Macros for `sprintf` family for unsigned integers.

<code>PRIo8</code>	<code>PRIo16</code>	<code>PRIo32</code>	<code>PRIo64</code>
<code>PRIoLEAST8</code>	<code>PRIoLEAST16</code>	<code>PRIoLEAST32</code>	<code>PRIoLEAST64</code>
<code>PRIoFAST8</code>	<code>PRIoFAST16</code>	<code>PRIoFAST32</code>	<code>PRIoFAST64</code>
<code>PRIoMAX</code>			
<code>PRIoPTR</code>			
<code>PRiU8</code>	<code>PRiU16</code>	<code>PRiU32</code>	<code>PRiU64</code>
<code>PRiULEAST8</code>	<code>PRiULEAST16</code>	<code>PRiULEAST32</code>	<code>PRiULEAST64</code>
<code>PRiUFAST8</code>	<code>PRiUFAST16</code>	<code>PRiUFAST32</code>	<code>PRiUFAST64</code>
<code>PRiUMAX</code>			
<code>PRiUPTR</code>			
<code>PRIx8</code>	<code>PRIx16</code>	<code>PRIx32</code>	<code>PRIx64</code>
<code>PRIxLEAST8</code>	<code>PRIxLEAST16</code>	<code>PRIxLEAST32</code>	<code>PRIxLEAST64</code>
<code>PRIxFAST8</code>	<code>PRIxFAST16</code>	<code>PRIxFAST32</code>	<code>PRIxFAST64</code>
<code>PRIxMAX</code>			
<code>PRIxPTR</code>			
<code>PRIX8</code>	<code>PRIX16</code>	<code>PRIX32</code>	<code>PRIX64</code>

PRIXLEAST8	PRIXLEAST16	PRIXLEAST32	PRIXLEAST64
PRIXFAST8	PRIXFAST16	PRIXFAST32	PRIXFAST64
PRIXMAX			
PRIXPTR			

**Compile requirement:** In the following list all macros with the suffix MAX or 64 require `long long` to be available.

Macros for `sscanf` family for signed integers.

SCNd8	SCNd16	SCNd32	SCNd64
SCNdLEAST8	SCNdLEAST16	SCNdLEAST32	SCNdLEAST64
SCNdFAST8	SCNdFAST16	SCNdFAST32	SCNdFAST64
SCNdMAX			
SCNdPTR			
SCNi8	SCNi16	SCNi32	SCNi64
SCNiLEAST8	SCNiLEAST16	SCNiLEAST32	SCNiLEAST64
SCNiFAST8	SCNiFAST16	SCNiFAST32	SCNiFAST64
SCNiMAX			
SCNiPTR			

**Compile requirement:** In the following list all macros with the suffix MAX or 64 require `long long` to be available.

Macros for `sscanf` family for unsigned integers.

SCNo8	SCNo16	SCNo32	SCNo64
SCNoLEAST8	SCNoLEAST16	SCNoLEAST32	SCNoLEAST64
SCNoFAST8	SCNoFAST16	SCNoFAST32	SCNoFAST64
SCNoMAX			
SCNoPTR			
SCNu8	SCNu16	SCNu32	SCNu64
SCNuLEAST8	SCNuLEAST16	SCNuLEAST32	SCNuLEAST64
SCNuFAST8	SCNuFAST16	SCNuFAST32	SCNuFAST64
SCNuMAX			
SCNuPTR			
SCNx8	SCNx16	SCNx32	SCNx64
SCNxLEAST8	SCNxLEAST16	SCNxLEAST32	SCNxLEAST64
SCNxFAST8	SCNxFAST16	SCNxFAST32	SCNxFAST64
SCNxMAX			
SCNxPTR			

## iso646.h – Define macros for operators

---

The header file `iso646.h` allows you to use the following macros in place of the associated operator.



Table 8. Macros and associated operators

Macros	Operators
<i>and</i>	&&
<i>and_eq</i>	&=
<i>bitand</i>	&
<i>bitor</i>	
<i>compl</i>	~
<i>not</i>	!
<i>not_eq</i>	!=
<i>or</i>	
<i>or_eq</i>	=
<i>xor</i>	^
<i>xor_eq</i>	^=

## limits.h – Declare symbolic names for resource limits

The `limits.h` header file contains symbolic names that represent standard values for limits on resources, such as the maximum value for an object of type `char`.

### Symbolic name

Resource limit

### CHAR\_BIT

8

### CHAR\_MAX

127 (`_CHAR_SIGNED`)

### CHAR\_MAX

255

### CHAR\_MIN

(-128) (`_CHAR_SIGNED`)

### CHAR\_MIN

0

### INT\_MAX

2147483647

### INT\_MIN

(-2147483647 - 1)

### LLONG\_MAX

(9223372036854775807LL)

### LLONG\_MIN

(-LLONG\_MAX-1)

### LONG\_MAX

2147483647

### LONGLONG\_MAX

(9223372036854775807LL)

### LONG\_MIN

(-2147483647L - 1)

**LONGLONG\_MIN**  
(-LONGLONG\_MAX - 1)

**MB\_LEN\_MAX**  
4

**SCHAR\_MAX**  
127

**SCHAR\_MIN**  
(-128)

**SHRT\_MAX**  
32767

**SHRT\_MIN**  
(-32768)

**SSIZE\_MAX**  
2147483647

**UCHAR\_MAX**  
255

**UINT\_MAX**  
4294967295

**ULONG\_MAX**  
4294967295U

**ULONGLONG\_MAX**  
(18446744073709551615ULL)

**ULLONG\_MAX**  
(18446744073709551615ULL)

**USHRT\_MAX**  
65535

## math.h — Define macros for floating-point support

---

The `math.h` header file contains macro declarations for use with floating-point support:

No feature test macro is required.

**Object-like Macros:** The definitions are as follows.

**HUGE\_VAL**

A very large positive number that expands to a double expression.

**HUGE\_VALF**

A very large positive number that expands to a float expression.

**HUGE\_VALL**

A very large positive number that expands to a long double expression.

**INFINITY**

A constant expression of type `float` representing positive infinity.

**NAN**

A constant expression of type `float` representing a quiet NaN.

## metal.h — Define Metal C related function prototypes and data

---

The `metal.h` header file contains function prototypes and data definitions related to the Metal C runtime library, including the `__cinit()` and `__cterm()` functions.

The `metal.h` header file also includes `__csysenv_s`, which is the structure used to describe the characteristics of a Metal C environment. For more information about the `__csysenv_s` structure, see “`__cinit()` - Initialize a Metal C environment” on page 67.

**Note:** The `metal.h` header file is automatically included by any Metal C runtime library header file, so it is not necessary to explicitly include it if a header file is being used.

## stdarg.h – Define macros for accessing variable-length argument lists in functions

---

The `stdarg.h` header file defines macros used to access arguments in functions with variable-length argument lists.

`va_arg()`                      `va_copy()`                      `va_start()`                      `va_end()`

The `stdarg.h` header file also defines the structure `va_list`.

The `stdarg.h` header file defines `va_list` as `char *va_list`.

## stdbool.h – Define macros for bool type

---

The `stdbool.h` header defines the following macros:

Macro	Description
<code>bool</code>	Expands to <code>_Bool</code>
<code>__bool_true_false_are_defined</code>	Expands to 1
<code>false</code>	Expands to 0
<code>true</code>	Expands to 1

## stddef.h – Define `ptrdiff_t`, `size_t`, and `ssize_t` data types

---

The `stddef.h` header file defines the following types:

### **ptrdiff\_t**

The signed long type of the result of subtracting two pointers.

### **size\_t**

typedef for the type of the value returned by `sizeof`.

### **ssize\_t**

similar to `size_t`, but must be a signed type.

The `stddef.h` header defines the macros `NULL` and `offsetof`. `NULL` is a pointer that never points to a data object. The `offsetof` macro expands to the number of bytes between a structure member and the start of the structure. The `offsetof` macro has the form `offsetof(structure_type, member)`.

## stdio.h – Define I/O related functions

---

The `stdio.h` header file declares the following functions:

`snprintf()`                      `sprintf()`                      `sscanf()`                      `vsprintf()`                      `vprintf()`                      `vsscanf()`

The `stdio.h` header file also contains definition for the following macro, whose value should not be altered:

## NULL

A pointer which never points to a data object.

## stdint.h – Define integer types and related limits and macros

---

The `stdint.h` header defines integer types, limits of specified width integer types, limits of other integer types, and macros for integer constant expressions.

**Note:** For the exact width integer types, minimum-width integer types, limits of specified width integer types, and exact width integer constants, *bit sizes*  $N$  with the values 8, 16, 32, and 64 are supported.

**Requirement:** Use of the bit size 64 and greatest-width integer types or macros require LP64 or the `long` data type to be available.

### Integer types

The following exact width integer types are defined.

- `intN_t`
- `uintN_t`

The following minimum-width integer types are defined.

- `int_leastN_t`
- `uint_leastN_t`

The following fastest minimum-width integer types are defined. These types are the fastest to operate with among all integer types that have at least the specified width.

- `int_fastN_t`
- `uint_fastN_t`

The following greatest-width integer types are defined. These types hold the value of any signed/unsigned integer type.

**Note:** Requires `long` data type to be available.

- `intmax_t`
- `uintmax_t`

The following integer types capable of holding object pointers are defined.

- `intptr_t`
- `uintptr_t`

### Object-like macros for limits of integer types:

Macros for limits of exact width integer types.

- `INTN_MAX`
- `INTN_MIN`
- `UINTN_MAX`

Macros for limits of minimum width integer types.

- `INT_LEASTN_MAX`
- `INT_LEASTN_MIN`
- `UINT_LEASTN_MAX`

Macros for limits of fastest minimum width integer types.

- `INT_FASTN_MAX`
- `INT_FASTN_MIN`

- `UINT_FASTN_MAX`

Macros for limits of greatest width integer types.

- `INTMAX_MAX`
- `INTMAX_MIN`
- `UINTMAX_MAX`

Macros for limits of pointer integer types.

- `INTPTR_MAX`
- `INTPTR_MIN`
- `UINTPTR_MAX`

Macros for limits of `ptrdiff_t`.

- `PTRDIFF_MAX`
- `PTRDIFF_MIN`

Macro for limit of `size_t`.

- `SIZE_MAX`

#### **Function-like macros for integer constants:**

Macros for minimum width integer constants.

- `INTN_C(value)`
- `UINTN_C(value)`

Macros for greatest-width integer constants:

- `INTMAX_C(value)`
- `UINTMAX_C(value)`

## **stdlib.h – Define standard library functions**

---

The `stdlib.h` header file contains declarations for the following functions.

<code>abs()</code> <sup>1</sup>	<code>atoi()</code>	<code>atol()</code>	<code>atoll()</code>	<code>calloc()</code>
<code>div()</code>	<code>free()</code>	<code>labs()</code>	<code>ldiv()</code>	<code>llabs()</code>
<code>lldiv()</code>	<code>malloc()</code>	<code>__malloc31()</code>	<code>qsort()</code>	<code>rand()</code>
<code>rand_r()</code>	<code>realloc()</code>	<code>srand()</code>	<code>strtod()</code>	<code>strtof()</code>
<code>strtol()</code>	<code>strtold()</code>	<code>strtoll()</code>	<code>strtoul()</code>	<code>strtoull()</code>

<sup>1</sup> Built-in function.

Two type definitions are added to `stdlib.h` for the Compare and Swap functions `cs()` and `cds()`. The structures defined are `cs_t` and `cds_t`.

The type `size_t` is declared in the header file. It is used for the type of the value returned by `sizeof`. For more information on the types `size_t`, see [“stddef.h – Define `ptrdiff\_t`, `size\_t`, and `ssize\_t` data types” on page 57](#).

The `stdlib.h` declares `div_t`, `ldiv_t`, and `lldiv_t`, which define the structure types that are returned by `div()`, `ldiv()`, and `lldiv()`.

The `stdlib.h` file also contains definitions for the following macros:

#### **NULL**

The NULL pointer constant (also defined in `stddef.h`).

## **RAND\_MAX**

Expands to an integer representing the largest number that the `rand()` or `rand_r()` function can return.

## **string.h – Declare string manipulation functions**

---

The `string.h` header file declares the string manipulation functions and their built-in versions.

<code>memcpy()</code>	<code>memchr()</code> <sup>1</sup>	<code>memcmp()</code> <sup>1</sup>	<code>memcpy()</code> <sup>1</sup>	<code>memmove()</code>
<code>memset()</code> <sup>1</sup>	<code>strcat()</code> <sup>1</sup>	<code>strchr()</code> <sup>1</sup>	<code>strcmp()</code> <sup>1</sup>	<code>strcpy()</code> <sup>1</sup>
<code>strcspn()</code>	<code>strdup()</code>	<code>strlen()</code> <sup>1</sup>	<code>strncat()</code> <sup>1</sup>	<code>strncmp()</code> <sup>1</sup>
<code>strncpy()</code> <sup>1</sup>	<code>strpbrk()</code>	<code>strrchr()</code> <sup>1</sup>	<code>strspn()</code>	<code>strstr()</code>
<code>strtok()</code>	<code>strtok_r()</code>			

<sup>1</sup> Built-in function.

The `string.h` header file also defines the macro `NULL` and the type `size_t`. For more information see [“stddef.h – Define ptrdiff\\_t, size\\_t, and ssize\\_t data types”](#) on page 57.

---

## Chapter 3. C functions available to Metal C programs

This topic describes the Metal C runtime library functions.

The linkage conventions used by the XL C METAL compiler option govern use of the C functions that are available to XL C-compiled freestanding programs. For more information, see [“Metal C and MVS linkage conventions”](#) on page 2.

When you use any of these supplied C functions, be aware of the information provided in [“Characteristics of compiler-generated HLASM source code”](#) on page 4.

---

### Characteristics of Metal C runtime library functions

Linkage to each function is through the default linkage provided by the METAL option of the C compiler. This assumes that GPR 13 points to a stack frame in a contiguous stack, and that the forward pointer in the stack frame contains the address of the next available byte in the stack. The stack frame requirements for each function are documented in [Appendix A, “Function stack requirements,”](#) on page 119 so that the caller knows how much space to reserve.

The library functions support AMODE 31 and AMODE 64.

The library functions (with the exception of a few AR mode supporting functions) expect the ASC mode to be Primary on entry. The AR mode support part of Metal C ensures that this is enforced; however, if calling these library functions from within HLASM embedded statements or their own HLASM programs, you need to manage ASC mode to meet this requirement.

The library functions support IEEE floating point numbers.

The library uses code page IBM-1047 and the En\_US locale definitions to perform its functions.

---

### System and static object libraries

The Metal C runtime library supports two versions of its library functions: a system library and a static object library. The behavior of the functions within the two versions is the same. What differs is where the functions are located and how the Metal C application interacts with them.

#### System library

The system library is a version of the Metal C runtime library that exists within the system's link pack area, and is made available during the system IPL process. It is suggested that you use the system library if the Metal C application is run on a level of z/OS that supports the runtime library, and the application runs after the library has been made available. This library has the added advantage of not requiring application module relinks when service is applied to the library.

To use the system library version, you can include the wanted Metal C runtime library headers in the Metal C application source code. The default behavior of the headers is to generate code within the application that calls this system library. No additional binding is needed in order for these function calls to work.

**Note:** The compiler does not generate inline code for the following built-in functions when **COMPACT** is specified: `memcpy`, `strcat`, `strchr`, `strncat`, `strncmp`, `strncpy`. In this case, you need to define the `__METAL_SYSVEC` feature test macro.

#### Static object library

The Static object library is a version of the Metal C runtime library that gets directly bound with a Metal C application load module. The resulting application is self-contained with respect to the library; all library function calls from the application result in the functions that are bound within the load module to be driven.

It is suggested that you use the static object library if the Metal C application meets either of the following requirements:

- The application is run on a supported level of z/OS that does not support the system library (before z/OS V1.9).
- The application is run during system IPL before the system library has been made available.

The static object library functions are provided in two system data sets: SYS1.SCCR3BND and SYS1.SCCR6BND. SYS1.SCCR3BND is used with Metal C applications that have been compiled using ILP32 and run AMODE 31. SYS1.SCCR6BND is used with Metal C applications that have been compiled using LP64 and run AMODE 64.

To use the static object library, you must take the following steps:

1. Define the `__METAL_STATIC` feature test macro before including the headers in your Metal C program, and then compile the program. For example:

```
#define __METAL_STATIC
#include <stdio.h>
```

This will cause library function calls in the program to generate external references to the functions contained within the SCCRNND data sets.

2. Bind the compiled object with the corresponding SCCRNND data set. How this is done depends on the environment in which the binding takes place:
  - Batch: When using the binder from a batch job, use the `CALL` option, and use the `SYSLIB DD` to identify the static object library data set that you want to bind with.
  - UNIX System Services shell: From the shell, it is suggested that the `ld` shell command be used to bind the application with the library functions. This avoids conflicts with the Language Environment stubs that the c89 family of commands might introduce. Use the `-S` option to identify the static object library data set that you want to bind with. For example:

```
-S //'SYS1.SCCR3BND'
```

**Note:** When service is applied to the static object library, the Metal C application must be relinked to pick up the changes.

## General library usage notes

- A Metal C application can use either the system library or the static object library, but not both. The mixing of system library calls and static object library calls within the same application is not supported.
- All static objects that are bound to the application load module must be at compatible service levels.
- Metal C runtime library functions are not supported under Language Environment and must not be used within a Language Environment program, because equivalent functions are already available.

## User-replaceable heap services

---

The Metal C Runtime Library provides the ability to completely replace the underlying heap services at run time. You can use this function if you want the heap services to use a different storage management mechanism, for instance, one that is already in use elsewhere within an application.

A Metal C application replaces the underlying heap services by providing sets of function entry points in the `__csysenv_s` structure that is passed to the `__cinit()` function. To have the function entry point fields available and recognized by the `__cinit()` function, take the following steps:

- Define `__METAL_CSYSENV_VERSION 2` so that the `__csysenv_s` structure contains the heap service function entry point fields.
- In the `__csysenv_s` structure, set field `__cseversion` to `__CSE_VERSION_2`.
- In the `__csysenv_s` structure, provide addresses for heap functions that are to be replaced.



- Call the `__cinit()` function, providing the `__csysenv_s` structure that was initialized.

The Metal C application can provide at environment initialization time 8 bytes of data that can be accessed by the replacement heap services. To reserve the 8 bytes of data, take the following steps:

- Before calling the `__cinit()` function, set the user data of the application in field `__cseheapuserdata` in the `__csysenv_s` structure.
- Use the R12 environment token value as a pointer to the `__csysenvtoken_s` structure. In this structure, field `__csetheapuserdata` contains 8 bytes of data of the application.

During the `__cinit()` call, field `__csetheapuserdata` can only be set from `__cseheapuserdata` if heap services have been replaced; otherwise, field `__csetheapuserdata` will be set to binary zeroes.

Two sets of heap service function entry points are provided, one set for replacing heap services in the AMODE 31 version of the library, and the other set for replacing heap services in the AMODE 64 version of the library.

### AMODE 31 heap services

To replace heap services in the AMODE 31 version of the library, consider the following `__csysenv_s` fields:

#### **`void * (*__cseamode31malloc) (size_t)`**

When specified, MCRTL AMODE 31 `malloc()` calls this routine to obtain a piece of below-the-bar heap storage and returns its result to the caller of `malloc()`. `__cseamode31malloc` is treated as having the same function prototype as `malloc()`: `void * malloc (size_t);`

#### **`void (*__cseamode31free) (void *)`**

When specified, MCRTL AMODE 31 `free()` calls this routine to free a piece of heap storage. `__cseamode31free` is treated as having the same function prototype as `free()`: `void free(void *);`

#### **`void * (*__cseamode31realloc) (void *, size_t)`**

When specified, MCRTL AMODE 31 `realloc()` calls this routine to perform a `realloc` for a piece of heap storage and returns its result to the caller of `realloc()`. `__cseamode31realloc` is treated as having the same function prototype as `realloc()`: `void * realloc (void *, size_t);`

Providing this routine is optional. If `realloc()` is called when a `__cseamode31malloc` routine has been provided but `__cseamode31realloc` has not, `realloc()` will return a zero.

**Note:** `__cseamode31malloc` and `__cseamode31free` must be provided together. `__cseamode31realloc` is optional, but when it is provided, the application must also include the other AMODE 31 heap services in this set.

### AMODE 64 heap services

To replace heap services in the AMODE 64 version of the library, consider the following `__csysenv_s` fields:

#### **`void * (*__cseamode64malloc) (size_t)`**

When specified, MCRTL AMODE 64 `malloc()` calls this routine to obtain a piece of above-the-bar heap storage and returns to the caller of `malloc()`. `__cseamode64malloc` is treated as having the same function prototype as `malloc()`: `void * malloc (size_t);`

#### **`void * (*__cseamode64malloc31) (size_t)`**

When specified, MCRTL AMODE 64 `__malloc31()` calls this routine to obtain a piece of below-the-bar heap storage and returns its result to the caller of `__malloc31()`. `__cseamode64malloc31` is treated as having the same function prototype as `__malloc31()`: `void * __malloc31(size_t);`

#### **`void (*__cseamode64free) (void *)`**

When specified, MCRTL AMODE 64 `free()` calls this routine to free a piece of heap storage. `__cseamode64free` is treated as having the same function prototype as `free()`: `void free(void *);`

Note that MCRTL AMODE 64 `free()` accepts as input and processes heap storage that is allocated above or below the bar. The user-specified `__cseamode64free` routine must provide the same capability.

**void \* (\_\_cseamode64realloc) (void \*, size\_t)**

When specified, MCRTL AMODE 64 `realloc()` calls this routine to perform a `realloc` for a piece of heap storage and returns its result to the caller of `realloc()`. `__cseamode64realloc` is treated as having the same function prototype as `realloc()`: `void * realloc (void *, size_t);`

Providing this routine is optional. If `realloc()` is called when a `__cseamode64malloc` routine has been provided but `__cseamode64realloc` has not, `realloc()` will return a zero.

Note that MCRTL AMODE 64 `realloc()` accepts as input and processes heap storage that is allocated above or below the bar. The user-specified `__cseamode64realloc` routine must provide the same capability.

**Note:** `__cseamode64malloc`, `__cseamode64malloc31`, and `__cseamode64free` must all be provided together. `__cseamode64realloc` is optional, but when it is provided, the application must also include the other AMODE 64 heap services in this set.

**Usage notes**

- Each heap service gets control in the AMODE of the calling service. The heap service must return to the calling service in that same AMODE.
- Each heap service is called using standard Metal C linkage conventions, including:
  - GPR 1 containing the address of the function parameter list (using C style parameter passing)
  - GPR 13 containing the address of a stack frame allocated on a contiguous Metal C stack
 GPR 12 contains the environment token representing the Metal C environment that is currently in use.
- It is not necessary to provide a replacement for the `calloc()` function. The `calloc()` function calls `malloc()` as part of its processing, so replacing `malloc()` indirectly alters the behavior of `calloc()` as well.
- When user-provided heap services are in use, the Metal C Runtime Library makes no attempt to keep track of any heap storage that has been allocated by the application. The application is entirely responsible for tracking its heap storage, and for freeing it after it calls `__cterm()` to terminate the Metal C environment.
- The heap allocation functions should return NULL when they are unable to obtain storage. The application is responsible for capturing its own diagnostic data when necessary.
- The Metal C Runtime Library expects the following alignment for the storage that is returned by the replacement heap services:
  - Storage returned from the below-the-bar heap (AMODE 64 `__malloc31()`, and AMODE 31 `malloc()`) is doubleword aligned.
  - Storage returned from the above-the-bar heap (AMODE 64 `malloc()`) is quadword aligned.

## abs() – Calculate integer absolute value

---

**Format**

```
#include <stdlib.h>

int abs(int n);
```

**General description**

The `abs()` function returns the absolute value of an argument *n*.

For the integer version of `abs()`, the minimum allowable integer is `INT_MIN+1`. (`INT_MIN` is a macro that is defined in the `limits.h` header file.) For example, with the Metal C compiler, `INT_MIN+1` is `-2147483647`.

## Returned value

The returned value is the absolute value, if the absolute value is possible to represent. Otherwise the input value is returned.

## Related Information

- [“limits.h – Declare symbolic names for resource limits” on page 55](#)
- [“stdlib.h – Define standard library functions” on page 59](#)
- [“labs\(\) – Calculate long absolute value” on page 73](#)

## atoi() – Convert character string to integer

---

### Format

```
#include <stdlib.h>
int atoi(const char *nptr);
```

### General description

The `atoi()` function converts the initial portion of the string pointed to by `nptr` to a 'int'. This is equivalent to

```
(int)strtol(nptr, (char **)NULL, 10)
```

### Returned value

If successful, `atoi()` returns the converted int value represented in the string.

If unsuccessful, `atoi()` returns an undefined value.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long ” on page 66](#)
- [“strtol\(\) – Convert Character String to Long” on page 107](#)
- [“strtoll\(\) – Convert String to Signed Long Long” on page 110](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)
- [“strtoull\(\) – Convert String to Unsigned Long Long” on page 112](#)

## atol() – Convert character string to long

---

### Format

```
#include <stdlib.h>
long int atol(const char *nptr);
```

## General description

The `atol()` function converts the initial portion of the string pointed to by `nptr` to a 'long int'. This is equivalent to

```
strtol(nptr, (char **)NULL, 10)
```

## Returned value

If successful, `atol()` returns the converted long int value represented in the string.

If unsuccessful, `atol()` returns an undefined value.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long” on page 66](#)
- [“strtol\(\) – Convert Character String to Long” on page 107](#)
- [“strtoll\(\) – Convert String to Signed Long Long” on page 110](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)
- [“strtoull\(\) – Convert String to Unsigned Long Long” on page 112](#)

## atoll() – Convert character string to signed long long

---

### Format

```
#define _ISOC99_SOURCE
#include <stdlib.h>
long long atoll(const char *nptr);
```

**Compile Requirement:** Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long available.

## General description

The `atoll()` function converts the initial portion of the string pointed to by `nptr` to a 'long long int'. This is equivalent to `strtoll(nptr, (char **)NULL, 10)`.

## Returned value

If successful, `atoll()` returns the converted signed long long value, represented in the string. If unsuccessful, it returns an undefined value.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“strtol\(\) – Convert Character String to Long” on page 107](#)
- [“strtoll\(\) – Convert String to Signed Long Long” on page 110](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)
- [“strtoull\(\) – Convert String to Unsigned Long Long” on page 112](#)

## **calloc()** – Reserve and initialize storage

---

### **Format**

```
#include <stdlib.h>

void *calloc(size_t num, size_t size);
```

### **General description**

The `calloc()` function reserves storage space for an array of *num* elements, each of length *size* bytes. The `calloc()` function then gives all the bits of each element an initial value of 0.

The `calloc()` function returns a pointer to the reserved space. The storage space to which the returned value points is aligned for storage of any type of object.

**Note:** Use of this function requires that an environment has been set up through the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### **Returned value**

If successful, `calloc()` returns the pointer to the area of memory reserved.

If there is not enough space to satisfy the request or if *num* or *size* is 0, `calloc()` returns NULL.

### **Related Information**

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“free\(\) – Free a block of storage” on page 71](#)
- [“malloc\(\) – Reserve storage block” on page 75](#)
- [“\\_\\_malloc31\(\) – Allocate 31-bit storage” on page 76](#)
- [“realloc\(\) – Change reserved storage block size” on page 81](#)

## **\_\_cinit() - Initialize a Metal C environment**

---

### **Format**

```
#include <metal.h>
__csysenv_t __cinit(struct __csysenv_s * csysenv);
```

### **General description**

The `__cinit()` function establishes a Metal C environment based on the characteristics in the input *csysenv* structure. This environment is used when calling Metal C functions that require an environment, such as those related to storage management (`malloc()`, `free()`, and so on). Storage for the environment structures is obtained by using the attributes specified in the input *csysenv* structure.

Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long data type available

The environment token created by `__cinit()` can be used from both AMODE 31 and AMODE 64 programs. Calls to `__malloc31()` always affect the below-the-bar heap. Calls made while in AMODE 31 to all other functions that obtain storage affect the below-the-bar heap; calls made while in AMODE 64 affect the above-the-bar heap.

Table 10. <i>csysenv</i> argument in <i>__cinit()</i>	
Argument	Description
<i>csysenv</i>	A structure describing the characteristics of the environment to be created.

The details on the *csysenv* (*\_\_csysenv\_s*) structure is shown as follows:

```

struct __csysenv_s {
    int     __cseversion;      /* Control block version number      */
                                /* Must be set to __CSE_VERSION_1    */

    int     __csesubpool;     /* for 31 bit storage                */
    __ptr31(void, __csetcbowner) /* owning TCB for resources          */
                                /* default: TCB mode - caller tcb,   */
                                /* SRB. XMEM - CMRO TCB             */

    int     __csereserved;    /* Reserved field                    */
    char    __csettkowner[16]; /* TCB token of owning TCB for      */
                                /* above the bar storage             */
                                /* default: caller tcbtoken         */
                                /* SRB mode: tcbtoken must be     */
                                /* specified                        */

    unsigned int
        __cseheap31initsize; /* Minimum size, in bytes, to obtain */
                                /* for the initial AMODE 31 heap      */
                                /* storage.                          */
                                /* If 0, defaults to 32768 bytes     */

    unsigned int
        __cseheap31incrsize; /* Minimum size, in bytes, to obtain */
                                /* when expanding the AMODE 31 heap.  */
                                /* If 0, defaults to 32768 bytes     */

#ifdef __LL
    unsigned long long
        __cseheap64initsize; /* Minimum size, in MB, to obtain    */
                                /* for the initial AMODE 64 heap      */
                                /* storage.                          */
                                /* If 0, defaults to 1 MB            */

    unsigned long long
        __cseheap64incrsize; /* Minimum size, in MB, to obtain    */
                                /* When expanding the AMODE 64 heap.  */
                                /* If 0, defaults to 1MB             */

    unsigned long long
        __cseheap64usertoken; /* usertoken for use with ?iarv64    */
                                /* to obtain above the bar storage    */

#else
    unsigned int
        __cseheap64initsize_hh;
    unsigned int
        __cseheap64initsize; /* Minimum size, in MB, to obtain    */
                                /* for the initial AMODE 64 heap      */
                                /* storage.                          */
                                /* If 0, defaults to 1 MB            */

    unsigned int
        __cseheap64incrsize_hh;
    unsigned int
        __cseheap64incrsize; /* Minimum size, in MB, to obtain    */
                                /* When expanding the AMODE 64 heap.  */
                                /* If 0, defaults to 1MB             */

    unsigned int
        __cseheap64usertoken_hh;
    unsigned int
        __cseheap64usertoken; /* usertoken for use with ?iarv64    */
                                /* to obtain above the bar storage    */

#endif

    unsigned int
        __cseheap64fprot:1, /* AMODE 64 Storage Attributes       */
                                /* On, AMODE 64 heap storage is to be */
                                /* fetch protected                    */
                                /* Off, storage is not fetch          */
                                /* protected                          */

    unsigned int
        __cseheap64cntlauth:1; /* On, AMODE 64 heap storage has     */
                                /* CONTROL=AUTH attribute            */
                                /* Off, storage is CONTROL=UNAUTH    */

    int     __csereserved1[7]; /* Reserved for future use           */
};

```

**Note:** The entire `__csysenv_s` structure must be cleared to binary zeros before initializing specific fields within it.

## Returned value

If successful, `__cinit()` returns an environment token that is used on subsequent calls to Metal C functions that require an environment. If unable to create an environment, `__cinit()` returns 0.

## Example

```
#include <metal.h>
#include <stdlib.h>
#include <string.h>

#ifdef _LP64
    register void * myenvtkn __asm("r12");
#else
    register void * myetkr12 __asm("r12");
    __csysenv_t    myenvtkn;
#endif

void mymtlfcn(void) {
    struct __csysenv_s mysysenv;

    void * mystg;
    void * my31stg;

    /******
    /* Initialize the csysenv structure.          */
    /******
    memset(&mysysenv, 0x00, sizeof(mysysenv));

    mysysenv.__cseversion = __CSE_VERSION_1;

    mysysenv.__cseheap31init = 131072;
    mysysenv.__cseheap31incr = 8192;
    mysysenv.__cseheap64init = 20;
    mysysenv.__cseheap64incr = 1;
#ifdef _LP64
    /******
    /* Create a Metal C environment.            */
    /******
    myenvtkn = (void *) __cinit(&mysysenv);
#else
    /******
    /* Create a Metal C environment.            */
    /******
    myenvtkn = __cinit(&mysysenv);

    /******
    /* Save the high half of R12 and then set R12 to
    /* the 8 byte environment token.            */
    /******
    __asm(" LG      12,%0\n"
        :
        : "m"(myenvtkn)
        : "r12"
    );
#endif

    /******
    /* Call functions that require an environment.  */
    /******
    mystg = malloc(1048576);
    my31stg = __malloc31(100);

    /******
    /* Clean up the environment.                  */
    /******
```

```

    __cterm(__csysenv_t) myenvtkn);
}

```

In order to share the environment token to other source files there are 2 options:

- Compile all Metal C files that make up the program by using the RESERVED\_REG("r12") compiler option. This reserves register 12 so that the environment token will remain untouched by the compiled code.
- Pass myenvtkn by using other methods, and for any source that needs to use the environment token declare the global register variable as in this example and assign the environment token to it.

**Output:** None.

## \_\_cterm() - Terminate a Metal C environment

### Format

```

#include <metal.h>
void __cterm(__csysenv_t csysenvtkn);

```

### General description

The `__cterm()` function terminates a Metal C environment, freeing all resources obtained on behalf of the environment.

Table 11. <i>csysenvtkn</i> argument in <code>__cterm()</code>	
Argument	Description
<i>csysenvtkn</i>	The environment token representing the environment to be terminated.

### Returned value

None.

### Example

See the example provided for the `__cinit()` function.

**Output:** None.

## div() – Calculate quotient and remainder

### Format

```

#include <stdlib.h>
div_t div(int numerator, int denominator);

```

### General description

The `div()` function calculates the quotient and remainder of the division of *numerator* by *denominator*.

### Returned value

The `div()` function returns a structure of type `div_t`, containing both the quotient `int quot` and the remainder `int rem`. This structure is defined in `stdlib.h`. If the returned value cannot be represented, the behavior of `div()` is undefined. If *denominator* is 0, a divide by 0 exception is raised.



## Related Information

- [“stdlib.h — Define standard library functions” on page 59](#)
- [“ldiv\(\) — Compute quotient and remainder of integral division” on page 74](#)
- [“lldiv\(\) — Compute quotient and remainder of integral division for long long type” on page 75](#)

## free() — Free a block of storage

---

### Format

```
#include <stdlib.h>

void free(void *ptr);
```

### General description

The `free()` function frees a block of storage pointed to by `ptr`. The `ptr` variable points to a block previously reserved with a call to `calloc()`, `malloc()`, or `realloc()`. The number of bytes freed is the number of bytes specified when you reserved (or reallocated, in the case of `realloc()`), the block of storage. If `ptr` is `NULL`, `free()` simply returns without freeing anything. Since `ptr` is passed by value `free()` will not set `ptr` to `NULL` after freeing the memory to which it points.

### Notes:

1. Use of this function requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.
2. Attempting to free a block of storage not allocated with `calloc()`, `malloc()`, or `realloc()`, or previously freed storage, can affect the subsequent reserving of storage and lead to an `abend`.

### Returned value

`free()` returns no value.

### Related Information

- [“stdlib.h — Define standard library functions” on page 59](#)
- [“calloc\(\) — Reserve and initialize storage” on page 67](#)
- [“malloc\(\) — Reserve storage block” on page 75](#)
- [“\\_\\_malloc31\(\) — Allocate 31-bit storage” on page 76](#)
- [“realloc\(\) — Change reserved storage block size” on page 81](#)

## isalnum() to isxdigit() — Test integer value

---

### Format

```
#include <ctype.h>

int isalnum(int c);
int isalpha(int c);
int isblank(int c);
int iscntrl(int c);
int isdigit(int c);
int isgraph(int c);
int islower(int c);
int isprint(int c);
int ispunct(int c);
int isspace(int c);
int isupper(int c);
int isxdigit(int c);
```

## General description

The functions listed in the previous section, which are all declared in `ctype.h`, test a given integer value. The valid integer values for `c` are those representable as an *unsigned char* or EOF.

Here are descriptions of each function in this group.

### **isalnum()**

Test for an upper- or lowercase letter, or a decimal digit, as defined by code page IBM-1047.

### **isalpha()**

Test for an alphabetic character, as defined by code page IBM-1047.

### **isblank()**

Test for a blank character, as defined by code page IBM-1047.

### **iscntrl()**

Test for any control character, as defined by code page IBM-1047.

### **isdigit()**

Test for a decimal digit, as defined by code page IBM-1047.

### **isgraph()**

Test for a printable character excluding space, as defined by code page IBM-1047.

### **islower()**

Test for a lowercase character, as defined by code page IBM-1047.

### **isprint()**

Test for a printable character including space, as defined by code page IBM-1047.

### **ispunct()**

Test for any non-alphanumeric printable character, excluding space, as defined by code page IBM-1047.

### **isspace()**

Test for a white space character, as defined by code page IBM-1047.

### **isupper()**

Test for an uppercase character, as defined by code page IBM-1047.

### **isxdigit()**

Test for a hexadecimal digit, as defined by code page IBM-1047.

## Returned value

If the integer satisfies the test condition, these functions return nonzero.

If the integer does not satisfy the test condition, these functions return 0.

## Related Information

- [“ctype.h – Declare character classification functions” on page 51](#)
- [“tolower\(\), toupper\(\) – Convert Character Case” on page 113](#)

## isalpha() – Test for alphabetic character classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value” on page 71](#).

## isblank() – Test for blank character classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value” on page 71](#).

## iscntrl() – Test for control classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value” on page 71](#).

## isdigit() – Test for decimal-digit classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## isgraph() – Test for graphic classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## islower() – Test for lowercase

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## isprint() – Test for printable character classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## ispunct() – Test for punctuation classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## isspace() – Test for space character classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## isupper() – Test for uppercase letter classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## isxdigit() – Test for hexadecimal digit Classification

---

The information for this function is included in [“isalnum\(\) to isxdigit\(\) – Test integer value”](#) on page 71.

## labs() – Calculate long absolute value

---

### Format

```
#include <stdlib.h>
long int labs(long int n);
```

### General description

The `labs()` function calculates the absolute value of its long integer argument *n*. The result is undefined when the argument is equal to `LONG_MIN`, the smallest available long integer (-2 147 483 648). The value `LONG_MIN` is defined in the `limits.h` header file.

### Returned value

The `labs()` function returns the absolute value of the long integer argument *n*.

### Related Information

- [“limits.h – Declare symbolic names for resource limits”](#) on page 55
- [“stdlib.h – Define standard library functions”](#) on page 59

- [“abs\(\) – Calculate integer absolute value” on page 64](#)
- [“llabs\(\) – Calculate absolute value of long long integer” on page 74](#)

## ldiv() – Compute quotient and remainder of integral division

---

### Format

```
#include <stdlib.h>

ldiv_t ldiv(long int numerator, long int denominator);
```

### General description

The ldiv() function calculates the quotient and remainder of the division of *numerator* by *denominator*.

### Returned value

The ldiv() function returns a structure of type ldiv\_t, containing both the quotient long int quot and the remainder long int rem.

If the value cannot be represented, the returned value is undefined. If *denominator* is 0, a divide by 0 exception is raised.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“div\(\) – Calculate quotient and remainder” on page 70](#)
- [“lldiv\(\) – Compute quotient and remainder of integral division for long long type” on page 75](#)

## llabs() – Calculate absolute value of long long integer

---

### Format

```
#include <stdlib.h>

long long llabs(long long int n);
```

**Compile Requirement:** Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long available.

### General description

The llabs() function calculates the absolute value of its long long integer argument *n*. The result is undefined when the argument is equal to LONGLONG\_MIN, the smallest available long long integer (-9 223 372 036 854 775 808). The value LONGLONG\_MIN is defined in the limits.h header file.

### Returned value

The llabs() function returns the absolute value of the long long integer argument *n*.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“limits.h – Declare symbolic names for resource limits” on page 55](#)

- [“abs\(\) – Calculate integer absolute value” on page 64](#)
- [“labs\(\) – Calculate long absolute value” on page 73](#)

## lldiv() – Compute quotient and remainder of integral division for long long type

---

### Format

```
#include <stdlib.h>

lldiv_t lldiv (long long number, long long denom);
```

**Compile Requirement:** Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long available.

### General description

The lldiv() function calculates the quotient and remainder of the division of numerator by denominator.

### Returned value

The lldiv() function returns a structure of type lldiv\_t, containing both the quotient long long quot and the remainder long long rem.

If the value cannot be represented, the returned value is undefined. If *denominator* is 0, a divide by 0 exception is raised.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“div\(\) – Calculate quotient and remainder” on page 70](#)
- [“ldiv\(\) – Compute quotient and remainder of integral division” on page 74](#)

## malloc() – Reserve storage block

---

### Format

```
#include <stdlib.h>

void *malloc(size_t size);
```

### General description

The malloc() function reserves a block of storage of *size* bytes. Unlike the calloc() function, the content of the storage allocated is indeterminate. The storage to which the returned value points is always aligned for storage of any type of object.

**Note:** Use of this function requires that an environment has been set up through the \_\_cinit() function. When the function is called, GPR12 must contain the environment token created by the \_\_cinit() call.

### Returned value

If successful, malloc() returns a pointer to the reserved space.

If not enough storage is available, or if *size* was specified as 0, malloc() returns NULL.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“calloc\(\) – Reserve and initialize storage” on page 67](#)
- [“free\(\) – Free a block of storage” on page 71](#)
- [“\\_\\_malloc31\(\) – Allocate 31-bit storage” on page 76](#)
- [“realloc\(\) – Change reserved storage block size” on page 81](#)

## `__malloc31()` – Allocate 31-bit storage

---

### Format

```
#include <stdlib.h>

void *__malloc31(size_t size);
```

### General description

The `__malloc31()` function reserves a block of storage of *size* bytes from 31-bit addressable storage. The content of the storage allocated is indeterminate. The storage space to which the returned value points is always suitably aligned for storage of any type of object.

**Note:** Use of this function requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned value

If successful, `__malloc31()` returns a pointer to the reserved space.

If not enough storage is available, or if *size* was specified as 0, `__malloc31()` returns NULL.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“calloc\(\) – Reserve and initialize storage” on page 67](#)
- [“free\(\) – Free a block of storage” on page 71](#)
- [“malloc\(\) – Reserve storage block” on page 75](#)
- [“realloc\(\) – Change reserved storage block size” on page 81](#)

## `memccpy()` – Copy bytes in memory

---

### Format

```
#include <string.h>

void *memccpy(void *__restrict__s1, const void *__restrict__s2, int c, size_t n);
```

### General description

The `memccpy()` function copies bytes from memory area *s2* into memory area *s1*, stopping after the first occurrence of byte *c* (converted to an unsigned char) is copied, or after *n* bytes are copied, whichever comes first.

## Returned value

If successful, `memccpy()` returns a pointer to the byte after the copy of `c` in `s1`.

If `c` was not found in the first `n` bytes of `s2`, `memccpy()` returns a NULL pointer.

## Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memchr\(\) – Search buffer” on page 77](#)
- [“memcmp\(\) – Compare bytes” on page 77](#)
- [“memcpy\(\) – Copy buffer” on page 78](#)
- [“memmove\(\) – Move buffer” on page 79](#)
- [“memset\(\) – Set buffer to value” on page 79](#)
- [“strcpy\(\) – Copy String” on page 96](#)

## memchr() – Search buffer

---

### Format

```
#include <string.h>

void *memchr(const void *buf, int c, size_t count);
```

### General description

The `memchr()` built-in function searches the first `count` bytes pointed to by `buf` for the first occurrence of `c` converted to an unsigned character. The search continues until it finds `c` or examines `count` bytes.

### Returned value

If successful, `memchr()` returns a pointer to the location of `c` in `buf`.

If `c` is not within the first `count` bytes of `buf`, `memchr()` returns NULL.

### Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memccpy\(\) – Copy bytes in memory” on page 76](#)
- [“memcmp\(\) – Compare bytes” on page 77](#)
- [“memcpy\(\) – Copy buffer” on page 78](#)
- [“memmove\(\) – Move buffer” on page 79](#)
- [“memset\(\) – Set buffer to value” on page 79](#)
- [“strchr\(\) – Search for Character” on page 95](#)

## memcmp() – Compare bytes

---

### Format

```
#include <string.h>

int memcmp(const void *buf1, const void *buf2, size_t count);
```

## General description

The `memcmp()` built-in function compares the first *count* bytes of *buf1* and *buf2*.

The relation is determined by the sign of the difference between the values of the leftmost first pair of bytes that differ. The values depend on EBCDIC encoding. This function is *not* locale sensitive.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

## Returned value

Indicates the relationship between *buf1* and *buf2* as follows:

### Value

#### Meaning

< 0

The contents of the buffer pointed to by *buf1* less than the contents of the buffer pointed to by *buf2*

= 0

The contents of the buffer pointed to by *buf1* identical to the contents of the buffer pointed to by *buf2*

> 0

The contents of the buffer pointed to by *buf1* greater than the contents of the buffer pointed to by *buf2*

## Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) – Copy bytes in memory” on page 76](#)
- [“memchr\(\) – Search buffer” on page 77](#)
- [“memcpy\(\) – Copy buffer” on page 78](#)
- [“memmove\(\) – Move buffer” on page 79](#)
- [“memset\(\) – Set buffer to value” on page 79](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)

## memcpy() – Copy buffer

---

### Format

```
#include <string.h>

void *memcpy(void * __restrict__dest, const void * __restrict__src, size_t count);
```

## General description

The `memcpy()` built-in function copies *count* bytes from the object pointed to by *src* to the object pointed to by *dest*. For `memcpy()`, the source characters may be overlaid if copying takes place between objects that overlap. Use the `memmove()` function to allow copying between objects that overlap.

## Returned value

The `memcpy()` function returns the value of *dest*.



## Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) — Copy bytes in memory” on page 76](#)
- [“memchr\(\) — Search buffer” on page 77](#)
- [“memmove\(\) — Move buffer” on page 79](#)
- [“memset\(\) — Set buffer to value” on page 79](#)
- [“strcpy\(\) — Copy String” on page 96](#)

## memmove() — Move buffer

---

### Format

```
#include <string.h>

void *memmove(void *dest, const void *src, size_t count);
```

### General description

The `memmove()` function copies *count* bytes from the object pointed to by *src* to the object pointed to by *dest*. The function allows copying between possibly overlapping objects as if the *count* bytes of the object pointed to by *src* must first copied into a temporary array before being copied to the object pointed to by *dest*.

### Returned value

The `memmove()` function returns the value of *dest*.

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) — Copy bytes in memory” on page 76](#)
- [“memchr\(\) — Search buffer” on page 77](#)
- [“memcpy\(\) — Copy buffer” on page 78](#)
- [“memset\(\) — Set buffer to value” on page 79](#)

## memset() — Set buffer to value

---

### Format

```
#include <string.h>

void *memset(void *dest, int c, size_t count);
```

### General description

The `memset()` built-in function sets the first *count* bytes of *dest* to the value *c* converted to an unsigned int.

### Returned value

`memset()` returns the value of *dest*.

## Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) — Copy bytes in memory” on page 76](#)
- [“memchr\(\) — Search buffer” on page 77](#)
- [“memcpy\(\) — Copy buffer” on page 78](#)
- [“memmove\(\) — Move buffer” on page 79](#)

## qsort() — Sort array

---

### Format

```
#include <stdlib.h>

void qsort(void *base, size_t num, size_t width,
           int(*compare)(const void *element1, const void *element2));
```

### General description

The `qsort()` function sorts an array of *num* elements, each of *width* bytes in size, where the first element of the array is pointed to by *base*.

The *compare* pointer points to a function, which you supply, that compares two array elements and returns an integer value specifying their relationship. The `qsort()` function calls the comparison function one or more times during the sort, passing pointers to two array elements on each call. The comparison function must compare the elements and return one of the following values:

#### Value

##### Meaning

< 0

*element1* less than *element2*

0

*element1* equal to *element2*

> 0

*element1* greater than *element2*

The sorted array elements are stored in increasing order, as returned by the comparison function. You can sort in reverse order by reversing the "greater than" and "less than" logic in the comparison function. If two elements are equal, their order in the sorted array is unspecified. The `qsort()` function overwrites the contents of the array with the sorted elements.

### Returned value

The `qsort()` function returns no values.

### Related information

- [“stdlib.h — Define standard library functions” on page 59](#)

## rand() — Generate random number

---

### Format

```
#include <stdlib.h>

int rand(void);
```

## General Description

The `rand()` function generates a pseudo-random integer in the range 0 to `RAND_MAX`. Use the `srand()` function before calling `rand()` to set a seed for the random number generator. If you do not make a call to `srand()`, the default seed is 1.

**Note:** Use of this function requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

## Returned Value

The `rand()` function returns the calculated value.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“rand\\_r\(\) – Pseudo-random number generator” on page 81](#)
- [“srand\(\) – Set Seed for rand\(\) Function” on page 89](#)

## rand\_r() – Pseudo-random number generator

---

### Format

```
#include <stdlib.h>
int rand_r(unsigned int *seed);
```

### General Description

The `rand_r()` function generates a sequence of pseudo-random integers in the range 0 to **`RAND_MAX`**. (The value of the **`RAND_MAX`** macro will be at least 32767.)

If `rand_r()` is called with the same initial value for the object pointed to by *seed* and that object is not modified between successive returns and calls to `rand_r()`, the same sequence shall be generated.

### Returned Value

The `rand_r()` function returns a pseudo-random integer.

### Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“rand\(\) – Generate random number” on page 80](#)
- [“srand\(\) – Set Seed for rand\(\) Function” on page 89](#)

## realloc() – Change reserved storage block size

---

### Format

```
#include <stdlib.h>
void *realloc(void *ptr, size_t size);
```

## General Description

The `realloc()` function changes the size of a previously reserved storage block. The `ptr` argument points to the beginning of the block. The `size` argument gives the new size of the block in bytes. The contents of the block are unchanged up to the shorter of the new and old sizes.

If the `ptr` is NULL, `realloc()` reserves a block of storage of `size` bytes. It does not give all bits of each element an initial value of 0.

If `size` is 0 and `ptr` is not NULL, the storage pointed to by `ptr` is freed and NULL is returned.

If you use `realloc()` with a pointer that does not point to a `ptr` created previously by `malloc()`, `calloc()`, or `realloc()`, or if you pass `ptr` to storage already freed, you get undefined behavior—typically an exception.

If you ask for more storage, the contents of the extension are undefined and are not guaranteed to be 0.

The storage to which the returned value points is aligned for storage of any type of object.

**Note:** Use of `realloc()` requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

## Returned Value

If successful, `realloc()` returns a pointer to the reallocated storage block. The storage location of the block might be moved. Thus, the returned value is not necessarily the same as the `ptr` argument to `realloc()`.

The returned value is NULL if `size` is 0. If there is not enough storage to expand the block to the given size, the original block is unchanged and a NULL pointer is returned.

## Related Information

- [“stdlib.h — Define standard library functions” on page 59](#)
- [“calloc\(\) — Reserve and initialize storage” on page 67](#)
- [“free\(\) — Free a block of storage” on page 71](#)
- [“malloc\(\) — Reserve storage block” on page 75](#)
- [“\\_\\_malloc31\(\) — Allocate 31-bit storage” on page 76](#)

## snprintf() — Format and write data

---

### Format

```
#include <stdio.h>

int  snprintf(char *__restrict__ s, size_t n, const char *__restrict__ format, ...);
```

### General Description

The `snprintf()` function formats and writes output to an array (specified by argument `s`). If `n` is zero, nothing is written, and `s` may be a null pointer. Otherwise, output characters beyond the `n-1`st are discarded rather than being written to the array, and a null character is written at the end of the characters actually written into the array. If copying takes place between objects that overlap, the behavior is undefined.

**Note:** Use of `snprintf()` requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned Value

The `snprintf()` function returns the number of characters that would have been written had `n` been sufficiently large, not counting the terminating null character, or a negative value if an encoding error

occurred. Thus, the null-terminated output has been completely written if and only if the returned value is nonnegative and less than  $n$ .

## Related Information

- [“stdio.h — Define I/O related functions” on page 57](#)
- [“sprintf\(\) — Format and Write Data” on page 83](#)
- [“sscanf\(\) — Read and Format Data” on page 89](#)

## sprintf() — Format and Write Data

---

### Format

```
#include <stdio.h>

int sprintf(char *__restrict__buffer, const char *__restrict__format-string, ...);
```


### General Description

The `sprintf()` function formats and stores a series of characters and values in the array pointed to by *buffer*. Any *argument-list* is converted and put out according to the corresponding format specification in the *format-string*. If the strings pointed to by *buffer* and *format-string* overlap, behavior is undefined.

The *format-string* consists of ordinary characters, escape sequences, and conversion specifications. The ordinary characters are copied in order of their appearance. Conversion specifications, beginning with a percent sign (%) or the sequence (%n\$) where  $n$  is a decimal integer in the range [1, NL\_ARGMAX], determine the output format for any *argument-list* following the *format-string*. The *format-string* can contain multibyte characters beginning and ending in the initial shift state. When the *format-string* includes the use of the optional prefix *ll* to indicate the size expected is a long long datatype then the corresponding value in the argument list should be a long long datatype if correct output is expected.

- If the %n\$ conversion specification is found, the value of the  $n$ th *argument* after the *format-string* is converted and output according to the conversion specification. Numbered arguments in the argument list can be referenced from *format-string* as many times as required.
- The *format-string* can contain either form of the conversion specification, that is, % or %n\$ but the two forms cannot be mixed within a single *format-string* except that %% can be mixed with the %n\$ form. When numbered conversion specifications are used, specifying the 'nth' argument requires that the first to (n-1)th arguments are specified in the *format-string*.

The *format-string* is read from left to right. When the first format specification is found, the value of the first *argument* after the *format-string* is converted and output according to the format specification. The second format specification causes the second *argument* after the *format-string* to be converted and output, and so on through the end of the *format-string*. If there are more arguments than there are format specifications, the extra arguments are evaluated and ignored. The results are undefined if there are not enough arguments for all the format specifications. The format specification is illustrated below.



Each field of the format specification is a single character or number signifying a particular format option. The *type* character, which appears after the last optional format field, determines whether the associated argument is interpreted as a character, a string, a number, or pointer. The simplest format specification contains only the percent sign and a *type* character (for example, `%s`).

**The percent sign:** If a percent sign (`%`) is followed by a character that has no meaning as a format field, the character is simply copied to the *buffer*. For example, to print a percent sign character, use `%%`.

**The flag characters:** The *flag* characters in [Table 12 on page 84](#) are used for the justification of output and printing of thousands of grouping characters, signs, blanks, decimal-points, octal prefixes, and hexadecimal prefixes. Note that more than one *flag* can appear in a format specification. This is an optional field.

Table 12. Flag Characters for `sprintf()` Family

Flag	Meaning	Default
'	The integer portion of the result of a decimal conversion ( <code>%i,%d,%u, %f,%g</code> or <code>%G</code> ) will be formatted with the thousands' grouping characters.	No grouping.
-	Left-justify the result within the field width.	Right-justify.
+	Prefix the output value with a sign (+ or -) if the output value is of a signed type.	Sign appears only for negative signed values (-).
<i>blank</i> (' ')	Prefix the output value with a blank if the output value is signed and positive. The + flag overrides the <i>blank</i> flag if both appear, and a positive signed value will be output with a sign.	No blank.

Table 12. Flag Characters for `sprintf()` Family (continued)

Flag	Meaning	Default
#	<p>When used with the <code>o</code>, <code>x</code>, or <code>X</code> formats, the <code>#</code> flag prefixes any nonzero output value with <code>0</code>, <code>0x</code>, or <code>0X</code>, respectively.</p> <p>For <code>o</code> conversion, it increases the precision, if necessary, to force the first digit of the result to be a zero. If the value and precision are both <code>0</code>, a single <code>0</code> is printed.</p> <p>For <code>e</code>, <code>E</code>, <code>f</code>, <code>F</code>, <code>g</code>, and <code>G</code> conversion specifiers, the result always contains a decimal-point, even if no digits follow the decimal-point. Without this flag, a decimal-point appears in the result of these conversions only if a digit follows it.</p> <p>For <code>g</code> and <code>G</code> conversion specifiers, do not remove trailing zeros from the result as they normally are. For other conversion specifiers, the behavior is undefined.</p>	No prefix.
0	<p>When used with the <code>d</code>, <code>i</code>, <code>o</code>, <code>u</code>, <code>x</code>, <code>X</code>, <code>e</code>, <code>E</code>, <code>f</code>, <code>F</code>, <code>g</code>, or <code>G</code> conversion specifiers, leading zeros are used to pad to the field width. If the <code>0</code> and <code>-</code> flags both appear, the <code>0</code> flag is ignored.</p> <p>For <code>d</code>, <code>i</code>, <code>o</code>, <code>u</code>, <code>x</code>, and <code>X</code> conversion specifiers, if a precision is specified, the <code>0</code> flag is ignored.</p> <p>If the <code>0</code> and <code>'</code> flags both appear, the grouping characters are inserted before zero padding. For other conversions, the behavior is undefined.</p>	Space padding.

The code point for the `#` character varies between the EBCDIC encoded character sets. The Metal C runtime library expects the `#` character to use the code point for encoded character set IBM-1047.

The `#` flag should not be used with `c`, `d`, `i`, `u`, `s`, or `p` types.

**The Width of the Output:** Definition of the *width* specification is as follows.

*Width* is a nonnegative decimal integer controlling the minimum number of characters printed. If the number of characters in the output value is less than the specified *width*, blanks are added on the left or the right (depending on whether the `-` flag is specified) until the minimum width is reached.

*Width* never causes a value to be truncated; if the number of characters in the output value is greater than the specified *width*, or *width* is not given, all characters of the value are output (subject to the *precision* specification).

The *width* specification can be an asterisk (`*`); if it is, an argument from the argument list supplies the value. The *width* argument must precede the value being formatted in the argument list. This is an optional field.

If *format-string* contains the `%n$` form of conversion specification, *width* can be indicated by the sequence `*m$`, where `m` is a decimal integer in the range `[1,NL_ARGMAX]` giving the position of an integer argument in the argument list containing the field width.

**The Precision of the Output:** Definition of the *precision* specification is as follows.

The *precision* specification is a nonnegative decimal integer preceded by a period. It specifies the number of characters to be output, or the number of decimal places. Unlike the *width* specification, the *precision* can cause truncation of the output value.

The *precision* specification can be an asterisk (\*); if it is, an argument from the argument list supplies the value. The *precision* argument must precede the value being formatted in the argument list. The *precision* field is optional.

If *format-string* contains the %n\$ form of conversion specification, *precision* can be indicated by the sequence \*m\$, where m is a decimal integer in the range [1,NL\_ARGMAX] giving the position of an integer argument in the argument list containing the field precision.

The interpretation of the *precision* value and the default when the *precision* is omitted depend upon the *type*, as shown in Table 13 on page 86.

Table 13. Precision Argument in sprintf()

Type	Meaning	Default
d i o u x X	<i>Precision</i> specifies the minimum number of digits to be output. If the number of digits in the argument is less than <i>precision</i> , the output value is padded on the left with zeros. The value is not truncated when the number of digits exceeds <i>precision</i> .	Default <i>precision</i> is 1. If <i>precision</i> is 0, or if the period (.) appears without a number following it, the <i>precision</i> is set to 0. When <i>precision</i> is 0, conversion of the value zero results in no characters.
c	No effect.	The character is output.
s	<i>Precision</i> specifies the maximum number of characters to be output. Characters in excess of <i>precision</i> are not output.	Characters are output until a NULL character is encountered.
e E f F	<i>Precision</i> specifies the number of digits to be output after the decimal-point. The last digit output is rounded.	Default <i>precision</i> is 6. If <i>precision</i> is 0 or the period appears without a number following it, no decimal-point is output.
g G	<i>Precision</i> specifies the maximum number of significant digits output.	All significant digits are output.

**Optional prefix:** Used to indicate the size of the argument expected.

**h**

A prefix with the integer types d, i, o, u, x, X means the integer is 16 bits long.

**hh**

Specifies that a following d, i, o, u, x, or X conversion specifier applies to a signed char or unsigned char argument (the argument will have been promoted according to the integer promotions, but its value shall be converted to signed char or unsigned char before printing); or that a following n conversion specifier applies to a pointer to a signed char argument.

**j**

Specifies that a following d, i, o, u, x, or X conversion specifier applies to an intmax\_t or uintmax\_t argument; or that a following n conversion specifier applies to a pointer to an intmax\_t argument.

**l**

A prefix with d, i, o, u, x, X, and n types that specifies that the argument is a long int or unsigned long int.

**ll**

A prefix with the integer types d, i, o, u, x, X means the integer is 64 bits long.

**L**

A prefix with e, E, f, g, or G types that specifies that the argument is long double.



**t**

Specifies that a following `d`, `i`, `o`, `u`, `x`, or `X` conversion specifier applies to a `ptrdiff_t` or the corresponding unsigned integer type argument; or that a following `n` conversion specifier applies to a pointer to a `ptrdiff_t` argument.

**z**

Specifies that a following `d`, `i`, `o`, `u`, `x`, or `X` conversion specifier applies to a `size_t` or the corresponding signed integer type argument; or that a following `n` conversion specifier applies to a pointer to a signed integer type corresponding to a `size_t` argument.

Table 14 on page 87 below shows the meaning of the type characters used in the precision argument.

Table 14. Type Characters and their Meanings

Type	Argument	Output Format
<code>d, i</code>	Integer	Signed decimal integer.
<code>u</code>	Integer	Unsigned decimal integer.
<code>o</code>	Integer	Unsigned octal integer.
<code>x</code>	Integer	Unsigned hexadecimal integer, using abcdef.
<code>X</code>	Integer	Unsigned hexadecimal integer, using ABCDEF.
<code>c</code>	Character	Single character.
<code>s</code>	String	Characters output up to the first NULL character ( <code>\0</code> ) or until <i>precision</i> is reached.
<code>n</code>	Pointer to integer	Number of characters successfully output so far to the <i>stream</i> or buffer; this value is stored in the integer whose address is given as the argument.
<code>p</code>	Pointer	Pointer to void converted to a sequence of printable characters. See the individual system reference guides for the specific format.

Table 14. Type Characters and their Meanings (continued)

Type	Argument	Output Format
f, F	Double	<p>Signed value having the form [-]dddd.dddd, where dddd is one or more decimal digits. The number of digits before the decimal-point depends on the magnitude of the number. The number of digits after the decimal-point is equal to the requested precision. If the precision is explicitly zero and no # is present, no decimal-point appears. If a decimal-point appears, at least one digit appears before it.</p> <p>Convert a double argument representing an infinity in [+/-]inf: a plus or minus sign with the character sequence inf, followed by a white space character (space, tab, or newline), a NULL character (\0), or EOF.</p> <p>Convert a double argument representing a NaN in one of the styles:</p> <ul style="list-style-type: none"> <li>• [+/-]nan(n) for a signaling nan.</li> <li>• [+/-nanq(n)] for a quiet nan, where n is an integer and <math>1 \leq n \leq \text{INT\_MAX}-1</math>.</li> </ul> <p>The value of n is determined by the fraction bits of the NaN argument value. For a signaling NaN value, NaN fraction bits are reversed (left to right) to produce bits (right to left) of an even integer value, <math>2^n</math>. For a quiet NaN value, NaN fraction bits are reversed (left to right) to produce bits (right to left) of an odd integer value, <math>2^n-1</math>.</p> <p>The F conversion specifier produces INF<sub>e</sub>, NAN<sub>S</sub>, or NAN<sub>Q</sub> instead of inf<sub>Q</sub>, nans or, nanq respectively.</p>
e, E	Double	<p>Signed value having the form [-]d.dddd[ sign]ddd:</p> <ul style="list-style-type: none"> <li>• d is a single-decimal digit.</li> <li>• dddd is one or more decimal digits.</li> <li>• ddd is 2 or more decimal digits.</li> <li>• sign is + or -.</li> </ul> <p>If the <i>precision</i> is zero and no # flag is present, no decimal-point appears. The conversion specifier produces a number with E instead of e to introduce the exponent.</p> <p>A double argument representing an infinity or NaN is converted in the style of an f or F conversion specifier.</p>
g, G	Double	<p>Signed value output in f or e format (or in the F or E format in the case of a G conversion specifier). The e or E format is used only when the exponent of the value is less than -4 or greater than or equal to the <i>precision</i>. Trailing zeros are truncated, and the decimal-point appears only if one or more digits follow it or a # flag is present.</p> <p>A double argument representing an infinity or NaN is converted in the style of an f or F conversion specifier.</p>

## Returned Value

If successful, printf() returns the number of characters output. The ending NULL character is not counted.

If unsuccessful, printf() returns a negative value.

## Related Information

- [“stdio.h — Define I/O related functions” on page 57](#)
- [“snprintf\(\) — Format and write data” on page 82](#)
- [“sscanf\(\) — Read and Format Data” on page 89](#)

## srand() — Set Seed for rand() Function

---

### Format

```
#include <stdlib.h>

void srand(unsigned int seed);
```

### General Description

The `srand()` function uses its argument *seed* as a seed for a new sequence of pseudo-random numbers to be returned by subsequent calls to `rand()`. If `srand()` is not called, the `rand()` seed is set as if `srand(1)` was called at program start. Any other value for *seed* sets the generator to a different starting point. The `rand()` function generates pseudo-random numbers.

Some people find it convenient to use the return value of the `time()` function as the argument to `srand()`, as a way to ensure random sequences of random numbers.

**Note:** Use of `srand()` requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned Value

`srand()` returns no values.

### Related Information

- [“stdlib.h — Define standard library functions” on page 59](#)
- [“rand\(\) — Generate random number” on page 80](#)
- [“rand\\_r\(\) — Pseudo-random number generator” on page 81](#)

## sscanf() — Read and Format Data

---

### Format

```
#include <stdio.h>

int sscanf(const char *__restrict__buffer, const char *__restrict__format-string, ...);
```

### General Description

The `sscanf()` function reads data from *buffer* into the locations given by argument-list. If the strings pointed to by *buffer* and *format-string* overlap, behavior is undefined.

Each entry in the argument list must be a pointer to a variable of a type that matches the corresponding conversion specification in *format-string*. If the types do not match, the results are undefined.

The *format-string* controls the interpretation of the argument list. The *format-string* can contain multibyte characters beginning and ending in the initial shift state.

The format string pointed to by *format-string* can contain one or more of the following:

- White space characters, as specified by `isspace()`, such as blanks and newline characters. A white space character causes `sscanf()` to read, but not to store, all consecutive white space characters in the input up to the next character that is not white space. One white space character in *format-string* matches any combination of white space characters in the input.
- Characters that are not white space, except for the percent sign character (%). A non-white space character causes `sscanf()` to read, but not to store, a matching non-white space character. If the next character in the input stream does not match, the function ends.
- Conversion specifications which are introduced by the percent sign (%) or the sequence (%n\$) where n is a decimal integer in the range [1,NL\_ARGMAX]. A conversion specification causes `sscanf()` to read and convert characters in the input into values of a conversion specifier. The value is assigned to an argument in the argument list.

`sscanf()` reads *format-string* from left to right. Characters outside of conversion specifications are expected to match the sequence of characters in the input stream; the matched characters in the input stream are scanned but not stored. If a character in the input stream conflicts with *format-string*, the function ends, terminating with a “matching” failure. The conflicting character is left in the input stream as if it had not been read.

When the first conversion specification is found, the value of the first *input field* is converted according to the conversion specification and stored in the location specified by the first entry in the argument list. The second conversion specification converts the second input field and stores it in the second entry in the argument list, and so on through the end of *format-string*.


When the %n\$ conversion specification is found, the value of the *input field* is converted according to the conversion specification and stored in the location specified by the nth argument in the argument list. Numbered arguments in the argument list can only be referenced once from *format-string*.

The *format-string* can contain either form of the conversion specification, that is, % or %n\$ but the two forms cannot be mixed within a single *format-string* except that %% or %\* can be mixed with the %n\$ form.

An *input field* is defined as:

- All characters until a white space character (space, tab, or newline) is encountered
- All characters until a character is encountered that cannot be converted according to the conversion specification
- All characters until the field *width* is reached.

If there are too many arguments for the conversion specifications, the extra arguments are evaluated but otherwise ignored. The results are undefined if there are not enough arguments for the conversion specifications.



Each field of the conversion specification is a single character or a number signifying a particular format option. The *conversion specifier*, which appears after the last optional format field, determines whether

the input field is interpreted as a character, a string, or a number. The simplest conversion specification contains only the percent sign and a *conversion specifier* (for example, %s).

Each field of the format specification is discussed in detail below.

Other than conversion specifiers, avoid using the percent sign (%), except to specify the percent sign: %%. Currently, the percent sign is treated as the start of a conversion specifier. Any unrecognized specifier is treated as an ordinary sequence of characters. If, in the future, z/OS XL C/C++ permits a new conversion specifier, it could match a section of your format string, be interpreted incorrectly, and result in undefined behavior. See [Table 15 on page 92](#) for a list of conversion specifiers.

An asterisk (\*) following the percent sign suppresses assignment of the next input field, which is interpreted as a field of the specified *conversion specifier*. The field is scanned but not stored.

*width* is a positive decimal integer controlling the maximum number of characters to be read. No more than *width* characters are converted and stored at the corresponding *argument*.

Fewer than *width* characters are read if a white space character (space, tab, or newline), or a character that cannot be converted according to the given format occurs before *width* is reached.

The optional prefix `l` shows that you use the long version of the following *conversion specifier*, while the prefix `h` indicates that the short version is to be used. The corresponding *argument* should point to a long or double object (for the `l` character), a long double object (for the `L` character), or a short object (with the `h` character). The `l` and `h` modifiers can be used with the `d`, `i`, `o`, `x`, and `u` *conversion specifiers*. The `l` and `h` modifiers are ignored if specified for any other *conversion specifier*.

**Optional prefix:** Used to indicate the size of the argument expected.

**h**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X`, or `n` conversion specifier applies to an argument with type pointer to short or unsigned short.

**hh**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X` or `n` conversion specifier applies to an argument with type pointer to signed char or unsigned char.

**j**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X` or `n` conversion specifier applies to an argument with type pointer to `intmax_t` or `uintmax_t`.

**l**

Specifies that a following `e`, `E`, `f`, `F`, `g`, or `G` conversion specifier applies to an argument with type pointer to double.

**ll**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X` or `n` conversion specifier applies to an argument with type pointer to long long or unsigned long long.

**L**

Specifies that a following `e`, `E`, `f`, `g`, or `G` conversion specifier applies to an argument with type pointer to long double.

**t**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X` or `n` conversion specifier applies to an argument with type pointer to `ptrdiff_t` or the corresponding unsigned type.

**z**

Specifies that a following `d`, `i`, `o`, `u`, `x`, `X` or `n` conversion specifier applies to an argument with type pointer to `size_t` or the corresponding signed integer type.

The *type* characters and their meanings are in [Table 15 on page 92](#).

Table 15. Conversion Specifiers in sscanf()

Conversion Specifier	Type of Input Expected	Type of Argument
d	Decimal integer	Pointer to <code>int</code>
o	Octal integer	Pointer to unsigned <code>int</code>
x X	Hexadecimal integer	Pointer to unsigned <code>int</code>
i	Decimal, hexadecimal, or octal integer	Pointer to <code>int</code>
u	Unsigned decimal integer	Pointer to unsigned <code>int</code>
c	Sequence of one or more characters as specified by field width; white space characters that are ordinarily skipped are read when <code>%c</code> is specified. No terminating null is added.	Pointer to <code>char</code> large enough for input field.
s	Like <code>c</code> , a sequence of bytes of type <code>char</code> (signed or unsigned), except that white space characters are not allowed, and a terminating null is always added.	Pointer to character array large enough for input field, plus a terminating NULL character ( <code>\0</code> ) that is automatically appended.
n	No input read from <i>stream</i> or buffer.	Pointer to <code>int</code> , into which is stored the number of characters successfully read from the <i>stream</i> or buffer up to that point in the call to either <code>fscanf()</code> or to <code>scanf()</code> .
p	Pointer to <code>void</code> converted to series of characters. For the specific format of the input, see the individual system reference guides.	Pointer to <code>void</code> .

Table 15. Conversion Specifiers in `scanf()` (continued)

Conversion Specifier	Type of Input Expected	Type of Argument
[	<p>A non-empty sequence of bytes to be matched against a set of expected bytes (the <i>scanset</i>), which form the conversion specification. White space characters that are ordinarily skipped are read when <code>%[</code> is specified.</p> <p>Consider the following situations:</p> <p><code>[^bytes]</code>. In this case, the <i>scanset</i> contains all bytes that do not appear between the circumflex and the right square bracket.</p> <p><code>]abc</code> or <code>[^]abc.</code>] In both these cases the right square bracket is included in the <i>scanset</i> (in the first case: <code>]abc</code> and in the second case, <i>not</i> <code>]abc</code>)</p> <p><code>[a–z]</code> In EBCDIC The <code>–</code> is in the <i>scanset</i>, the characters <code>b</code> through <code>y</code> are <i>not</i> in the <i>scanset</i>; in ASCII The <code>–</code> is <i>not</i> in the <i>scanset</i>, the characters <code>b</code> through <code>y</code> are.</p> <p>The code point for the square brackets (<code>[</code> and <code>]</code>) and the caret (<code>^</code>) vary among the EBCDIC encoded character sets. The default C locale expects these characters to use the code points for encoded character set Latin-1 / Open Systems 1047. Conversion proceeds one byte at a time: there is no conversion to wide characters.</p>	Pointer to the initial byte of an array of <code>char</code> , signed <code>char</code> , or unsigned <code>char</code> large enough to accept the sequence and a terminating byte, which will be added automatically.
e E f F g G	<p>Floating-point value consisting of an optional sign (+ or -), a series of one or more decimal digits possibly containing a decimal-point, and an optional exponent (e or E) followed by a possibly signed integer value.</p>	Pointer to float

The format string passed to `scanf()` must be encoded as IBM-1047.

To read strings not delimited by space characters, substitute a set of characters in square brackets (`[ ]`) for the `s` (string) conversion specifier. The corresponding input field is read up to the first character that does not appear in the bracketed character set. If the first character in the set is a logical not (`^`), the effect is reversed: the input field is read up to the first character that does appear in the rest of the character set.

To store a string without storing an ending NULL character (`\0`), use the specification `%ac`, where `a` is a decimal integer. In this instance, the `c` conversion specifier means that the argument is a pointer to a character array. The next `a` characters are read from the input stream into the specified location, and no NULL character is added.

The input for a `%x` conversion specifier is interpreted as a hexadecimal number.

The `scanf()` function scans each input field character by character. It might stop reading a particular input field either before it reaches a space character, when the specified *width* is reached, or when the next character cannot be converted as specified. When a conflict occurs between the specification and the input character, the next input field begins at the first unread character. The conflicting character, if there is one, is considered unread and is the first character of the next input field or the first character in subsequent read operations on the input stream.

The `scanf` family functions match `e`, `E`, `f`, `F`, `g` or `G` conversion specifiers to floating-point number substrings in the input stream. The `scanf` family functions convert each input substring matched by an `e`,

E, f, F, g, or G conversion specifier to a float, double or long double value depending on the size modifier before the e, E, f, F, g, or G conversion specifier.

Many z/OS Metal C formatted input functions, including the sscanf family of functions, use the IEEE binary floating-point format and recognize special infinity and NaN floating-point number input sequences.

- The special sequence for infinity input is [+/-]inf or [+/-]INF, where + or - is optional.
- The special sequence of NaN input is either [+/-]nan(n) for a signaling nan or [+/-]nanq(n) for a quiet nan, where n is an integer and  $1 \leq n \leq \text{INT\_MAX}-1$ . If (n) is omitted, n is assumed to be 1. The value of n determines what IEEE binary floating-point NaN fraction bits are produced by the formatted input functions. For a signaling NaN, these functions produce NaN fraction bits (left to right) by reversing the bits (right to left) of the even integer value  $2^n$ . For a quiet NaN, they produce NaN fraction bits (left to right) by reversing the bits (right to left) of the odd integer value  $2^{n-1}$ .

## Returned Value

The sscanf() function returns the number of input items that were successfully matched and assigned. The returned value does not include conversions that were performed but not assigned (for example, suppressed assignments). The functions return EOF if there is an input failure before any conversion, or if EOF is reached before any conversion. Thus a returned value of 0 means that no fields were assigned: there was a matching failure before any conversion.

## Related Information

- [“stdio.h – Define I/O related functions” on page 57](#)
- [“snprintf\(\) – Format and write data” on page 82](#)
- [“sprintf\(\) – Format and Write Data” on page 83](#)
- [“vsnprintf\(\) – Format and print data to fixed length buffer” on page 115](#)
- [“vsscanf\(\) – Format Input of a STDARG Argument List” on page 116](#)

## strcat() – Concatenate Strings

### Format

```
#include <string.h>
char *strcat(char * __restrict__string1, const char * __restrict__string2);
```

### General Description

The strcat() built-in function concatenates *string2* with *string1* and ends the resulting string with the NULL character. In other words, strcat() appends a copy of the string pointed to by *string2*—including the terminating NULL byte—to the end of a string pointed to by *string1*, with its last byte (that is, the terminating NULL byte of *string1*) overwritten by the first byte of the appended string.

Do not use a literal string for a *string1* value, although *string2* might be a literal string.

If the storage of *string1* overlaps the storage of *string2*, the behavior is undefined.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.



## Returned Value

The `strcat()` built-in function returns the value of *string1*, the concatenated string.

## Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcpy\(\) – Copy String” on page 96](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncat\(\) – Concatenate Strings” on page 99](#)

## strchr() – Search for Character

---

### Format

```
#include <string.h>
char *strchr(const char *string, int c);
```

### General Description

The `strchr()` built-in function finds the first occurrence of *c* converted to `char`, in the string *\*string*. The character *c* can be the NULL character (`\0`); the ending NULL character of *string* is included in the search.

The `strchr()` function operates on NULL-terminated strings. The string argument to the function *must* contain a NULL character (`\0`) marking the end of the string.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

### Returned Value

If successful, `strchr()` returns a pointer to the first occurrence of *c* (converted to a character) in *string*.

If the character is not found, `strchr()` returns a NULL pointer.

### Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memchr\(\) – Search buffer” on page 77](#)
- [“strcat\(\) – Concatenate Strings” on page 94](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcpy\(\) – Copy String” on page 96](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)

- [“strchr\(\) — Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) — Search String” on page 102](#)

## strcmp() — Compare Strings

---

### Format

```
#include <string.h>

int strcmp(const char *string1, const char *string2);
```

### General Description

The `strcmp()` built-in function compares the string pointed to by `string1` to the string pointed to by `string2`. The string arguments to the function must contain a NULL character (`\0`) marking the end of the string.

The relation between the strings is determined by subtracting: `string1[i] - string2[i]`, as `i` increases from 0 to `strlen` of the smaller string. The sign of a nonzero return value is determined by the sign of the difference between the values of the first pair of bytes (both interpreted as type `unsigned char`) that differ in the strings being compared. This function is *not* locale-sensitive.

### Returned Value

`strcmp()` returns a value indicating the relationship between the strings, as listed below.

#### Value

##### Meaning

< 0

String pointed to by `string1` less than string pointed to by `string2`

= 0

String pointed to by `string1` equivalent to string pointed to by `string2`

> 0

String pointed to by `string1` greater than string pointed to by `string2`

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“memcmp\(\) — Compare bytes” on page 77](#)
- [“strcspn\(\) — Compare Strings” on page 97](#)
- [“strncmp\(\) — Compare Strings” on page 99](#)
- [“strpbrk\(\) — Find Characters in String” on page 101](#)
- [“strchr\(\) — Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) — Search String” on page 102](#)

## strcpy() — Copy String

---

### Format

```
#include <string.h>

char *strcpy(char * __restrict_string1, const char * __restrict_string2);
```

## General Description

The `strcpy()` built-in function copies *string2*, including the ending NULL character, to the location specified by *string1*. The *string2* argument to `strcpy()` must contain a NULL character (`\0`) marking the end of the string. You cannot use a literal string for a *string1* value, although *string2* may be a literal string. If the two objects overlap, the behavior is undefined.

## Returned Value

The `strcpy()` function returns the value of *string1*.

## Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) – Copy buffer” on page 78](#)
- [“strcat\(\) – Concatenate Strings” on page 94](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncpy\(\) – Copy String” on page 100](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strcspn() – Compare Strings

---

### Format

```
#include <string.h>

size_t strcspn(const char *string1, const char *string2);
```

## General Description

The `strcspn()` function computes the length of the initial portion of the string pointed to by *string1* that contains no characters from the string pointed to by *string2*.

## Returned Value

The `strcspn()` function returns the calculated length of the initial portion found.

## Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“strcat\(\) – Concatenate Strings” on page 94](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcpy\(\) – Copy String” on page 96](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strdup() — Duplicate a String

---

### Format

```
#include <string.h>

char *strdup(const char *string);
```

### General Description

The `strdup()` function creates a duplicate of the string pointed to by *string*.

**Note:** Use of this function requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned Value

If successful, `strdup()` returns a pointer to a new string which is a duplicate of *string*.

Otherwise, `strdup()` returns a NULL pointer.

**Note:** The caller of `strdup()` should free the storage obtained for the string.

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“free\(\) — Free a block of storage” on page 71](#)
- [“malloc\(\) — Reserve storage block” on page 75](#)

## strlen() — Determine String Length

---

### Format

```
#include <string.h>

size_t strlen(const char *string);
```

### General Description

The `strlen()` built-in function determines the length of string pointed to by *string*, excluding the terminating NULL character.

### Returned Value

The `strlen()` function returns the length of *string*.

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“strncat\(\) — Concatenate Strings” on page 99](#)
- [“strncmp\(\) — Compare Strings” on page 99](#)
- [“strncpy\(\) — Copy String” on page 100](#)

## strncat() – Concatenate Strings

---

### Format

```
#include <string.h>

char *strncat(char * __restrict__ string1,
const char * __restrict__ string2, size_t count);
```

### General Description

The `strncat()` built-in function appends the first *count* characters of *string2* to *string1* and ends the resulting string with a NULL character (`\0`). If *count* is greater than the length of *string2*, `strncat()` appends only the maximum length of *string2* to *string1*. The first character of the appended string overwrites the terminating NULL character of the string pointed to by *string1*.

If copying takes place between overlapping objects, the behavior is undefined.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

### Returned Value

The `strncat()` function returns the value *string1*, the concatenated string.

### Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“strcat\(\) – Concatenate Strings” on page 94](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strncpy\(\) – Copy String” on page 100](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strncmp() – Compare Strings

---

### Format

```
#include <string.h>

int strncmp(const char *string1, const char *string2, size_t count);
```

### General Description

The `strncmp()` built-in function compares at most the first *count* characters of the string pointed to by *string1* to the string pointed to by *string2*.

The string arguments to the function should contain a NULL character (`\0`) marking the end of the string.

The relation between the strings is determined by the sign of the difference between the values of the leftmost first pair of characters that differ. The values depend on character encoding. This function is *not* locale sensitive.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

### Returned Value

The `strncmp()` function returns a value indicating the relationship between the sub-strings, as follows:

#### Value

Value	Meaning
< 0	String pointed to by <i>substring1</i> less than string pointed to by <i>substring2</i>
= 0	String pointed to by <i>substring1</i> equivalent to string pointed to by <i>substring2</i>
> 0	String pointed to by <i>substring1</i> greater than string pointed to by <i>substring2</i>

### Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memcmp\(\) – Compare bytes” on page 77](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncat\(\) – Concatenate Strings” on page 99](#)
- [“strncpy\(\) – Copy String” on page 100](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strncpy() – Copy String

---

### Format

```
#include <string.h>

char *strncpy(char * __restrict__ string1,
const char * __restrict__ string2, size_t count);
```

### General Description

The `strncpy()` built-in function copies at most *count* characters of *string2* to *string1*. If *count* is less than or equal to the length of *string2*, a NULL character (`\0`) is *not* appended to the copied string. If *count* is greater than the length of *string2*, the *string1* result is padded with NULL characters (`\0`) up to length *count*.

If copying takes place between objects that overlap, the behavior is undefined.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

## Returned Value

The `strncpy()` function returns *string1*.

## Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memcpy\(\) – Copy buffer” on page 78](#)
- [“strcpy\(\) – Copy String” on page 96](#)
- [“strncat\(\) – Concatenate Strings” on page 99](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strpbrk() – Find Characters in String

---

### Format

```
#include <string.h>
char *strpbrk(const char *string1, const char *string2);
```

### General Description

The `strpbrk()` function locates the first occurrence in the string pointed to by *string1* of any character from the string pointed to by *string2*.

### Returned Value

If successful, `strpbrk()` returns a pointer to the character.

If *string1* and *string2* have no characters in common, `strpbrk()` returns a NULL pointer.

### Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strrchr\(\) – Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) – Search String” on page 102](#)

## strchr() – Find Last Occurrence of Character in String

---

### Format

```
#include <string.h>

char *strchr(const char *string, int c);
```

### General Description

The `strchr()` function finds the last occurrence of `c` (converted to a `char`) in `string`. The ending `NULL` character is considered part of the `string`.

**Note:** When **COMPACT** is specified, the compiler does not generate inline code for this function. In this case, you need to take either of the following actions:

- Define the `__METAL_SYSVEC` feature test macro to use the system library.
- Define the `__METAL_STATIC` feature test macro to use the static object library and bind in corresponding data set.

### Returned Value

If successful, `strchr()` returns a pointer to the last occurrence of `c` in `string`.

If the given character is not found, `strchr()` returns a `NULL` pointer.

### Related Information

- [“System and static object libraries” on page 61](#)
- [“string.h – Declare string manipulation functions” on page 60](#)
- [“memchr\(\) – Search buffer” on page 77](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strncmp\(\) – Compare Strings” on page 99](#)
- [“strpbrk\(\) – Find Characters in String” on page 101](#)
- [“strspn\(\) – Search String” on page 102](#)

## strspn() – Search String

---

### Format

```
#include <string.h>

size_t strspn(const char *string1, const char *string2);
```

### General Description

The `strspn()` function calculates the length of the maximum initial portion of the string pointed to by `string1` that consists entirely of the characters contained in the string pointed to by `string2`.

### Returned Value

The `strspn()` function returns the length of the substring found.



## Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“strcat\(\) — Concatenate Strings” on page 94](#)
- [“strchr\(\) — Search for Character” on page 95](#)
- [“strcmp\(\) — Compare Strings” on page 96](#)
- [“strcpy\(\) — Copy String” on page 96](#)
- [“strcspn\(\) — Compare Strings” on page 97](#)
- [“strpbrk\(\) — Find Characters in String” on page 101](#)
- [“strrchr\(\) — Find Last Occurrence of Character in String” on page 102](#)

## strstr() — Locate Substring

---

### Format

```
#include <string.h>
char *strstr(const char *string1, const char *string2);
```

### General Description

The `strstr()` function finds the first occurrence of the string pointed to by *string2* (excluding the NULL character) in the string pointed to by *string1*.

### Returned Value

If successful, `strstr()` returns a pointer to the beginning of the first occurrence of *string2* in *string1*.

If *string2* does not appear in *string1*, `strstr()` returns NULL.

If *string2* points to a string with zero length, `strstr()` returns *string1*.

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“strchr\(\) — Search for Character” on page 95](#)
- [“strcmp\(\) — Compare Strings” on page 96](#)
- [“strcspn\(\) — Compare Strings” on page 97](#)
- [“strncmp\(\) — Compare Strings” on page 99](#)
- [“strpbrk\(\) — Find Characters in String” on page 101](#)
- [“strrchr\(\) — Find Last Occurrence of Character in String” on page 102](#)
- [“strspn\(\) — Search String” on page 102](#)

## strtod — Convert Character String to Double

---

### Format

```
#include <stdlib.h>
double strtod(const char * __restrict__nptr, char ** __restrict__endptr);
```

### General Description

The `strtod()` function converts part of a character string, pointed to by *nptr*, to a double. The parameter *nptr* points to a sequence of characters that can be interpreted as a numerical value of the type double.

The `strtod()` function breaks the string into three parts:

1. An initial, possibly empty, sequence of white-space characters, as specified by `isspace()`.
2. A subject sequence interpreted as a floating-point constant or representing infinity or a NAN.
3. A final string of one or more unrecognized characters, including the terminating null byte of the input string.

The subject string is the longest string that matches the expected form.

The expected form of the subject sequence is an optional plus or minus sign with one of the following parts:

- A non-empty sequence of decimal digits optionally containing a radix character followed by an optional exponent part. A radix character is the character that separates the integer part of a number from the fractional part.
- A `0x` or `0X`, a non-empty sequence of hexadecimal digits optionally containing a radix character, a base 2 decimal exponent part with a `p` or `P` as prefix, a plus or minus sign, and then a sequence of at least one decimal digit, for example, `[-]0xh.hhhhp+/-d`.
- An `INF`, ignoring case.
- One of `NANQ` or `NANQ(n)`, ignoring case.
- One of `NANS` or `NANS(n)`, ignoring case.
- One of `NAN` or `NAN(n)`, ignoring case.

See [“`sscanf\(\)` – Read and Format Data”](#) on page 89 for a description of special infinity and NAN sequences recognized by z/OS Metal C.

The pointer to the last string that was successfully converted is stored in the object pointed to by *endptr*, if *endptr* is not a NULL pointer. If the subject string is empty or it does not have the expected form, no conversion is performed. The value of *nptr* is stored in the object pointed to by *endptr*.

## Returned Value

If successful, `strtod()` returns the value of the floating-point number in IEEE Binary Floating-Point format.

In an overflow, `strtod()` returns `+/-HUGE_VAL`. In an underflow, it returns 0. If no conversion is performed, `strtod()` returns 0.

## Related Information

- [“`stdlib.h` – Define standard library functions”](#) on page 59
- [“`atoi\(\)` – Convert character string to integer”](#) on page 65
- [“`atol\(\)` – Convert character string to long”](#) on page 65
- [“`sscanf\(\)` – Read and Format Data”](#) on page 89
- [“`strtol\(\)` – Convert Character String to Long”](#) on page 107
- [“`strtof` – Convert Character String to Float”](#) on page 105
- [“`strtold` – Convert Character String to Long Double”](#) on page 108
- [“`strtoul\(\)` – Convert String to Unsigned Integer”](#) on page 111
- [“`vsscanf\(\)` – Format Input of a STDARG Argument List”](#) on page 116

## strtof – Convert Character String to Float

### Format

```
#include <stdlib.h>
float strttof(const char * __restrict__nptr, char ** __restrict__endptr);
```

### General Description

The `strttof()` function converts part of a character string, pointed to by `nptr`, to a float. The parameter `nptr` points to a sequence of characters that can be interpreted as a numerical value of the type float.

The `strttof()` function breaks the string into three parts:

1. An initial, possibly empty, sequence of white-space characters, as specified by `isspace()`.
2. A subject sequence interpreted as a floating-point constant or representing infinity or a NAN.
3. A final string of one or more unrecognized characters, including the terminating null byte of the input string.

The subject string is the longest string that matches the expected form.

The expected form of the subject sequence is an optional plus or minus sign with one of the following parts:

- A non-empty sequence of decimal digits optionally containing a radix character followed by an optional exponent part. A radix character is the character that separates the integer part of a number from the fractional part.
- A `0x` or `0X`, a non-empty sequence of hexadecimal digits optionally containing a radix character, a base 2 decimal exponent part with a `p` or `P` as prefix, a plus or minus sign, and then a sequence of at least one decimal digit, for example, `[-]0xh.hhhhp+/-d`.
- An `INF`, ignoring case.
- One of `NANQ` or `NANQ(n)`, ignoring case.
- One of `NANS` or `NANS(n)`, ignoring case.
- One of `NAN` or `NAN(n)`, ignoring case.

In z/OS Metal C, represent the radix character as a period (`.`).

See [“`sscanf\(\)` – Read and Format Data” on page 89](#) for a description of special infinity and NAN sequences recognized by z/OS Metal C.

The pointer to the last string that was successfully converted is stored in the object pointed to by `endptr`, if `endptr` is not a NULL pointer. If the subject string is empty or it does not have the expected form, no conversion is performed. The value of `nptr` is stored in the object pointed to by `endptr`.

### Returned Value

If successful, `strttof()` returns the value of the floating-point number in IEEE Binary Floating-Point format.

In an overflow, `strttof()` returns `+/-HUGE_VALF`. In an underflow, it returns 0. If no conversion is performed, `strttof()` returns 0.

### Related Information

- [“`stdlib.h` – Define standard library functions” on page 59](#)
- [“`atoi\(\)` – Convert character string to integer” on page 65](#)
- [“`atol\(\)` – Convert character string to long” on page 65](#)
- [“`sscanf\(\)` – Read and Format Data” on page 89](#)

- [“strtod — Convert Character String to Double” on page 103](#)
- [“strtol\(\) — Convert Character String to Long” on page 107](#)
- [“strtold — Convert Character String to Long Double” on page 108](#)
- [“strtoul\(\) — Convert String to Unsigned Integer” on page 111](#)
- [“vsscanf\(\) — Format Input of a STDARG Argument List” on page 116](#)

## strtok() — Tokenize String

### Format

```
#include <string.h>

char *strtok(char * __restrict__string1, const char * __restrict__string2);
```

### General Description

The `strtok()` function breaks a character string, pointed to by *string*, into a sequence of tokens. The tokens are separated from one another by the characters in the string pointed to by *string2*.

The token starts with the first character not in the string pointed to by *string2*. If such a character is not found, there are no tokens in the string. `strtok()` returns a NULL pointer. The token ends with the first character contained in the string pointed to by *string2*. If such a character is not found, the token ends at the terminating NULL character. Subsequent calls to `strtok()` will return the NULL pointer. If such a character *is* found, then it is overwritten by a NULL character, which terminates the token.

If the next call to `strtok()` specifies a NULL pointer for *string1*, the tokenization resumes at the first character following the found and overwritten character from the previous call. For example:

```
/* Here are two calls */
strtok(string, " ")
strtok(NULL, " ")

/* Here is the string they are processing */
          abc defg hij
first call finds ↑
                ↑ second call starts
```

**Note:** To use the `strtok()` function, set up an environment by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned Value

The first time `strtok()` is called, it returns a pointer to the first token in *string1*. In later calls with the same token string, `strtok()` returns a pointer to the next token in the string. A NULL pointer is returned when there are no more tokens. All tokens are NULL-terminated.

### Related Information

- [“string.h — Declare string manipulation functions” on page 60](#)
- [“strcat\(\) — Concatenate Strings” on page 94](#)
- [“strchr\(\) — Search for Character” on page 95](#)
- [“strcmp\(\) — Compare Strings” on page 96](#)
- [“strcpy\(\) — Copy String” on page 96](#)
- [“strcspn\(\) — Compare Strings” on page 97](#)
- [“strspn\(\) — Search String” on page 102](#)

## strtok\_r() – Split String into Tokens

---

### Format

```
#define _XOPEN_SOURCE 500
#include <string.h>

char *strtok_r(char *s, const char *sep, char **lasts);
```

### General Description

The function `strtok_r()` considers the NULL-terminated string `s` as a sequence of zero or more text tokens separated by spans of one or more characters from the separator string `sep`. The argument `lasts` points to a user-provided pointer which points to stored information necessary for `strtok_r()` to continue scanning the same string.

In the first call to `strtok_r()`, `s` points to a NULL-terminated string, `sep` to a NULL-terminated string of separator characters and the value pointed to by `lasts` is ignored. The function `strtok_r()` returns a pointer to the first character of the first token, writes a NULL character into `s` immediately following the returned token, and updates the pointer to which `lasts` points.

In subsequent calls, `s` is a NULL pointer and `lasts` will be unchanged from the previous call so that subsequent calls will move through the string `s`, returning successive tokens until no tokens remain. The separator string `sep` may be different from call to call. When no token remains in `s`, a NULL pointer is returned.

**Note:** To use the `strtok_r()` function, set up an environment by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.

### Returned Value

If successful, `strtok_r()` returns a pointer to the token found.

When no token is found, `strtok_r()` returns a NULL pointer.

### Related Information

- [“string.h – Declare string manipulation functions” on page 60](#)
- [“strcat\(\) – Concatenate Strings” on page 94](#)
- [“strchr\(\) – Search for Character” on page 95](#)
- [“strcmp\(\) – Compare Strings” on page 96](#)
- [“strcpy\(\) – Copy String” on page 96](#)
- [“strcspn\(\) – Compare Strings” on page 97](#)
- [“strspn\(\) – Search String” on page 102](#)

## strtol() – Convert Character String to Long

---

### Format

```
#include <stdlib.h>

long int strtol(const char * __restrict_nptr,
char ** __restrict_endptr, int base);
```

### General Description

The `strtol()` function converts `nptr`, a character string, to a long int value.

The function decomposes the entire string into three parts:

1. A sequence of white space characters as defined by the IBM-1047 codepage.
2. A sequence of characters interpreted as integer in some base notation. This is the *subject sequence*.
3. A sequence of unrecognized characters.

The base notation is determined by *base*, if *base* is greater than zero. If *base* is zero, the base notation is determined by the format of the sequence of characters that follow an optional plus—or optional minus—sign.

**10**

Sequence starts with nonzero decimal digit.

**8**


Sequence starts with 0, followed by a sequence of digits with values from 0 to 7.

**16**

Sequence starts with either 0x or 0X, followed by digits, and letters A through F or a through f.

If the base is greater than zero, the subject sequence contains decimal digits and letters, possibly preceded by either a plus or a minus sign. The letters a (or A) through z (or Z) represent values from 10 through 36, but only those letters whose value is less than the value of the base are allowed.

When you use the `strtol()` function, *nptr* should point to a string with the following form:



The pointer to the converted characters, even if conversion was unsuccessful, is stored in the object pointed to by *endptr*, if *endptr* is not a NULL pointer.

## Returned Value

If successful, `strtol()` returns the converted long int value.

If unsuccessful, `strtol()` returns 0 if no conversion could be performed. If the correct value is outside the range of representable values, `strtol()` returns `LONG_MAX` or `LONG_MIN`, according to the sign of the value. If the value of *base* is not supported, `strtol()` returns 0.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long” on page 66](#)
- [“scanf\(\) – Read and Format Data” on page 89](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)

## strtol – Convert Character String to Long Double

### Format

```
#include <stdlib.h>
long double strtold(const char *__restrict__ nptr, char **__restrict__ endptr);
```

## General Description

The `strtold()` function converts part of a character string, pointed to by *nptr*, to long double. The parameter *nptr* points to a sequence of characters that can be interpreted as a numerical value of the type long double.

The `strtold()` function breaks the string into three parts:

1. An initial, possibly empty, sequence of white-space characters, as specified by `isspace()`.
2. A subject sequence interpreted as a floating-point constant or representing infinity or a NAN.
3. A final string of one or more unrecognized characters, including the terminating null byte of the input string.

The function then attempts to convert the subject string into the floating-point number, and returns the result.

The expected form of the subject sequence is an optional plus or minus sign with one of the following parts:

- A non-empty sequence of decimal digits optionally containing a radix character followed by an optional exponent part. A radix character is the character that separates the integer part of a number from the fractional part.
- A `0x` or `0X`, a non-empty sequence of hexadecimal digits optionally containing a radix character, a base 2 decimal exponent part with a `p` or `P` as prefix, a plus or minus sign, and then a sequence of at least one decimal digit, for example, `[-]0x.hhhhp+/-d`.
- An `INF`, ignoring case.
- One of `NANQ` or `NANQ(n)`, ignoring case.
- One of `NANS` or `NANS(n)`, ignoring case.
- One of `NAN` or `NAN(n)`, ignoring case.

See [“`sscanf\(\)` — Read and Format Data” on page 89](#) for a description of special infinity and NAN sequences recognized by z/OS Metal C.

The pointer to the last string that was successfully converted is stored in the object pointed to by *endptr*, if *endptr* is not a NULL pointer. If the subject string is empty or it does not have the expected form, no conversion is performed. The value of *nptr* is stored in the object pointed to by *endptr*.

## Returned Value

If successful, `strtold()` returns the value of the floating-point number in IEEE Binary Floating-Point format.

In an overflow, `strtold()` returns `+/-HUGE_VAL`. In an underflow, it returns 0. If no conversion is performed, `strtold()` returns 0.

## Related Information

- [“`stdlib.h` — Define standard library functions” on page 59](#)
- [“`atoi\(\)` — Convert character string to integer” on page 65](#)
- [“`atol\(\)` — Convert character string to long” on page 65](#)
- [“`sscanf\(\)` — Read and Format Data” on page 89](#)
- [“`strtod` — Convert Character String to Double” on page 103](#)
- [“`strtof` — Convert Character String to Float” on page 105](#)
- [“`strtoul\(\)` — Convert Character String to Long” on page 107](#)
- [“`strtoul\(\)` — Convert String to Unsigned Integer” on page 111](#)
- [“`vsscanf\(\)` — Format Input of a STDARG Argument List” on page 116](#)

## strtoll() – Convert String to Signed Long Long

### Format

```
#include <stdlib.h>

long long strtoll(const char * __restrict__ nptr,
char ** __restrict__ endptr, int base);
```

**Compile Requirement:** Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long available.

### General Description

The strtoll() function converts *nptr*, a character string, to a signed long long value.

The function decomposes the entire string into three parts:

1. A sequence of white space characters as defined by the IBM-1047 codepage.
2. A sequence of characters interpreted as an unsigned integer in some base notation. This is the *subject sequence*.
3. A sequence of unrecognized characters.

The base notation is determined by *base*, if *base* is greater than zero. If *base* is zero, the base notation is determined by the format of the sequence of characters that follow an optional plus or optional minus sign.

#### 10

Sequence starts with nonzero decimal digit.

#### 8


Sequence starts with 0, followed by a sequence of digits with values from 0 to 7.

#### 16

Sequence starts with either 0x or 0X, followed by digits, and letters A through F or a through f.

If the base is greater than zero, the subject sequence contains decimal digits and letters, possibly preceded by either a plus or a minus sign. The letters a (or A) through z (or Z) represent values from 10 through 36, but only those letters whose value is less than the value of the base are allowed.

When you are using strtoll(), *nptr* should point to a string with the following form:



The pointer to the converted characters, even if conversion was unsuccessful, is stored in the object pointed to by *endptr*, if *endptr* is not a NULL pointer.

### Returned Value

If successful, strtoll() returns the converted signed long long value, represented in the string.

If unsuccessful, strtoll() returns 0 if no conversion could be performed. If the correct value is outside the range of representable values, strtoll() returns LLONG\_MAX (LONGLONG\_MAX) or LLONG\_MIN (LONGLONG\_MIN), according to the sign of the value. If the value of base is not supported, strtoll() returns 0.



## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long ” on page 66](#)
- [“sscanf\(\) – Read and Format Data” on page 89](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)

## strtoul() – Convert String to Unsigned Integer

### Format

```
#include <stdlib.h>

unsigned long int strtoul(const char * __restrict__ string1,
char ** __restrict__ string2, int base);
```

### General Description

The `strtoul()` function converts *string1*, a character string, to an unsigned long int value.

The function decomposes the entire string into three parts:

1. A sequence of white space characters as defined by the IBM-1047 codepage.
2. A sequence of characters interpreted as an unsigned integer in some base notation. This is the *subject sequence*.
3. A sequence of unrecognized characters.

The base notation is determined by *base*, if *base* is greater than zero. If *base* is zero, the base notation is determined by the format of the sequence of characters that follow an optional plus or optional minus sign.

#### 10

Sequence starts with nonzero decimal digit.

#### 8


Sequence starts with 0, followed by a sequence of digits with values from 0 to 7.

#### 16

Sequence starts with either 0x or 0X, followed by digits, and letters A through F or a through f.

If the base is greater than zero, the subject sequence contains decimal digits and letters, possibly preceded by either a plus or a minus sign. The letters a (or A) through z (or Z) represent values from 10 through 36, but only those letters whose value is less than the value of the base are allowed. The function stops reading the string at the first character that it cannot recognize as part of a number. This character can be the first numeric character greater than or equal to the *base*. The `strtoul()` function sets *string2* to point to the end of the resulting output string if a conversion is performed and provided that *string2* is not a NULL pointer.

When you are using the `strtoul()` function, *string1* should point to a string with the following form:



If *base* is in the range of 2-36, it becomes the base of the number. If *base* is 0, the prefix determines the base (8, 16, or 10): the prefix 0 means base 8; the prefix 0x or 0X means base 16; using any other digit without a prefix means decimal.

The pointer to the converted characters, even if conversion was unsuccessful, is stored in the object pointed to by *string2*, if *string2* is not a NULL pointer.

## Returned Value

If successful, `strtoull()` returns the converted unsigned long int value, represented in the string.

If unsuccessful, `strtoull()` returns 0 if no conversion could be performed. If the correct value is outside the range of representable values, `strtoull()` returns `ULONG_MAX`. If the value of *base* is not supported, `strtoull()` returns 0.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long” on page 66](#)
- [“sscanf\(\) – Read and Format Data” on page 89](#)
- [“strtol\(\) – Convert Character String to Long” on page 107](#)

## strtoull() – Convert String to Unsigned Long Long

### Format

```
#include <stdlib.h>

unsigned long long strtoull(register const char * __restrict__ nptr,
char ** __restrict__ endptr, int base);
```

**Compile Requirement:** Use of this function requires the long long data type. See [z/OS XL C/C++ Language Reference](#) for information about how to make long long available.

### General Description

The `strtoull()` function converts *nptr*, a character string, to an unsigned long long value.

The function decomposes the entire string into three parts:

1. A sequence of white space characters as defined by the IBM-1047 codepage.
2. A sequence of characters interpreted as an unsigned integer in some base notation. This is the *subject sequence*.
3. A sequence of unrecognized characters.

The base notation is determined by *base*, if *base* is greater than zero. If *base* is zero, the base notation is determined by the format of the sequence of characters that follow an optional plus or optional minus sign.

#### 10

Sequence starts with nonzero decimal digit.

#### 8


Sequence starts with 0, followed by a sequence of digits with values from 0 to 7.

#### 16

Sequence starts with either 0x or 0X, followed by digits, and letters A through F or a through f.

If the base is greater than zero, the subject sequence contains decimal digits and letters, possibly preceded by either a plus or a minus sign. The letters a (or A) through z (or Z) represent values from 10 through 36, but only those letters whose value is less than the value of the base are allowed. The function stops reading the string at the first character that it cannot recognize as part of a number. This character can be the first numeric character greater than or equal to the *base*. The `strtoull()` function sets *endptr* to point to the end of the resulting output string if a conversion is performed and provided that *endptr* is not a NULL pointer.

When you are using the `strtoull()` function, *nptr* should point to a string with the following form:



If *base* is in the range of 2-36, it becomes the base of the number. If *base* is 0, the prefix determines the base (8, 16 or 10): the prefix 0 means base 8; the prefix 0x or 0X means base 16; using any other digit without a prefix means decimal.

The pointer to the converted characters, even if conversion was unsuccessful, is stored in the object pointed to by *endptr*, if *endptr* is not a NULL pointer.

## Returned Value

If successful, `strtoull()` returns the converted unsigned long long value, represented in the string.

If unsuccessful, `strtoull()` returns 0 if no conversion could be performed. If the correct value is outside the range of representable values, `strtoull()` returns `ULLONG_MAX` (`ULLONG_MAX`). If the value of base is not supported, `strtoull()` returns 0.

## Related Information

- [“stdlib.h – Define standard library functions” on page 59](#)
- [“atoi\(\) – Convert character string to integer” on page 65](#)
- [“atol\(\) – Convert character string to long” on page 65](#)
- [“atoll\(\) – Convert character string to signed long long” on page 66](#)
- [“sscanf\(\) – Read and Format Data” on page 89](#)
- [“strtoul\(\) – Convert String to Unsigned Integer” on page 111](#)

## tolower(), toupper() – Convert Character Case

### Format

```
#include <ctype.h>

int tolower(int c); /* Convert c to lowercase if appropriate */
int toupper(int c); /* Convert c to uppercase if appropriate */
```

### General Description

The `tolower()` function converts *c* to a lowercase letter, if possible. Conversely, the `toupper()` function converts *c* to an uppercase letter, if possible.

## Returned Value

If successful, `tolower()` and `toupper()` return the corresponding character, as defined in the IBM-1047 code page, if such a character exists.

If unsuccessful, `tolower()` and `toupper()` return the unchanged value `c`.

## Related Information

- [“ctype.h — Declare character classification functions ” on page 51](#)
- [“isalnum\(\) to isxdigit\(\) — Test integer value” on page 71](#)

## va\_arg(), va\_copy(), va\_end(), va\_start() — Access Function Arguments

---

### Format

```
#include <stdarg.h>

var_type va_arg(va_list arg_ptr, var_type);
void va_end(va_list arg_ptr);
void va_start(va_list arg_ptr, variable_name);
```

**C99:** See the sample code below.

```
#define _ISOC99_SOURCE
#include <stdarg.h>

var_type va_arg(va_list arg_ptr, var_type);
void va_end(va_list arg_ptr);
void va_start(va_list arg_ptr, variable_name);
void va_copy(va_list dest, va_list src);
```

### General Description

The `va_arg()`, `va_end()`, and `va_start()` macros access the arguments to a function when it takes a fixed number of required arguments and a variable number of optional arguments. You declare required arguments as ordinary parameters to the function and access the arguments through the parameter names.

The `va_start()` macro initializes the `arg_ptr` pointer for subsequent calls to `va_arg()` and `va_end()`.

The argument `variable_name` is the identifier of the rightmost named parameter in the parameter list (preceding `,` ...). Use the `va_start()` macro before the `va_arg()` macro. Corresponding `va_start()` and `va_end()` macro calls must be in the same function. If `variable_name` is declared as a register, with a function or an array type, or with a type that is not compatible with the type that results after application of the default argument promotions, then the behavior is undefined.

The `va_arg()` macro retrieves a value of the given `var_type` from the location given by `arg_ptr` and increases `arg_ptr` to point to the next argument in the list. The `va_arg()` macro can retrieve arguments from the list any number of times within the function.

The macros also provide fixed-point decimal support under z/OS XL C. The `sizeof(xx)` operator is used to determine the size and type casting that is used to generate the values. Therefore, a call, such as, `x = va_arg(ap, _Decimal(5,2));` is valid. The size of a fixed-point decimal number, however, cannot be made a variable. Therefore, a call, such as, `z = va_arg(ap, _Decimal(x,y))` where `x = 5` and `y = 2` is not valid.

The `va_end()` macro is needed by some systems to indicate the end of parameter scanning.

`va_start()` and `va_arg()` do not work with parameter lists of functions whose linkages were changed with the `#pragma linkage` directive.

stdarg.h and varargs.h are mutually exclusive. Whichever #include comes first, determines the form of macro that is visible.

The type definition for the va\_list type in this implementation is "char \*va\_list".

The va\_copy() function creates a copy (*dest*) of a variable of type va\_list (*src*). The copy appear as if it has gone through a va\_start() and the exact set of sequences of va\_arg() as that of *src*.

After va\_copy() initializes *dest*, the va\_copy() macro shall not be invoked to reinitialize *dest* without an intervening invocation of the va\_end() macro for the same *dest*.

## Returned Value

The va\_arg() macro returns the current argument.

The va\_end(), va\_copy(), and va\_start() macros return no values.

## Related Information

- [“stdarg.h — Define macros for accessing variable-length argument lists in functions” on page 57](#)
- [“vsnprintf\(\) — Format and print data to fixed length buffer” on page 115](#)
- [“vsprintf\(\) — Format and Print Data to Buffer” on page 116](#)

# vsnprintf() — Format and print data to fixed length buffer

---

## Format

```
#include <stdarg.h>
#include <stdio.h>

int vsnprintf(char *__restrict__ s, size_t n,
              const char *__restrict__ format, va_list arg);
```

## General Description

The vsnprintf() function is equivalent to snprintf(), except that instead of being called with a variable number of arguments, it is called with an argument list as defined by stdarg.h. For a specification of the *format* string, see [“sprintf\(\) — Format and Write Data” on page 83](#).

Initialize the argument list by using the va\_start macro before each call. These functions do not invoke the va\_end macro, but instead invoke the va\_arg macro causing the value of arg after the return to be unspecified.

### Notes:

1. Use of vsnprintf() requires that an environment has been set up by using the \_\_cinit() function. When the function is called, GPR 12 must contain the environment token created by the \_\_cinit() call.
2. In contrast to some UNIX-based implementations of the C language, the z/OS XL C/C++ implementation of the vprintf() family increments the pointer to the variable arguments list. To control whether the pointer is incremented, call the va\_end macro after each function call.

## Returned Value

The vsnprintf() function returns the number of characters that would have been written had *n* been sufficiently large, not counting the terminating null character, or a negative value if an encoding error occurred. Thus, the null-terminated output has been completely written if and only if the returned value is nonnegative and less than *n*.

## Related Information

- [“stdarg.h — Define macros for accessing variable-length argument lists in functions” on page 57](#)
- [“stdio.h — Define I/O related functions” on page 57](#)
- [“va\\_arg\(\), va\\_copy\(\), va\\_end\(\), va\\_start\(\) — Access Function Arguments” on page 114](#)

## vsprintf() — Format and Print Data to Buffer

---

### Format

```
#include <stdarg.h>
#include <stdio.h>

int vsprintf(char * __restrict__ target-string,
             const char * __restrict__ format, va_list arg_ptr);
```

### General Description

The vsprintf() function is equivalent to the sprintf() function, except that instead of being called with a variable number of arguments, it is called with an argument list as defined in stdarg.h. For a specification of the *format* string, see [“sprintf\(\) — Format and Write Data” on page 83](#).

Initialize the argument list by using the va\_start macro before each call. These functions do not invoke the va\_end macro, but instead invoke the va\_arg macro causing the value of arg after the return to be unspecified.

### Notes:

1. Use of vsprintf() requires that an environment has been set up by using the \_\_cinit() function. When the function is called, GPR 12 must contain the environment token created by the \_\_cinit() call.
2. In contrast to some UNIX-based implementations of the C language, the z/OS XL C/C++ implementation of the vprintf() family increments the pointer to the variable arguments list. To control whether the pointer to the argument is incremented, call the va\_end macro after each call to vsprintf().

### Returned Value

If successful, vsprintf() returns the number of characters written *target-string*.

If unsuccessful, vsprintf() returns a negative value.

### Related Information

- [“stdarg.h — Define macros for accessing variable-length argument lists in functions” on page 57](#)
- [“stdio.h — Define I/O related functions” on page 57](#)
- [“va\\_arg\(\), va\\_copy\(\), va\\_end\(\), va\\_start\(\) — Access Function Arguments” on page 114](#)

## vsscanf() — Format Input of a STDARG Argument List

---

### Format

```
#define _ISOC99_SOURCE
#include <stdarg.h>
#include <stdio.h>

int vsscanf(const char * __restrict__ s,
            const char * __restrict__ format, va_list arg);
```

## General Description

The `vsscanf()` function is equivalent to the `sscanf()` function, except that instead of being called with a variable number of arguments, it is called with an argument list as defined in `stdarg.h`.

Initialize the argument list by using the `va_start` macro before each call. These functions do not invoke the `va_end` macro, but instead invoke the `va_arg` macro causing the value of *arg* after the return to be unspecified.

### Notes:

1. Use of `vsscanf()` requires that an environment has been set up by using the `__cinit()` function. When the function is called, GPR 12 must contain the environment token created by the `__cinit()` call.
2. In contrast to some UNIX-based implementations of the C language, the z/OS XL C/C++ implementation of the `vscanf()` family increments the pointer to the variable arguments list. To control whether the pointer is incremented, call the `va_end` macro after each function call.

## Returned Value

See [“`sscanf\(\)` – Read and Format Data” on page 89](#).

## Related Information

- [“`stdarg.h` – Define macros for accessing variable-length argument lists in functions” on page 57](#)
- [“`stdio.h` – Define I/O related functions” on page 57](#)
- [“`sscanf\(\)` – Read and Format Data” on page 89](#)





## Appendix A. Function stack requirements

Table 16 on page 119 lists the stack frame requirements for each Metal C runtime function. All sizes are in bytes.

<b>Function</b>	<b>AMODE 31 stack size</b>	<b>AMODE 64 stack size</b>
abs	256	512
atoi	256	512
atol	256	512
atoll	1280	1536
calloc	1024	1536
__cinit	512	512
__cterm	1024	1024
div	256	512
free	512	1536
isalnum	256	512
isalpha	256	512
isblank	256	512
iscntrl	256	512
isdigit	256	512
isgraph	256	512
islower	256	512
isprint	256	512
ispunct	256	512
isspace	256	512
isupper	256	512
isxdigit	256	512
labs	256	512
ldiv	256	512
llabs	512	512
lldiv	512	512
malloc	768	1024
__malloc31	768	1024
memcpy	512	512
memchr	512	512
memcmp	512	512

Table 16. Stack frame requirements for Metal C runtime functions (continued)

Function	AMODE 31 stack size	AMODE 64 stack size
memcpy	512	512
memmove	512	512
memset	256	512
qsort	1280 <sup>1</sup>	1792 <sup>1</sup>
rand	256	512
rand_r	256	512
realloc	1024	2048
snprintf	3072	3584
snprintf when using e, E, f, F, g, G conversion specifiers	32000	32768
snprintf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	48896	49920
sprintf	3072	3584
sprintf when using e, E, f, F, g, G conversion specifiers	32000	32768
sprintf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	48896	49920
srand	256	512
sscanf	2304	2560
sscanf when using e, E, f, F, g, G conversion specifiers	4864	5632
sscanf when using e, E, f, F, g, G conversion specifiers	5888	6656
sscanf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	23040	23552
strcat	512	512
strchr	512	512
strcmp	512	512
strcpy	512	512
strcspn	768	768
strdup	1024	1536
strlen	512	512
strncat	512	512
strncmp	512	512
strncpy	512	512

Table 16. Stack frame requirements for Metal C runtime functions (continued)

Function	AMODE 31 stack size	AMODE 64 stack size
strpbrk	768	768
strrchr	512	512
strspn	768	768
strstr	512	512
strtod	4096	4352
strtof	3072	3328
strtok	768	1024
strtok_r	1024	1536
strtol	1024	1024
strtold	21248	21248
strtoll	1024	1024
strtoul	1024	1024
strtoull	768	1024
tolower	256	512
toupper	256	512
vsprintf	3072	3584
vsprintf when using e, E, f, F, g, G conversion specifiers	32000	32768
vsprintf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	48896	49920
vsprintf	3072	3584
vsprintf when using e, E, f, F, g, G conversion specifiers	32000	32768
vsprintf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	48896	49920
vsscanf	2304	2560
vsscanf when using e, E, f, F, g, G conversion specifiers	4864	5632
vsscanf when using e, E, f, F, g, G conversion specifiers with the l conversion prefix	5888	6656
vsscanf when using e, E, f, F, g, G conversion specifiers with the L conversion prefix	23040	23552

**Note:** You must add the stack size of the comparison function you supply to the base value.



---

## Appendix B. CICS programming interface examples

CICS Transaction Server for z/OS offers a number of programming interfaces. The application programming interface is widely used by CICS transactions running in a CICS environment. The exit programming interface can be used in a restricted environment that enables the customization of CICS to specific requirements, such as in global user exit programs.

The CICS application programming interface (CICS API) can be used from programs written in any of the high level programming languages supported by CICS, as well as in assembler programs. However, the exit programming interface (XPI) is provided to allow access to some of the CICS services from user exit programs, and these programs must be written in assembler. With the new support in this release, it is now possible for a C language program using the Metal C option to also use the CICS exit programming interface. This opens up the possibility of writing global user exit code using Metal C as a high level language alternative to assembler.

This topic contains some programming examples that demonstrate how the CICS XPI and the CICS API can be used in Metal C.

---

### Runtime environment adapter

A Metal C "main" code in CICS requires the following capabilities.

- prolog code for environment initialization
- epilog code for environment termination
- writable static area (WSA) initialization plug-in
- writable static area (WSA) termination plug-in

In CICS, the prolog and epilog code are mandatory because the Metal C default prolog and epilog obtain storage using the MVS STORAGE macro. In CICS, storage should be obtained using CICS storage management API commands, and the execution environment should be set up by the DFHEIENT macro. The prolog code is mandatory, and the corresponding epilog code should also be provided.

WSA initialization and termination plug-in code should be provided. A C "main" program can be coded which does not use static data, but the CICS API injects static data into the code.

CICS programs should be reentrant, so a CICS "main" program must be compiled with the Metal C RENT option specified to meet this CICS requirement.

A Metal C subroutine requires the following capabilities.

- Optional prolog code for environment initialization
- Optional epilog code for environment termination

Subroutines do not cause writable static areas to be generated. When you write subroutines, natural reentrancy must be maintained. The CICS exit programming example provides an illustration of on how this is done.

Under CICS, the default Metal subroutine prolog and epilog code can be used if the space allocated for the execution stack does not run out.

---

### CICS application programming interface example

The CICS application programming interface example consists of the following components.

MTLBOOT	Assembler bootstrap program
MTLHALO	Metal C "Hello World" using the CICS API
MTLENT	"main" prolog macro

MTLXIT	"main" epilog macro
MTLSENT	Subroutine prolog macro
MTLSXIT	Subroutine epilog macro

## Data structures

The MTLBOOT assembler program defines the following data structures.

- PLISTINIT, which defines the WSA initialization parameters
- PLISTTRM, which defines the WSA termination parameters
- main\_plist, which defines the "main" program entry parameters
- the application execution stack with the stack header defined by stack\_hdr

Figure 52 on page 124 illustrates how the API components and entry points used in the examples are related.




Figure 52. CICS API example flow

## Example description

### MTLBOOT

The MTLBOOT serves as the adapter program that sets up the proper CICS execution environment for assembler code. It provides the following services.

- sets up the CICS execution environment for assembler
- obtains the program stack storage for the Metal C program execution
- a callback service to obtain additional stack storage
- a callback service to free additional stack storage
- return to CICS after program execution
- the WSA initialization plug-in
- the WSA termination plug-in

The stack storage provided to the Metal C code has a header described by the stack\_hdr dsect. The fields that are not standard are bootstg and mtlrock\_ep. The bootstg field is a fullword containing a pointer to the CICS allocated dynamic save area associated with the bootstrap program. This is analogous to the "this" pointer in C++. The mtlrock\_ep field is the entry point to the callback routine. An input parameter provided to the callback routine determines whether getmain or freemain is used to allocate storage.

**MTLHALO**

MTLHALO represents the application code. This is a simple example which demonstrates how the CICS API is used under Metal C. It also demonstrates the use of the prolog and epilog examples. This is the code that you would replace with your own application requirements.

**MTLENT**

MTLENT is mandatory for the "main" program. In this example set, the complexity is encapsulated within the bootstrap program so that the main prolog macro can be simple and reusable. This macro assumes that it is invoked with an entry environment described by the "main\_plist".

**MTLXIT**

MTLXIT is the "main" program exit macro.

**MTLSENT**

MTLSENT is an optional macro for subroutine entry. It provides an example of what can be done if additional stack storage needs to be obtained. This macro provides an example of how to invoke the callback routines in the bootstrap program.

**MTLSXIT**

MTLSXIT is an optional subroutine exit macro. If MTLSENT is used for entry, MTLSXIT should be used for exit.

## Example code

[Figure 53 on page 126](#) contains the bootstrap for using Metal C with CICS API programs.

```

*ASM      XOPTS(NOPROLOG NOEPILOG SP)
*****
*
* Module Name = MTLBOOT
*
* Descriptive Name = CICS Bootstrap for metal C code example
*
* @BANNER_START                02
*
* MTLBOOT
* Licensed Materials - Property of IBM
*
* "Restricted Materials of IBM"
*
* 5655-S97
*
* (C) Copyright IBM Corp. 1989, 2009
*
* Description
* The bootstrap routine sets up stack storage and flows
* control to the metal c program. It provides callbacks for
* the WSA init/term plugin functionality. It also provides
* the getmain/freemain entry points which are invoked by the
* subroutine prolog/epilog routines.
*
* This code also provides an implementation proof-of-concept
* if the user wants to create a CICS API layer in assembler
* and the business layer in metal c. This code can be extended
* with the code to implement the CICS API.
*
*****
* The Metal C Bootstrap program.
*****
*
*****
* Input parm list
*****
PLISTTRM      DSECT          WSA termination plugin parameters
trm_addr      DS      F
trm_size      DS      F
trm_user_ptr  DS      F
*
PLISTINIT     DSECT          WSA initialization plugin parameters
init_addr     DS      F
init_size     DS      F
init_user_ptr DS      F
init_align    DS      F
*****
* define the stack block control area
*****
stack_hdr     dsect
bootstg       ds      f      metal boot reg 12 contents
mtlrock_ep    ds      a      callback for getmain/freemain
blk_beg_addr  ds      a      begin address of block
blk_end_addr  ds      a      end address of block
lstack_hdr    equ  *-stack_hdr
*
metlget       equ  x'0001'
metlfre       equ  x'0002'
*
copy dfhkebrc

```

**CICS Bootstrap for metal C code example: MTLBOOT (Part 1 of 7)**

Figure 53. CICS Bootstrap for metal C code example: MTLBOOT



```

*****
* Program state
*****
      DFHEISTG
*
* local working storage
*
booteye ds    c18
bootrsa DS    18F
mtlr    ds    7F
*
AREA    DS    A
NAB     DS    A
RETC    DS    F
*
main_plist ds 0a
hdr_ptr   ds  a
stack_ptr ds  a
org_r1    ds  a
*
dsapool ds   10f      array of pointers to dsablocks
next_free ds    H      array index
*
      DFHEIEND
      DFHREGS ,
*
MTLBOOT CSECT
MTLBOOT DFHEIENT CODEREG=(R3),DATAREG=(R12),EIBREG=(R11)
MTLBOOT AMODE 31
MTLBOOT RMODE 31
*
* logic
* getmain 'main' working storage
* format R1 content
* dispatch
*
      LARL R10,CONSTANTS
      USING CONSTANTS,R10
*
      mvc booteye,=c18'>MTLROCK' set eyecatcher in anchor
      LA  R13,bootrsa point R13 to local save
      st  r1,org_r1 save user plist register
      EXEC CICS ADDRESS EIB(DFHEIBR)
      EXEC CICS GETMAIN SET(R4) FLENGTH(DSA_SIZE) RESP(RETC)
      clc retcd,dfhresp(normal) check getmain error
      jne main_abend
      using stack_hdr,r4
      st  r12,bootstg work area for metal rock callback
      mvc mtlrock_ep,callback_ep
      st  r4,blk_beg_addr
      lr  r5,r4 compute end address
      a  r5,dsa_size *
      st  r5,blk_end_addr
*

```

---

***CICS Bootstrap for metal C code example: MTLBOOT (Part 2 of 7)***

```

        xr      r5,r5      store block address in pool ctrl
        la      r6,dsapool
        st      r4,0(r5,r6) *
        la      r5,1(r5)  increment index
        sth     r5,next_free *
        drop    r4
*
        la      r5,lstack_hdr(r4) point to user area
        st      r4,hdr_ptr
        st      r5,stack_ptr
        la      r1,main_plist set plist register
*
* flow control to the metal c program
*
        L      R15,VMAIN
        BASR   R14,R15
* freemain whatever we've getmained
        j      main_return
*
main_abend ds 0h
          EXEC CICS ABEND ABCODE('CMTL')
main_return ds 0h
          DFHEIRET
          drop  r3
*
*****
* The MTLROCK callback service *
* The input environment is as follows; *
* R2 - the function code *
* R1 - the boot token, the mtlboot eistg pointer. This is *
* important for getmain especially, because at the time *
* getmain for stack storage is invoked, there's no more *
* storage space to use. *
* C++ developers can think of this as the 'this' pointer *
* On return from a getmain *
* R2 - block pointer *
* R1 - the user section *
*
* The getmained block pointer is stored in an array of 10 *
* elements. No check is make for overflow. *
*****
        ENTRY MTLROCK
MTLROCK DS 0H
        stm    r10,r0,mlrsa-DFHEISTG(r1) save used regs
        lr     r12,r1          set token in r12
*
LETSROCK DS 0H
        larl   r10,constants
        EXEC  CICS ADDRESS EIB(DFHEIBR)
*
        chi   r2,metlget          do we getmain
        je    getmain

```

---

**CICS Bootstrap for metal C code example: MTLBOOT (Part 3 of 7)**

```

*****
* else it's a freemain. Since we are maintaining a stack,      *
* the last getmained block is the first to be freed          *
*****
*
* freemain logic
    lh    r5,next_free  obtain block address to free
    bctr  r5,0          some validation needed here
    sll   r5,2          *
    la    r6,dsapool   *
    l     r4,0(r5,r6)  *
EXEC    CICS FREEMAIN DATAPOINTER(R4) RESP(RETCO)
    clc   retcd,dfhresp(normal)
    jne   freemain_abend *
    xr    r4,r4        clear the array location
    st    r4,0(r5,r6)  *
    srl   r5,2        decrement the array index
    sth   r5,next_free *
    j     retrock
freemain_abend ds 0h
EXEC    CICS ABEND ABCODE('FMTL')
    j     retrock
*
*****
* getmain goes in here                                     *
*****
getmain ds 0h
EXEC    CICS GETMAIN SET(R4) FLENGTH(DSA_SIZE) RESP(RETCO)
    clc   retcd,dfhresp(normal) check getmain error
    jne   getmain_abend
    using stack_hdr,r4
    st    r12,bootstg  work area for metal rock callback
    mvc   mtlrock_ep,callback_ep
    st    r4,blk_beg_addr
    lr    r5,r4        compute end address
    a     r5,dsa_size  *
    st    r5,blk_end_addr
*
    lh    r5,next_free  store block address in pool ctrl
    sll   r5,2          *
    la    r6,dsapool   *
    st    r4,0(r5,r6)  *
    srl   r5,2        increment array index
    la    r5,1(,r5)    *
    sth   r5,next_free *
    drop  r4
*
    lr    r2,r4        r2 has blk_hdr ptr
    lr    r1,r4        r1 contains the user section
    la    r1,lstack_hdr(,r1)
    j     retrock
*

```

---

**CICS Bootstrap for metal C code example: MTLBOOT (Part 4 of 7)**

```

getmain_abend ds 0h
               EXEC CICS ABEND ABCODE('EMTL')
*
retrock ds      0h
        LM      r10,r0,mtlrsa
        BR      r14
*
*****
* METALC WSA Initialization plugin
* The R13, dfheistg being used here is not the same as that
* being used in the main entry and in mtlrock. This EISTG is
* taken out of the initial DSA allocated for the metal c main
* entry point
*****
ENTRY MTLZWSAT
MTLZWSAT DS      0F
        STM     14,11,12(13)
        LR      15,13
        L       13,8(,13)
        ST      15,4(,13)
* init common registers
        lr      12,13
        LR      R9,R1
        LARL   R10,CONSTANTS
        USING  PLISTTRM,R9
*
* logic
*
        EXEC CICS ADDRESS EIB(DFHEIBR)
        ICM   R4,B'1111',trm_addr
        jz    trm_retn
        EXEC CICS FREEMAIN DATAPOINTER(R4)
*
trm_retn ds      0h
        L       13,4(,13)
        L       14,12(,13)
        LM      1,11,24(13)
        BR      14
        DS      0F
        DROP   R9
*
*****
* METALC WSA Initialization plugin
* The R13, dfheistg being used here is not the same as that
* being used in the main entry and in mtlrock. This EISTG is
* taken out of the initial DSA allocated for the metal c main
* entry point
*****

```

---

***CICS Bootstrap for metal C code example: MTLBOOT (Part 5 of 7)***

```

ENTRY MTLZWSAI
MTLZWSAI DS 0F
        STM 14,11,12(13)
        LR 15,13
        L 13,8(,13)
        ST 15,4(,13)
*
* init common registers
*
        lr 12,13          eistg for this callback
        LARL R10,CONSTANTS
        LR R9,R1          set plist register
        USING PLISTINIT,R9
        XC AREA,AREA      init output data
*
* logic
*
        EXEC CICS ADDRESS EIB(DFHEIBR)
        ICM R5,B'1111',INIT_SIZE
        JZ RETURN          nothing to do
        icm r6,b'1111',init_addr is there something to copy
        jz return          nothing to copy
*
        EXEC CICS GETMAIN SET(R4) FLENGTH(INIT_SIZE) RESP(RETCD)
        clc retcd,dfhresp(normal) check getmain error
        je wsacopy        proceed to copy
*****
* controlled abend the transaction if getmain fails to allow*
* IPCS analysis *
*****
        DC H'0'
        EXEC CICS ABEND ABCODE('DMTL')
        j return
*
wsacopy ds 0h
        ST R4,AREA
        lr r7,r5          propagate length
        mvcl r4,r6        and copy the WSA area
*
RETURN DS 0H
        L 15,AREA
        L 13,4(,13)
        L 14,12(,13)
        LM 1,11,24(13)
        BR 14
        DS 0F
*
CONSTANTS DS 0D
VMAIN DC V(MAIN)
callback_ep dc a(mtlrock)

```

---

**CICS Bootstrap for metal C code example: MTLBOOT (Part 6 of 7)**

```

*****
* define the allocation size of a stack block here *
*****
dsa_size      dc      a(32000)
*dsa_size     dc      a(4096)
              LTORG
*****
* prolog/epilog for a CICS API layer (proposed) *
*****
ENTRY MTL2CICS
MTL2CICS DS      0F
        STM     RE,RC,12(RD)      save registers
        lr      rc,rd            pick up the 'this' pointer
        ahi     rc,-4            *
        l       rc,0(,rc)        point to stack block header
        l       rc,0(,rc)        and pick up bootstg ptr
        st      rd,bootrsa+4     store prev save pointer
        la      rd,bootrsa       point to routine RSA

*
* mtl2cics logic
*
mtl2cics_rtn ds      0h
        l       rd,4(,rd)        recover previous save pointer
        lm      re,rc,12(rd)     restore regs
        br      re              and return to caller

*
        ltorg                    contants/literal pool
END      MTLBOOT

```

***CICS Bootstrap for metal C code example: MTLBOOT (Part 7 of 7)***

Figure 54 on page 133 contains example code that demonstrates the use of the prolog and epilog examples.

```

#include <stdio>
#include <string.h>
#include <stdlib.h>

/* char w_text[81]; */
/* the generated code seems to locate globals in the */
/* code section. Global variables make the program non-reentrant */
DFHEIBLK *eiptr;
/* The prolog and epilog will cause a getmain and freemain for */
/* additional stack space to be driven if the stack block size */
/* setting in MTLB00T is 4096 bytes. */
#pragma prolog(bigrtn,"MTLSENT")
#pragma epilog(bigrtn,"MTLSXIT")
void bigrtn()
{
    char bigbuff[3800];
    /*char bigbuff[16]; */
    bigbuff[0] = '1';
}

#pragma prolog(sendmsg,"MTLSENT")
/* #pragma epilog(sendmsg,"MTLSXIT") */
void sendmsg(char *s)
{
    int out_len = 81;
    char w_text[81];

    bigrtn();
    memset(w_text, ' ', out_len);
    strncpy(w_text, s, out_len);
    EXEC CICS SEND FROM(w_text) LENGTH(out_len) WAIT;
}

#pragma prolog(main,"MTLENT")
#pragma epilog(main,"MTLXIT")
main()
{
    char msg[] = "METALC Hello";
    int msg_len = 12;

    /*int out_len = 81; */
    /*char w_text[81]; */
    /*char s[23] = "Hello CICS from METAL!\n";*/

    EXEC CICS ADDRESS EIB(dfheiptr);
    EXEC CICS WRITEQ TS QUEUE("NOEL0000") FROM(msg) LENGTH(msg_len);
    sendmsg("Hello CICS from METAL!\n");
}

```

Figure 54. CICS API used under Metal C example code: MTLHALO

Figure 55 on page 134 contains the main prolog for using Metal C with CICS API programs.

```

*****
*
* MODULE NAME = MTLTENT
*
* DESCRIPTIVE NAME = METAL C FOR CICS MAIN PROLOG
*
* @BANNER_START                02
*
*           MTLTENT
* LICENSED MATERIALS - PROPERTY OF IBM
*
* "RESTRICTED MATERIALS OF IBM"
*
* 5655-S97
*
* (C) COPYRIGHT IBM CORP. 1989, 2009
*
*****
      MACRO
&NAME  MTLTENT
      GBLC  &CCN_PRCN
      GBLC  &CCN_LITN
      GBLC  &CCN_BEGIN
      GBLC  &CCN_ARCHLVL
      GBLA  &CCN_DSASZ
      GBLA  &CCN_RLOW
      GBLA  &CCN_RHIGH
      GBLB  &CCN_NAM
      GBLB  &CCN_LP64
      GBLC  &CCN_WSA_INIT
      GBLC  &CCN_WSA_TERM
&CCN_WSA_INIT SETC 'MTLZWSAI'
&CCN_WSA_TERM SETC 'MTLZWSAT'
*****
* THE BOOTSTRAP ROUTINE WILL PROVIDE US WITH THE INITIAL EXECUTION
* ENVIROMENT. THE INPUT DATA, POINTED BY R1 IS DEFINED IN MTLBOOT.
*
* PREPARE THE EXECUTION ENVIRONMENT.
*****
      STM   14,12,12(13)
*
*****
* CHAIN THE CURRENT STACK TO THE PREVIOUS
*****
      LR   14,13      SAVE PREVIOUS SAVEAREA PTR
      L   13,0(,1)    PICK UP THE BLOCK HEADER POINTER
      L   12,4(,1)    PICK UP THE USER AREA POINTER
      ST  13,0(,12)   SAVE AS CURRENT STACK PREFIX
      LA  13,4(,12)   POINT R13 TO METALC USER STACK AREA
*
      ST  13,8(,14)   CHAIN DSA TO CALLER'S DSA
      ST  14,4(,13)   POINT TO PREVIOUS STACK AREA
      L   1,8(,1)     RESTORE PLIST POINTER
*
      MEND

```

Figure 55. Metal C for CICS main prolog: MTLTENT

Figure 56 on page 135 contains the main epilog for using Metal C with CICS API programs.



```

*****
*
* MODULE NAME = MTLXIT
*
* DESCRIPTIVE NAME = METAL C FOR CICS MAIN EPILOG
*
* @BANNER_START          MTLXIT          02
*
* LICENSED MATERIALS - PROPERTY OF IBM
*
* "RESTRICTED MATERIALS OF IBM"
*
* 5655-S97
*
* (C) COPYRIGHT IBM CORP. 1989, 2009
*
*****
      MACRO
&NAME  MTLXIT
      GBLC  &CCN_PRCN
      GBLC  &CCN_LITN
      GBLC  &CCN_BEGIN
      GBLC  &CCN_ARCHLVL
      GBLA  &CCN_DSASZ
      GBLA  &CCN_RLOW
      GBLA  &CCN_RHIGH
      GBLB  &CCN_NAM
      GBLB  &CCN_LP64
*****
* RETURN TO THE BOOTSTRAP PROGRAM, MTLBOOT, WHICH WILL CLEAN UP THE *
* EXECUTION ENVIRONMENT.
*****
      L      13,4(,13)      POINT TO CALLER'S SAVE
      LM     14,12,12(13)  RESTORE CALLER'S REGS
      BR     14             AND RETURN
      MEND

```

Figure 56. Metal C for CICS main epilog: MTLXIT

Figure 57 on page 136 contains the subroutine prolog for using Metal C with CICS API programs.

```

*****
*
* MODULE NAME = MTLSENT
*
* DESCRIPTIVE NAME = METAL C FOR CICS SUBROUTINE PROLOG
*
* @BANNER_START
*
* MTLSENT 02
*
* LICENSED MATERIALS - PROPERTY OF IBM
*
* "RESTRICTED MATERIALS OF IBM"
*
* 5655-S97
*
* (C) COPYRIGHT IBM CORP. 1989, 2009
*
*****
MACRO
&NAME MTLSENT
GBLC &CCN_PRCN
GBLC &CCN_LITN
GBLC &CCN_BEGIN
GBLC &CCN_ARCHLVL
GBLA &CCN_DSASZ
GBLA &CCN_RLOW
GBLA &CCN_RHIGH
GBLB &CCN_NAM
GBLB &CCN_LP64
*****
* WARNING R0 HOLDS THE WSA TOKEN. DO NOT USE IT *
*****
STM 14,12,12(13)
LR 15,13
AHI 15,-4 POINT TO STACK PREFIX
L 14,0(,15) PICK UP BLOCK HDR PTR
*****
* CHECK IF CURRENT BLOCK STILL HAS SPACE *
* THE MAXIMUM STACK ANY ROUTINE CAN HAVE SHOULD BE DSA_SIZE *
* MINUS 20, THE SYSTEM USAGE *
*****
L 2,8(,13) PICK UP THE NAB
AHI 2,4 COUNT THE PREFIX SIZE
AHI 2,&CCN_DSASZ CCN_DSASZ SHOULD FIT IN A
* HALFWORD
*
C 2,12(,14) WILL IT FIT IN CURRNT BLK?
JH GET_SPACE_&SYSNDX SORRY, NO.
L 2,8(,13) PICK UP NAB AGAIN
ST 14,0(,2) SET HEADER POINTER AS NEW
* STACK PREFIX
LA 2,4(,2) POINT TO USER STACK AREA
ST 13,4(,2) CHAIN TO PREVIOUS STACK
LR 13,2 SET R13 TO CURRENT
J DONE_&SYSNDX
*
GET_SPACE_&SYSNDX DS 0H

```

**Metal C for CICS subroutine prolog: MTLSENT (Part 1 of 2)**

Figure 57. Metal C for CICS subroutine prolog: MTLSENT

```

*****
* OBTAIN ADDITIONAL STACK STORAGE *
*****
      LHI  2,1          SET GETMAIN FUNCTION
      L    1,0(,14)     SET THE BOOT TOKEN
      L    15,4(,14)    SET THE MTLROCK SERVICE ADDR
      BASR 14,15        AND CALL IT
*
*      DC   H'0'
      ST   2,0(,1)      SET STACK PREFIX WORD
      L    2,24(,13)    RECOVER PLIST REGISTER
      ST   1,8(,13)     UPDATE PREVIOUS NAB WHICH
*                               POINTS TO THE STACK PREFIX
      LA   1,4(,1)      POINT TO USER STACK AREA
      ST   13,4(,1)     CHAIN IT TO PREVIOUS
      LR   13,1         SET R13 TO CURRENT
      LR   1,2          SET PLIST POINTER
*
      DONE_&SYSNDX DS 0H
      MEND

```

***Metal C for CICS subroutine prolog: MTLSENT (Part 2 of 2)***

[Figure 58 on page 138](#) contains the subroutine epilog for using Metal C with CICS API programs.

```

*****
*
* MODULE NAME = MTLSEXIT
*
* DESCRIPTIVE NAME = METAL C FOR CICS SUBROUTINE EPILOG
*
* @BANNER_START                02
*                               MTLSEXIT
* LICENSED MATERIALS - PROPERTY OF IBM
*
* "RESTRICTED MATERIALS OF IBM"
*
* 5655-S97
*
* (C) COPYRIGHT IBM CORP. 1989, 2009
*
*****
MACRO
&NAME MTLSEXIT
GBLC &CCN_PRCN
GBLC &CCN_LITN
GBLC &CCN_BEGIN
GBLC &CCN_ARCHLVL
GBLA &CCN_DSASZ
GBLA &CCN_RLOW
GBLA &CCN_RHIGH
GBLB &CCN_NAM
GBLB &CCN_LP64
*
LR 15,13
AHI 15,-4          POINT TO PREFIX
LR 2,15           COMPUTE THEORETICAL BLOCK CTL
AHI 2,-16        AREA POINTER
C 2,0(,15)       ARE WE AT THE TOP OF BLOCK ?
JNE NOFREE_&SYSNDX
*****
* WE HAVE REACHED THE TOP OF THE BLOCK WHICH WE ARE GOING TO *
* HAND BACK AS WE ARE DONE WITH IT.
* THE CONTENTS OF R12 WILL BE DESTROYED IN THE PROCESS
*****
LR 14,2          COPY BLOCK HDR POINTER
LHI 2,2         REQUEST FREEMAIN
L 1,0(,14)      SET THE BOOT TOKEN
L 15,4(,14)     SET EP ADDRESS
BASR 14,15      INVOKE SERVICE
*
NOFREE_&SYSNDX DS 0H
L 13,4(,13)     POINT TO CALLER'S SAVE
LM 14,12,12(13)
BR 14
MEND

```

Figure 58. Metal C for CICS subroutine epilog: MTLSEXIT

## CICS exit programming interface example

The CICS exit programming interface is described in the CICS Customization Guide. It is used for programs which run at global user exit points. The example in this section is for the XTSEREQ exit point. The example exit is driven when a temporary storage queue request is to be serviced by CICS. The example exit code however does not perform any business logic. All that is shown is a storage management getmain and freemain request using the exit programming interface.

The CICS exit programming interface example consists of the following components:

### MTLBTXPI

Assembler Language bootstrap program.

### MTL2XPI

Example using the CICS exit programming interface for Metal C.

Figure 59 on page 139 illustrates how the XPI components and entry points used in the examples are related.




Figure 59. CICS XPI example flow

The prolog and epilog macros provided for the CICS API examples are also being used by MTL2XPI.

The MTLBTXPI program is similar to MTLBOOT. It performs the same function and sets up a similar execution environment for MTL2XPI. MTLBTXPI, unlike MTLBOOT, does not provide WSA initialization and termination. MTL2XPI is coded as a C subroutine but not a main program. This avoids the need of setting up a writable static area.

The CICS exit programming interface does not internally generate statically writable variables because it is an assembler only interface.

The data passed from MTLBTXPI to MTL2XPI is described by "main\_plist" and the getmain allocated storage for use as the Metal C execution stack. In XPI execution, R1 points to the user exit parameter area. Sample code on how to properly pass this information for Metal C execution is shown. Like MTLBTXPI, the main\_plist fields, hdr\_ptr, and stack\_ptr all point to areas in the Metal C stack storage.

MTL2XPI is the C code that shows an example of how to invoke a CICS XPI service in C. The services invoked are getmain and freemain, but this provides a demonstration that the CICS XPI which is assembler-only can be used by C code.

It should be pointed out that register 13 needs to be set to the contents of "uepstack" upon entry into the XPI. The contents must be copied into another register and not in the C execution stack storage, because register 13 is also used by Metal C as the execution stack pointer.

MTL2XPI uses MTLTENT and MTLXIT as its prolog and epilog macros. This demonstrates reuse of these macros because the bootstrap programs, while different, provide the same interface data. MTLSENT and MTLSEXIT can also be used in XPI using Metal C code if stack expansion is required.

## Example code

Figure 60 on page 140 contains example code for the Metal C CICS bootstrap.

```

*ASM      XOPTS(NOPROLOG NOEPILOG SP)
*****
*
* Module Name = MTLBTXPI
*
* Descriptive Name = CICS Bootstrap for metal C code example
*
* @BANNER_START                02
*                               MTLBTXPI
* Licensed Materials - Property of IBM
*
* "Restricted Materials of IBM"
*
* 5655-S97
*
* (C) Copyright IBM Corp. 1989, 2009
*
* Description
* The bootstrap routine sets up stack storage and flows
* control to the metal c program. The metalc program will
* implement the business logic as a C subroutine ie not
* 'main'. This means a WSA Init/Term callbacks don't need to
* be provided.
*
* Like the metalc CICS application bootstrap, storage
* management callbacks for the various subroutine
* prolog/epilog code is still provided.
*
* This bootstrap code is used for coding CICS Exit Programming*
* Interface using programs. The XPI is used for assembler-only*
* user exit programs.
*
* The z/OS C/C++ metalc option allows C programmers to use
* the C language to write CICS XPI code in user exit programs.*
*
*****
* The Metal C Bootstrap program for the CICS XPI
*****
*
*****
* Define the stack block control area
*****
stack_hdr      dsect
bootstg        ds    f          bootstrap storage pointer
mtlrock_ep     ds    a          callback for getmain/freemain
blk_beg_addr   ds    a          begin address of block
blk_end_addr   ds    a          end address of block
lstack_hdr     equ    *-stack_hdr
*
metlget        equ    x'0001'
metlfire       equ    x'0002'
*
                copy dfhkebrc

```

**CICS bootstrap for Metal C example program: MTLBTXPI (Part 1 of 7)**

Figure 60. CICS bootstrap for Metal C example program: MTLBTXPI

```

*****
* Program state
*****
*
* local working storage, pointed to by bootstg
*
workstg      dsect
bootrsa DS   18F
booteye ds   c18
mtlrsa ds    7F
saverd DS    F
*
main_plist ds 0a      metalc main entry argument
hdr_ptr ds a        ptr to dsa stack header
stack_ptr ds a      ptr to dsa stack user area
org_r1_ptr ds a     r1 contents on entry
*
org_r1 ds a        r1 contents on entry
dsapool ds 10f     array of pointers to dsablocks
next_free ds H     array index
lworkstg equ *-workstg
*****
* The XTSEREQ exit is driven before CICS processes a temporary *
* storage API request. To use this example for other global user*
* exit points, include the relevant definition of the user exit *
* parameter list.
*
*****
                DFHUEXIT TYPE=EP,ID=XTSEREQ GLUE parameter list definition
                DFHUEXIT TYPE=XPIENV      Setup XPI environment
                COPY DFHSMCY             Setup XPI plist for SM
*
MTLBTXPI CSECT
MTLBTXPI AMODE 31
MTLBTXPI RMODE 31
*
* logic
* getmain 'main' working storage
* format R1 content
* dispatch
*
                stm R14,R12,12(R13)      Save caller's registers
* Get access to GLUE parameter list
                lr R9,R1                  Save r1 contents
*
                larl R10,CONSTANTS
                using CONSTANTS,R10
*
* get bootstrap work area storage
*
                l r2,work_size
                lr r3,r1                  set dfhuepar ptr register
                brasl r11,getstor
                lr r4,r1
                using workstg,r4         set addr'ability
                mvc booteye,=c18'>MTLBTXPI' set eyecatcher in anchor
                st r9,org_r1             save user plist register
                la r9,org_r1             normalize to C parm convention
                st r9,org_r1_ptr *

```

---

**CICS bootstrap for Metal C example program: MTLBTXPI (Part 2 of 7)**

```

*
* get initial dynamic storage area
*
    l    r2,dsa_size
    l    r3,org_r1          set dfhuepar ptr register
    brasl r11,getstor
    lr   r5,r1
    using stack_hdr,r5
    st   r4,bootstg        work area for metal rock callback
    mvc  mtlock_ep,callback_ep
    st   r5,blk_beg_addr
    lr   r6,r5             compute end address
    a    r6,dsa_size      *
    st   r6,blk_end_addr

*
    xr   r6,r6             store block address in pool ctrl
    la   r7,dsapool
    st   r5,0(r6,r7)      *
    la   r6,1(r6)         increment index
    sth  r6,next_free    *
    drop r5

*
    la   r6,lstack_hdr(,r5) point to user area
    st   r5,hdr_ptr
    st   r6,stack_ptr
    la   r1,main_plist set plist register

*
* flow control to the metal c program
*
    la   R13,bootrsa      point R13 to bootstrap save
    l    R15,metal_ep
    basr R14,R15

*
* free the allocated metalc stack storage
*
    lh   r6,next_free     obtain block address to free
    bctr r6,0             some validation needed here
    sll  r6,2             *
    la   r7,dsapool      *
    l    r2,0(r6,r7)     set free storage parameter
    l    r3,org_r1       pick up dfhuepar ptr
    brasl r11,freestor

*
main_return ds 0h
    l    r3,org_r1       load dfhuepar ptr
    lr   r2,r4           address to free
    brasl r11,freestor  and free up our work area
    l    r13,UEPEPSA-DFHUEPAR(,r3) point to caller's save
    lm   r14,r12,12(r13) restore caller's register
    br   r14            return to caller
*

```

---

***CICS bootstrap for Metal C example program: MTLBTXPI (Part 3 of 7)***



```

*****
* The MTLROCK callback service
* The input environment is as follows;
* R2 - the function code
* R1 - the boot token, the mtlbtspi workstorage ptr. This is
* important for getmain especially, because at the time
* getmain for stack storage is invoked, there's no more
* storage space to use.
* C++ developers can think of this as the 'this' pointer
* On return from a getmain
* R2 - block pointer
* R1 - the user section
*
* The getmained block pointer is stored in an array of 10
* elements. No check is make for overflow.
*****
ENTRY MTLROCK
MTLROCK DS 0H
        stm r10,r0,mtlrsa-workstg(r1) save used regs
        lr r4,r1 set token in r4
*
LETSROCK DS 0H
        larl r10,constants
*
        chi r2,metlget do we getmain
        je getmain
*****
* else it's a freemain. Since we are maintaining a stack,
* the last getmained block is the first to be freed
*****
*
* freemain logic
        lh r5,next_free obtain block address to free
        bctr r5,0 some validation needed here
        sll r5,2
        la r6,dsapool
        l r2,0(r5,r6) set free storage parameter
        l r3,org_r1 pick up dfhuepar ptr
        brasl r11,freestor
*
        xr r3,r3 clear the array location
        st r3,0(r5,r6)
        srl r5,2 decrement the array index
        sth r5,next_free
        j retrock
*

```

---

**CICS bootstrap for Metal C example program: MTLBTXPI (Part 4 of 7)**

```

*****
* getmain goes in here *
*****
getmain ds 0h
        l r2,dsa_size      set size to get
        l r3,org_r1        set dfhuepar ptr register
        brasl r11,getstor
        lr r5,r1
        using stack_hdr,r5
        st r4,bootstg      work area for metal rock callback
        mvc mtlrock_ep,callback_ep
        st r5,blk_beg_addr
        lr r6,r5           compute end address
        a r6,dsa_size *
        st r6,blk_end_addr
*
        lh r6,next_free    store block address in pool ctrl
        sll r6,2 *
        la r7,dsapool
        st r5,0(r6,r7) *
        srl r6,2           increment array index
        la r6,1(r6) *
        sth r6,next_free *
        drop r5
*
        lr r2,r5           r2 has blk_hdr ptr
        lr r1,r5           r1 contains the user section
        la r1,lstack_hdr(,r1)
        j retrock
*
retrock ds 0h
        lm r10,r0,mtlrsa
        br r14
*
*
CONSTANTS ds 0D
metal_ep dc V(mtl2xpi)
callback_ep dc a(mtlrock)
*****
* define the allocation size of a stack block here. Change *
* these as needed. *
*****
dsa_size dc a(32000)
work_size dc a(lworkstg)
*dsa_size dc a(4096)
        LTOrg

```

---

***CICS bootstrap for Metal C example program: MTLBTXPI (Part 5 of 7)***

```

*****
* Get dynamic storage area.
* The CICS storage management XPI function, DFHSMCX, is used
* to get the storage.
* R2 contains the storage length
* R1 contains the storage address on exit or zero if an error
* occurred.
* Work regs;
* R3,R6,R7
*****
getstor ds 0h
        using dfhuepar,r3      set by caller
        l R6,UEPXSTOR         set base to XPI plist
        using DFHSMCX_ARG,R6   .. tell ASM
        st r13,saverd         save R13
        l R13,UEPSTACK        Set R13 to the Kernel stack
        DFHSMCX CALL,
        CLEAR,
        IN,
        FUNCTION(GETMAIN),
        GET_LENGTH((R2)),
        SUSPEND(YES),
        STORAGE_CLASS(USER),
        OUT,
        ADDRESS((R7)),
        RESPONSE(*),
        REASON(*)
        CLI SMMC_RESPONSE,SMMC_OK Response OK?
        BE GETOK .. yes
*
        xR r7,r7              clear output register
        WTO 'MTLBTXPI - GETMAIN failure '
        LA R15,UERCBYP        Get return code
        L R1,UEPEPSA          Get address of caller's RSA
        ST R15,16(R1)         Store RC in caller's R15
*
GETOK DS 0H                  R2 is base register for program data
        L R13,saverd         restore r13 contents
        lR r1,r7             set output reg
        br r11               and return to caller
        drop r3,r6

```

@
@
@
@
@
@
@
@

### CICS bootstrap for Metal C example program: MTLBTXPI (Part 6 of 7)

```

*****
* Free allocated storage
* R2 contains the address of the storage to be freed
* Work Regs;
* R3,R6
*****
freestor DS 0H
        using dfhuepar,r3      r3 set by caller
        L R6,UEPXSTOR         set base to XPI plist
        USING DFHSMCX_ARG,R6   .. tell ASM
        st r13,saverd         save R13
        L R13,UEPSTACK        Set R13 to the Kernel stack
        DFHSMCX CALL,
        CLEAR,
        IN,
        FUNCTION(FREEMAIN),
        ADDRESS((R2)),
        STORAGE_CLASS(USER),
        OUT,
        RESPONSE(*),
        REASON(*)
*
* return code checking is left as an exercise for the reader
*
        l r13,saverd
        br r11
        drop r3,r6
        LTORG
        END MTLBTXPI

```

@
@
@
@
@
@
@

### CICS bootstrap for Metal C example program: MTLBTXPI (Part 7 of 7)

Figure 61 on page 146 contains example code to use the CICS exit programming API in C.

```

/*****
/*
/* Program Name : MTL2XPI
/* Description : Sample code to use the CICS Exit Programming API*/
/* in C
/* Author : Noel C. Sales
/* Date : 21 Jan 2010
/*
/*****

/*-----*/
/* a C mapping for the dfhuepar dsect
/*-----*/
typedef struct {
void *uepexn; /* Address of exit number */
void *uepgaa; /* Address of global work area */
void *uepgal; /* Address of work area length */
void *uepcrca; /* Address of current return code */
void *ueptca; /* reserved */
void *uepcsa; /* reserved */
void *uepepsa; /* Address of exit prog save area */
void *uephmsa; /* Address of host module"s RSA */
void *uepgind; /* Address of task data key and data
/* location flags
void *uepstack; /* Address of kernel stack entry
void *uepxstor; /* Address of storage for XPI
/* parameter list
/* standard parameters above completed by User Exit Handler*/
void *ueptrace; /* Address of Trace flag
void *uepparms; /* Start of variable parameters
void *ueppcds; /* Address of program control exits
/* DSECT
void *ueptacb; /* Address of TACB
} dfhuepar_t;

/*
*****
Notes:
Metal C uses register 13 to point to the DSA by default. However,
we are entered with register 13 pointing to the LIFO stack. To
resolve this the bootstrap program should tuck register 13 in a
safe place in the DSA it allocates.

Before invoking the XPI API, we save the current register 13 in a
variable, replace it with the register 13 tucked away in the
'safe place' then restore R13 when we're through.

To ensure that we still have addressability to the variable,
We have the option to use WSA or a register.
We cannot use the local stack storage because
register 13 points to the local stack and we just overlaid the
register.
*****
*/

```

**CICS exit programming API example program: MTL2XPI (Part 1 of 3)**

Figure 61. CICS exit programming API example program: MTL2XPI

```

typedef struct
{
    void      *stack_hdr_p;
    void      *stack_user_area_p;
    dfhuepar_t *ueparm_p;
} mtl_parm_t;

static void get_storage(dfhuepar_t *plist,void **storage)
{
    void      *pstg;
    short     getlen;
    void      *sm_arg;
    void      *kern_stack;
    register  savedr;
    register  rx;

    getlen = 128;
    sm_arg = plist->uepxstor;
    kern_stack = plist->uepstack;

    *****
    * Call the XPI function.                                     *
    * The syntax for DFHSMCCX GETMAIN is                       *
    * DFHSMCCX [CALL,]                                        *
    *          [CLEAR,]                                       *
    *          [IN,                                           *
    *          FUNCTION(GETMAIN),                             *
    *          GET_LENGTH(name4 | (Rn) | expression),         *
    *          STORAGE_CLASS(CICS|CICS24|SHARED_CICS|        *
    *          SHARED_CICS24|SHARED_USER|SHARED_USER24|USER|  *
    *          USER24|TERMINAL),                               *
    *          SUSPEND(NO|YES),                               *
    *          [INITIAL_IMAGE(name1 | literalconst),]         *
    *          [TCTTE_ADDRESS(name4 | (Ra)),]                 *
    *          [OUT,                                           *
    *          ADDRESS(name4 | (Rn) | *),                     *
    *          RESPONSE(name1 | *),                           *
    *          REASON(name1 | *)]                             *
    * In this example, we use the GET_LENGTH, STORAGE_CLASS and *
    * SUSPEND input parameters, and output the ADDRESS, and the *
    * response and reason.                                     *
    *****
    __asm(" L %0,%4 \n"
          " LR %2,13\n"
          " L 13,%5\n"
          " USING DFHSMCC_ARG,%0 \n"
          " DFHSMCCX CALL,CLEAR, "
          "IN,FUNCTION(GETMAIN), "
          "GET_LENGTH(%3), "
          "SUSPEND(YES), "
          "STORAGE_CLASS(USER), "
          "OUT, "
          "ADDRESS(%1), "
          "RESPONSE(*), "
          "REASON(*)\n"
          " DROP %0\n"
          " LR 13,%2"
          : "=r"(rx), "=m"(pstg), "=r"(savedr)
          : "m"(getlen), "m"(sm_arg), "m"(kern_stack)
          );

    *storage = pstg;
}

```

---

**CICS exit programming API example program: MTL2XPI (Part 2 of 3)**

```

static void business_logic(dfhuepar_t *plist, void * storage)
{
}

static void free_storage(dfhuepar_t *plist, void *storage)
{
    register rx;
    register saved;
    void *sm_arg;
    void *kern_stack;
    void *uepstack;
    void *address;

    sm_arg = plist->uepxstor;
    kern_stack = plist->uepstack;
    address = storage;

    __asm(" L %0,%3\n"
          " LR %1,13\n"
          " L 13,%4\n"
          " USING DFHSMMC_ARG,%0\n"
          " DFHSMMCX CALL,CLEAR,"
          "IN,"
          "FUNCTION(FREEMAIN),"
          "ADDRESS(%2),"
          "STORAGE_CLASS(USER),"
          "OUT,"
          "RESPONSE(*),"
          "REASON(*)\n"
          " LR 13,%1\n"
          " DROP %0"
          : "=r"(rx), "=r"(saved)
          : "m"(address), "m"(sm_arg), "m"(kern_stack)
          );
}

#pragma prolog(mtl2xpi,"MTLENT")
#pragma epillog(mtl2xpi,"MTLXIT")

void mtl2xpi(dfhuepar_t *plist)
{
    __asm(" DFHUEXIT TYPE=XPIENV\n"
          " COPY DFHSMMCY\n"
          "&CCN_CSECT CSECT");

    void *storage;
    get_storage(plist,&storage);
    business_logic(plist,storage);
    free_storage(plist,storage);
}

```

### ***CICS exit programming API example program: MTL2XPI (Part 3 of 3)***

## **CICS definitions**

The CICS API example program is, for all intents and purposes, an assembler program. It requires the normal CICS definitions, using for example CEDA or the CICS Explorer, to define it as a program and the definition to map the program to a CICS transaction.

The exit is enabled using the **ENABLE PROGRAM** command, for example via the CECI transaction:

```
CECI ENABLE PROGRAM(MTLBTXPI) EXIT('xtsereq') start
```

The exit is triggered each time a temporary storage request is to be serviced by CICS. The following command issued using the CECI transaction is an example of a request to temporary storage.

```
CECI WRITEQ TS QU('NOELNOEL') FROM('HELLO')
```

Figure 62 on page 149 describes the CEDA definition for the API example program.

```

CEDA View PROGram (METALH)
PROGRAM      : METALH
Group       : NCSMETAL
DEscription : FIRST METAL PROGRAM
Language    : Assembler          CObol | Assembler | Le370 | C | PlI
REload     : No                  No | Yes
RESident   : No                  No | Yes
USAge      : Normal              Normal | Transient
USElpacopy : No                  No | Yes
Status     : Enabled              Enabled | Disabled
RSl        : 00                  0-24 | Public
CEdf       : Yes                  Yes | No
DATAlocation : Any                Below | Any
EXECKey    : User                 User | Cics
CONcurrency : Quasirent            Quasirent | Threadsafe
Api        : Cicsapi              Cicsapi | Openapi

```

Figure 62. CICS CEDA definition for the API example program

Figure 63 on page 149 describes the CICS transaction definition.

Figure 63. CICS transaction definition

```

CEDA View TRANSAction (MET0)
TRANSAction : MET0
Group       : NCSMETAL
DEscription :
PROGRAM     : METALH
TWasize    : 00000              0-32767
PROFile    : DFHCICST
PARTitionset :
STATUS     : Enabled              Enabled | Disabled
PRIMEsize  : 00000              0-65520
TASKDATAloc : Any                Below | Any
TASKDATAKey : User                 User | Cics
STOrageclear : No                  No | Yes
RUNaway    : System                System | 0 | 500-2700000
SHUTDOWN   : Disabled              Disabled | Enabled
ISolate    : Yes                  Yes | No

```

Figure 64 on page 149 describes the CICS XPI example as defined in the CEDA.

```

CEDA View PROGram (MTLBTXPI)
PROGRAM      : MTLBTXPI
Group       : NCSMETAL
DEscription :
Language    : Assembler          CObol | Assembler | Le370 | C | PlI
REload     : No                  No | Yes
RESident   : No                  No | Yes
USAge      : Normal              Normal | Transient
USElpacopy : No                  No | Yes
Status     : Enabled              Enabled | Disabled
RSl        : 00                  0-24 | Public
CEdf       : Yes                  Yes | No
DATAlocation : Any                Below | Any
EXECKey    : Cics                 User | Cics
CONcurrency : Quasirent            Quasirent | Threadsafe
Api        : Cicsapi              Cicsapi | Openapi

```

Figure 64. Defining the CICS XPI example in the CEDA

## JCL example

The following example JCL shows you how to build the example code. You need to provide appropriate libraries in place of those shown in the example JCL, such as MTLUSR.XPLINK.LOAD and MTLUSR.METAL.OBJ.

```

//MTLUSR00 JOB (999,POK) , 'METAL' , CLASS=A,MSGCLASS=H,NOTIFY=&SYSUID
//*
//* BINDER USING THE METAL XPI SAMPLE PROGRAM
//* //LKED EXEC PGM=IEWL,REGION=256K,
// PARM=' LIST,LET,XREF,MAP,AC(0),RENT,REUS,AMODE(31) '
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD SPACE=(CYL,(10,10)),UNIT=SYSDA
//SYSLMOD DD DSN=MTLUSR.XPLINK.LOAD,DISP=SHR
//SYSLIB DD DSN=CICSTS41.CICS.SDFHLOAD,DISP=SHR
// DD DISP=SHR,DSN=MTLUSR.METAL.OBJ
// DD DISP=SHR,DSN=MTLUSR.METALC.SCCNOBJ
//USROBJ DD DSN=MTLUSR.METAL.OBJ,DISP=SHR
//SYSLIN DD *
INCLUDE USROBJ(MTLBTXPI)
INCLUDE USROBJ(MTL2XPI)
ENTRY MTLBTXPI
NAME MTLBTXPI(R)
/*

```

Figure 65. CICS LNKXPI JCL example

```

//MTLUSR00 JOB (999,POK) , 'CICSASM' , CLASS=A,MSGCLASS=H,NOTIFY=&SYSUID
//XPIASM PROC DSN=,MEM=
//*****
//* run ASM
//*****
//STEPASM EXEC PGM=ASMA90,PARM=OBJECT,REGION=0M
//SYSUT1 DD UNIT=SYSDA,SPACE=(CYL,(1,1))
//SYSPRINT DD SYSOUT=*
//SYSIN DD DSN=&DSN(&MEM),DISP=SHR
//SYSLIN DD DISP=SHR,DSN=MTLUSR.METAL.OBJ(&MEM)
//SYSLIB DD DISP=SHR,DSN=SYS1.MACLIB
// DD DISP=SHR,DSN=CICSTS41.CICS.SDFHMAC
// DD DISP=SHR,DSN=CEE.SCEEMAC
// PEND
//*****
//* START OF COMPILES:
//*****
//COMP EXEC XPIASM,DSN=' DEV.METALC.SAMPCODE' ,MEM=' MTLBTXPI '

```

Figure 66. CICS ASMXPI JCL example



```

//MTLUSRPC JOB (999,P0K),'CCOMP',NOTIFY=&SYSUID,
// CLASS=A,MSGCLASS=H
//*-----
//* CICS Metal JCL
//*
//*****
//* Compile the code
//*****
//CCAM PROC IDSN=,ADSN=,ODSN=,MEM=
//CC EXEC PGM=CCNDRVR,REGION=0M,
// PARM=('OPTFILE(DD:OPTIONS)')
//STEPLIB DD DISP=SHR,DSN=MTLCICS.METALC.SCCNCMP
// DD DSN=CICSTS41.CICS.SDFHLOAD,DISP=SHR
// DD DISP=SHR,DSN=CEE.SCEERUN
// DD DISP=SHR,DSN=CEE.SCEERUN2
//OPTIONS DD DISP=SHR,DSN=MTLCICS.METALC.SAMPJCL(OPTXPI)
//SYSLIB DD PATH='/usr/include/metal',PATHOPTS=ORDONLY
// DD DSN=CICSTS41.CICS.SDFHC370,DISP=SHR
// DD DSN=CICSTS41.CICS.SDFHMAC,DISP=SHR
// DD DSN=MTLCICS.METALC.SAMPMAC,DISP=SHR
//*****
//SYSUT1 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
//SYSUT4 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
//SYSUT5 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT6 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT7 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT8 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT9 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=VB,LRECL=137,BLKSIZE=882)
//SYSUT10 DD SYSOUT=*
//SYSUT14 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT15 DD SYSOUT=*
//*****
//SYSPRINT DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//SYSCPRT DD SYSOUT=*
//*SYSLIN DD DSN=&&SYSLIN,DISP=(NEW,PASS),SPACE=(TRK,(10,100)),
//* UNIT=SYSDA,BLKSIZE=3200,LRECL=80,RECFM=FB,DSORG=PS
//SYSLIN DD DISP=SHR,DSN=&ADSN(&MEM)
//SYSIN DD DISP=SHR,DSN=&IDSN(&MEM)
//*****
//* Assemble the code
//*****
//ASM EXEC PGM=ASMA90,REGION=0M,PARM='GOFF'
//SYSLIB DD DSN=SYS1.MACLIB,DISP=SHR
// DD DISP=SHR,DSN=CICSTS41.CICS.SDFHMAC
// DD DISP=SHR,DSN=CEE.SCEEMAC
// DD DSN=MTLCICS.METALC.SAMPMAC,DISP=SHR
//SYSUT1 DD UNIT=(SYSDA,SEP=SYSLIB),SPACE=(CYL,(10,5)),DSN=&SYSUT1
//SYSPRINT DD SYSOUT=*
//SYSLIN DD DISP=SHR,DSN=&ODSN(&MEM)
//SYSIN DD DISP=SHR,DSN=&ADSN(&MEM)
// PEND
//*
//COMP EXEC CCAM,IDSN='MTLCICS.METALC.SAMP CODE',
// ADSN='MTLUSR.METAL.GENASM',
// ODSN='MTLUSR.METAL.OBJ',MEM=MTL2XPI
//*

```

Figure 67. CICS CCXPI JCL example

```

METAL GENASM
OPT(0) PHASEID LANGLVL(EXTENDED)
SO LIST CSECT
float(ieee)
DEF(MVS,CM_MVS,_TCP31_PROTOS)
nose se(/usr/include/metal,DD:SYSLIB)
SSCOM
AGG
RENT

```

Figure 68. CICS OPTXPI JCL example



---

## Appendix C. Accessibility

Accessible publications for this product are offered through [IBM Documentation \(www.ibm.com/docs/en/zos\)](http://www.ibm.com/docs/en/zos).

If you experience difficulty with the accessibility of any z/OS information, send a detailed message to the [Contact the z/OS team web page \(www.ibm.com/systems/campaignmail/z/zos/contact\\_z\)](http://www.ibm.com/systems/campaignmail/z/zos/contact_z) or use the following mailing address.

IBM Corporation  
Attention: MHVRCFS Reader Comments  
Department H6MA, Building 707  
2455 South Road  
Poughkeepsie, NY 12601-5400  
United States



## Notices

---

This information was developed for products and services that are offered in the USA or elsewhere.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing  
IBM Corporation  
North Castle Drive, MD-NC119  
Armonk, NY 10504-1785  
United States of America*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing  
Legal and Intellectual Property Law  
IBM Japan Ltd.  
19-21, Nihonbashi-Hakozakicho, Chuo-ku  
Tokyo 103-8510, Japan*

**The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:** INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

This information could include missing, incorrect, or broken hyperlinks. Hyperlinks are maintained in only the HTML plug-in output for IBM Documentation. Use of hyperlinks in other output formats of this information is at your own risk.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Corporation  
Site Counsel  
2455 South Road*

Poughkeepsie, NY 12601-5400  
USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

## Terms and conditions for product documentation

---

Permissions for the use of these publications are granted subject to the following terms and conditions.

### **Applicability**

These terms and conditions are in addition to any terms of use for the IBM website.

### **Personal use**

You may reproduce these publications for your personal, noncommercial use provided that all proprietary notices are preserved. You may not distribute, display or make derivative work of these publications, or any portion thereof, without the express consent of IBM.

### **Commercial use**

You may reproduce, distribute and display these publications solely within your enterprise provided that all proprietary notices are preserved. You may not make derivative works of these publications, or

reproduce, distribute or display these publications or any portion thereof outside your enterprise, without the express consent of IBM.

## Rights

Except as expressly granted in this permission, no other permissions, licenses or rights are granted, either express or implied, to the publications or any information, data, software or other intellectual property contained therein.

IBM reserves the right to withdraw the permissions granted herein whenever, in its discretion, the use of the publications is detrimental to its interest or, as determined by IBM, the above instructions are not being properly followed.

You may not download, export or re-export this information except in full compliance with all applicable laws and regulations, including all United States export laws and regulations.

IBM MAKES NO GUARANTEE ABOUT THE CONTENT OF THESE PUBLICATIONS. THE PUBLICATIONS ARE PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

## IBM Online Privacy Statement

---

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user, or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

Depending upon the configurations deployed, this Software Offering may use session cookies that collect each user's name, email address, phone number, or other personally identifiable information for purposes of enhanced user usability and single sign-on configuration. These cookies can be disabled, but disabling them will also eliminate the functionality they enable.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at [ibm.com/privacy](http://ibm.com/privacy) and IBM's Online Privacy Statement at [ibm.com/privacy/details](http://ibm.com/privacy/details) in the section entitled "Cookies, Web Beacons and Other Technologies," and the "IBM Software Products and Software-as-a-Service Privacy Statement" at [ibm.com/software/info/product-privacy](http://ibm.com/software/info/product-privacy).

## Policy for unsupported hardware

---

Various z/OS elements, such as DFSMSdfp, JES2, JES3, and MVS, contain code that supports specific hardware servers or devices. In some cases, this device-related element support remains in the product even after the hardware devices pass their announced End of Service date. z/OS may continue to service element code; however, it will not provide service related to unsupported hardware devices. Software problems related to these devices will not be accepted for service, and current service activity will cease if a problem is determined to be associated with out-of-support devices. In such cases, fixes will not be issued.

## Minimum supported hardware

---

The minimum supported hardware for z/OS releases identified in z/OS announcements can subsequently change when service for particular servers or devices is withdrawn. Likewise, the levels of other software products supported on a particular release of z/OS are subject to the service support lifecycle of those

products. Therefore, z/OS and its product publications (for example, panels, samples, messages, and product documentation) can include references to hardware and software that is no longer supported.

- For information about software support lifecycle, see: [IBM Lifecycle Support for z/OS \(www.ibm.com/software/support/systemsz/lifecycle\)](http://www.ibm.com/software/support/systemsz/lifecycle)
- For information about currently-supported IBM hardware, contact your IBM representative.

## Programming interface information

---

This information documents intended programming interfaces that allow the customer to write programs to obtain the services of z/OS Metal C runtime library.

## Standards

---

The following standards are supported in combination with the z/OS Metal C runtime library:

- The C language is consistent with *Programming languages - C (ISO/IEC 9899:1999)*. This standard has officially replaced American National Standard for Information Systems-Programming Language C (X3.159–1989) and is technically equivalent to the ISO C standard. The compiler supports the changes adopted into the C Standard by ISO/IEC 9899:1990/Amendment 1:1994. For more information on ISO, see [International Organization for Standardization \(ISO\) \(www.iso.org\)](http://www.iso.org).

## Trademarks

---

IBM, the IBM logo, and [ibm.com](http://ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at [Copyright and Trademark information \(www.ibm.com/legal/copytrade.shtml\)](http://www.ibm.com/legal/copytrade.shtml).

Adobe, Acrobat, and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

IEEE is a trademark of the Institute of Electrical and Electronics Engineers, Inc. in the United States and other countries.

Other company, product, and service names might be trademarks or service marks of others.



# Index

## Special Characters

- `__asm` operand lists
  - defining read-write `__asm` operands [24](#)
- `__asm` operands
  - C expressions as `__asm` operands [21](#)
  - defining
    - read-write `__asm` operands [24](#)
  - multiple
    - defining [22](#)
  - read-write [24](#)
- `__asm` statement
  - inserting your own assembly instructions [20](#)
  - using
    - code format string [20](#)
- `__asm` statements
  - C expressions as `__asm` operands [21](#)
  - code format string [21](#)
  - constraints [21](#)
  - examples
    - read-write `__asm` operands [24](#)
  - specifiers [21](#)
- `__cinit()` library function [67](#)
- `__far` qualifier
  - far pointer [32](#)
- `__malloc31()` library function [76](#)
- `_cterm()` library function [70](#)
- `_MI_BUILTN` macro
  - data space allocation [36](#)
- `_MI.BUILTN` macro
  - AR-mode functions [35](#)
  - far-pointer management [34](#)
- `-mgoff` HLASM option
  - and Metal C programs [42](#)
- `# pragma insert_asm`
  - inserting your own assembly statements [27](#)
- `#pragma` directive
  - MYEPILOG [12](#)
  - MYPROLOG [12](#)
- `+` constraint
  - defining read-write `__asm` operands [25](#)

## A

- `abs()` library function [64](#)
- absolute value
  - integer argument [64](#)
- access registers
  - AR mode [34](#)
  - management by compiler [34](#)
  - restoring [35](#)
  - saving [35](#)
- accessibility

- accessibility (*continued*)
  - contact IBM [153](#)
- ADATA debugging information
  - additional source-level information
    - output file format [47](#)
  - CDAASMC procedure [47](#)
  - CDAHLASM invocation [47](#)
- addressing mode
  - and global SET symbols [14](#)
  - and passing parameters [2](#)
  - attributes
    - `amode31` [28](#)
    - `amode64` [28](#)
    - recognition of [28](#)
  - switching
    - commands [43](#)
    - example [28](#)
- ALESERV HLASM macro
  - allocating alternative data spaces [34](#)
- ALET
  - far pointer [32](#)
  - implicit association [34](#)
- ALIAS instructions
  - recognition of [4](#)
- allocating
  - `realloc()` [81](#)
- allocation
  - `_MI_BUILTN` macro [36](#)
  - of data space [36](#)
- alphabetic character attribute [72](#)
- alternative data spaces
  - accessing [34](#)
  - allocating [34](#)
- AMODE
  - and global SET symbols [14](#)
  - and passing parameters [2](#)
  - function save areas [3](#)
  - return values [2](#)
  - switching
    - commands [43](#)
    - example [28](#)
    - external function calls [28](#)
    - internal function calls [28](#)
- AR mode
  - linkage conventions [35](#)
  - programming support
    - far-pointer management [34](#)
- AR-mode functions
  - accessing alternative data spaces [34](#)
  - ALET associations [34](#)
  - built-in functions [35](#)
  - C language constructs and far pointers [33](#)
  - data space allocation [36](#), [39](#)
  - default prolog and epilog code [35](#)
  - far pointers
    - declaration [32](#)
    - dereference [32](#)

- AR-mode functions (*continued*)
  - far pointers (*continued*)
    - reference [32](#)
    - memory references [34](#)
- arguments
  - accessing [114](#)
- ARMODE compiler option [32](#)
- armode function attribute [32](#)
- as command
  - building Metal C programs [42](#)
- ASC mode
  - restoring [35](#)
  - switching [35](#)
- ASMLANGX debugging utility
  - debugging information format [47](#)
- ASMLANGX utility
  - additional source-level information
    - ADATA debugging information [47](#)
- assembly job step [44](#)
- assembly language programs
  - debugging [47](#)
  - load module size [47](#)
  - source-level information [47](#)
- assembly statements
  - embedding
    - code format string [20](#)
    - example, simple [20](#)
    - file-scope header [5](#)
    - function entry point markers [8](#)
    - function headers [8](#)
    - function property blocks [8](#)
    - making a C expression available to HLASM [22](#)
    - making a C variable available to HLASM [21](#)
    - making a C variable expression an `__asm` operand [21](#)
    - operands [22](#)
  - inserting
    - executable [20](#)
    - non-executable [27](#)
    - user-supplied [19](#)
- assistive technologies [153](#)
- atoi() library function [65](#)
- atol() library function [65](#)
- atoll() library function [66](#)

## B

- batch environment
  - binder invocation procedures [43](#)
  - building Metal C programs
    - assembly step [44](#)
    - bind step [44](#)
    - compilation step [43](#)
  - debugging assembly language programs [47](#)
  - debugging information [47](#)
  - extracting source-level information [47](#)
  - f [29](#)
  - IDF debugging information [47](#)
- bind job step [44](#)
- blank character attribute [72](#)
- buffers
  - format and print data [116](#)
- building Metal C programs
  - assembly step

- building Metal C programs (*continued*)
  - assembly step (*continued*)
    - symbols longer than eight characters [42](#)
- built-in functions
  - AR-mode functions [35](#)
  - far-pointer management
    - AR-mode programming support [34](#)
- builtins.h header file
  - data space allocation [36](#)
  - far versions of library functions [35](#)
  - far-pointer management [34](#)

## C

- C expressions
  - used as `__asm` operands [21](#)
- C language constructs
  - far pointers [33](#)
- C memory functions
  - far versions [35](#)
- C string functions
  - far versions [35](#)
- C string pointer
  - copying to far pointer [39](#)
- C symbols
  - name-encoding [4](#)
- calloc() library function [67](#)
- CDAASMC JCL procedure
  - binder invocation [43](#)
  - extracting source-level information [47](#)
  - invoking [44](#)
- CDAHLASM
  - invocation [47](#)
- CEE.SCEEPROC data set
  - binder invocation batch procedures [43](#)
- characters
  - conversions
    - lowercase [113](#)
    - uppercase [113](#)
  - finding in a string [101](#)
- CICS
  - CICS API example [123](#)
  - CICS definitions [148](#)
  - CICS XPI example [138](#)
  - JCL example [149](#)
  - programming interface examples [123](#)
  - runtime environment adapter [123](#)
- CICS programming interface examples [123](#)
- classifying characters [71](#)
- clobber list
  - example [23](#)
- code base registers [4](#)
- code format string
  - description [20](#)
  - in an `__asm` statement [21](#)
  - substitution specifiers [21](#)
  - treatment of [20](#)
- code format strings
  - data space allocation [36](#)
  - examples
    - read-write `__asm` operands [24](#)
- codeset
  - conversion utilities

codeset (*continued*)  
conversion utilities (*continued*)  
iso646.h header file [54](#)

command  
syntax diagrams [xiii](#)

comparing  
strncpy() [96](#)  
strcspn() [97](#)  
strings [96](#), [97](#), [99](#)  
strncmp() [99](#)

compilation job step [43](#)

compiler options

AMODE  
characteristics of compiler-generated assembly  
source code [4](#)

ARMODE|NOARMODE [32](#)

EPILOG  
versus #pragma epilog [12](#)

LONGNAME  
entry point definitions [8](#)  
entry point marker [8](#)

external symbols [5](#)  
function property blocks [8](#)

LP64  
characteristics of compiler-generated assembly  
source code [4](#)

programming with Metal C [1](#)

PROLOG  
versus #pragma prolog [12](#)

concatenating  
strcat() [94](#)  
strings [94](#), [99](#)  
strncat() [99](#)

constants  
defining [11](#)

contact  
z/OS [153](#)

conversions  
character  
to lowercase [113](#)  
to uppercase [113](#)  
specifier  
argument in sscanf() [91](#)  
string to unsigned integer [111](#)

copying  
strcpy() [96](#)  
strings [96](#), [100](#)  
strncpy() [100](#)

CSECT [4](#)  
ctype.h header file [51](#)

## D

data spaces  
access [32](#)  
accessing [39](#)  
allocation [36](#)  
deallocation [36](#), [39](#)  
referencing [39](#)

debugging  
assembly language programs [47](#)  
data formats [47](#)  
extracting source-level information  
ADATA [47](#)

debugging (*continued*)  
extracting source-level information (*continued*)  
ASMLANGX [47](#)

IDF [48](#)  
in a batch environment [47](#)  
Interactive Debug Facility (IDF) [47](#)  
interactive utility [48](#)  
source-level information [47](#)

div\_t structure [70](#)  
div() library function [70](#)

division [70](#)

DSA

acquisition and release [3](#)  
address space [35](#)  
and global SET symbols [14](#)  
default

AR-mode functions [35](#)  
function save areas [3](#)  
location [35](#)  
obtaining [12](#)  
obtaining and releasing [19](#)  
pointer [19](#)  
preallocation [12](#)

DSECT statement  
and file-scope trailers [11](#)

DSPSERV HLASM macro  
allocating alternative data spaces [34](#)

DWARF debugging information  
CDAASMC procedure [47](#)  
CDAHLASM invocation [47](#)

dynamic storage area  
acquisition and release [3](#)  
function save areas [3](#)  
location [35](#)  
obtaining and releasing [19](#), [35](#)  
preallocation [12](#)

## E

entry point markers  
defining  
under LONGNAME compiler option [8](#)

entry points  
defining  
under LONGNAME compiler option [8](#)

epilog code  
AR-mode functions [12](#), [35](#)  
default  
AR-mode functions [35](#)  
DSA pointer [19](#)  
NAB pointer [19](#)  
primary functions [12](#)  
sample [18](#)  
supplying your own [12](#)

EXIT\_FAILURE macro [59](#)

EXIT\_SUCCESS macro [59](#)

external symbols  
and generated HLASM code [4](#)

external variables  
defining [11](#)  
initializing [11](#)

## F

- F4SA save area format
  - and AMODE [3](#)
  - and NAB [3](#)
- F7SA save area format
  - and AMODE [3](#)
  - and NAB [3](#)
- far pointers
  - ALET associations [34](#)
  - C language constructs [33](#)
  - constructing [34](#)
  - copied from C string pointers [39](#)
  - declaration [32](#)
  - dereference [32](#)
  - dereferencing [39](#)
  - passing and returning [35](#)
  - reference [32](#)
  - setting and getting
    - \_MI.BUILTIN macro [34](#)
    - built-in functions [34](#)
- far\_strcpy library function
  - data space allocation [39](#)
- feedback [xvi](#)
- file-scope header
  - structure [5](#)
- file-scope trailers
  - structures [11](#)
- float.h header file [51](#)
- formatted I/O [83](#)
- free() library function [71](#)
- function entry point markers
  - structures [8](#)
- function headers
  - structures [8](#)
- function property blocks
  - defining
    - under LONGNAME compiler option [8](#)
  - structures [8](#)
- function prototypes
  - and AMODE [28](#)
- function save area
  - chaining [12](#)
- function save areas
  - AMODE [3](#)
  - formats [3](#)
  - setup [3](#)
- functions
  - AR-mode
    - prototypes [32](#)
  - arguments [114](#)
  - attributes
    - AR-mode [32](#)
  - prototypes
    - AR-mode [32](#)

## G

- global SET symbols
  - and function entry point markers [8](#)
  - and function headers [8](#)
  - function property blocks [8](#)
- global variables
  - register specification [27](#)

- global variables (*continued*)
  - storage of [27](#)
- GOFF HLASM option
  - and ALIAS instructions [4](#)
  - when to specify [42](#)
- GPRs
  - and global SET symbols [14](#)

## H

- header files
  - builtins.h
    - data space allocation [36](#)
    - far-pointer management [34](#)
  - iso646.h header file [54](#)
  - stdbool.h header file [57](#)
  - stdint.h header file [58](#)
  - string.h
    - data space allocation [36](#)
  - strings.h
    - data space allocation [36](#)
- heap services
  - user-replaceable [62](#)
- hexadecimal [72](#)
- HLASM
  - as utility
    - invoking [42](#)
  - global SET symbols
    - values [8](#)
  - ld utility
    - invoking [42](#)
- HLASM options
  - GOFF
    - and ALIAS instructions [4](#)
- HLASM options
  - with LONGNAME compiler option [42](#)
- HLASM source program, compiler-generated
  - characteristics [4](#)
- HLASM source programs
  - file-scope headers [5](#)
  - file-scope trailers
    - debug data block [11](#)
  - function elements [8](#)
  - structures [4](#)

## I

- IDF debugger
  - invocation [48](#)
- insert\_asm pragma
  - inserting your own assembly statements [27](#)
- integer
  - pseudo-random [80](#), [81](#)
- Interactive Debug Facility (IDF)
  - generation of information [47](#)
- inttypes.h header file [53](#)
- IPA and HOT options
  - to build Metal C programs [44](#)
- isalnum() library function [71](#), [72](#)
- isalpha() library function [72](#)
- isblank() library function [72](#)
- iscntrl() library function [72](#)
- isdigit() library function [72](#)

isgraph() library function [72](#)  
islower() library function [72](#)  
iso646.h header file [54](#)  
isprint() library function [72](#)  
ispunct() library function [72](#)  
isspace() library function [72](#)  
isupper() library function [72](#)  
isxdigit() library function [72](#)

## J

JCL

- assembly job step [44](#)
- bind job step [44](#)
- compilation job step [43](#)

JCL procedures

- CEE.SCEEPROC data set [43](#)
- to build Metal C programs [43](#)

## K

keyboard

- navigation [153](#)
- PF keys [153](#)
- shortcut keys [153](#)

## L

labs() library function [73](#)

ld command

- building Metal C programs
- bind options [42](#)

ldiv() library function [74](#)

length function [98](#)

library functions

- far versions [35](#)

limits.h header file [55](#)

linkage conventions

- AR-mode functions
- ASC mode [35](#)
- MVS and Metal C [2](#)

Linkage Editor

- TEST option and load module size [47](#)

list form of a macro

- specifying and using [26](#)

llabs() library function [74](#)

lldiv() library function [75](#)

locale

- iso646.h header file [54](#)

locating storage [71](#)

LONGNAME compiler option

- and HLASM options [42](#)
- and Metal C programs [42](#)

lowercase

- tolower() [113](#)

## M

mainframe

- education [xiii](#)

malloc() library function [75](#)

matching failure [94](#)

math.h header file [56](#)

MB\_CUR\_MAX macro [59](#)

memcpy() library function [76](#)

memchr() library function [77](#)

memcmp() library function [77](#)

memcpy() library function [78](#)

memmove() library function [79](#)

memory

- allocation [81](#)

memory references

- AR mode [34](#)

memset() library function [79](#)

Metal C

- feature and benefits [1](#)

Metal C function descriptors [39](#)

Metal C programs

- argc argv parsing [31](#)

- building

  - alternative name for "main" [40](#)

  - assembly step [42](#)

  - compilation step [42](#)

  - xlc utility [42](#)

  - z/OS UNIX System Services [42](#)

- IPA and HOT enablement

  - Example [46](#)

- JCL procedures to build [43](#)

- ld command [42](#)

- reentrant Metal C program [29](#)

- RENT option [29](#)

metal.h header file [56](#)

MVS linkage conventions

- and Metal C [2](#)

MYEPILOG #pragma directive

- using [12](#)

MYPROLOG #pragma directive

- using [12](#)

## N

NAB linkage extension

- description [3](#)

name encoding

- and C symbols [4](#)

navigation

- keyboard [153](#)

next available byte (NAB)

- pre-allocated stack space [3](#)

noarmode function attribute [32](#)

NOTEST assembler option

- and load module size [47](#)

NULL macro [57](#), [58](#)

NULL pointer [57](#)

NULL pointer constant [59](#)

numbers [71](#)

## O

object code control

- address space control [32](#)

- ASC mode [32](#)

offsetof macro [57](#)

## P

- parameter passing
  - and AMODE [2](#)
- parameters
  - and global SET symbols [14](#)
- pointers
  - storing [22](#)
- precision argument, fprintf() family [86](#)
- printing
  - sprintf() [83](#)
  - vsprintf() [116](#)
- prolog
  - user-supplied
    - global SET symbols [14](#)
- prolog code
  - AR-mode functions [12](#), [35](#)
  - default
    - AR-mode functions [35](#)
  - DSA pointer [19](#)
  - NAB pointer [19](#)
  - primary functions [12](#)
  - sample [17](#)
- ptrdiff\_t type in stddef header file [57](#)

## Q

- qsort() library function [80](#)

## R

- RAND\_MAX macro [59](#)
- rand\_r() library function [81](#)
- rand() library function [80](#)
- random
  - number generator [80](#), [81](#)
  - number initializer [89](#)
  - rand\_r() [81](#)
  - rand() [80](#)
  - srand() [89](#)
- read-write operands,
  - defining
    - using the + constraint [25](#)
- reading
  - formatted [89](#)
  - scanning [89](#)
- realloc() library function [81](#)
- reallocation of block size [81](#)
- reentrancy [4](#)
- register storage class specifier
  - register specification [27](#)
- registers
  - access [34](#)
  - clobbering [23](#)
  - controlling use of [23](#)
  - hardware access [32](#)
  - specified as \_\_asm operands [21](#)
  - specifying [27](#)
- remainder [70](#)
- resource limits defined [55](#)
- return values
  - AMODE [2](#)
  - formats [2](#)

- return values (*continued*)
  - setup [2](#)

## S

- save area formats
  - and AMODE [3](#)
  - and NAB [3](#)
- scanning
  - sscanf() [89](#)
- SCCNSAM data set
  - epilog code sample [18](#)
  - prolog code sample [17](#)
- searching
  - strchr() [95](#)
  - strings [95](#), [101](#)
  - strings for tokens [106](#), [107](#)
  - strspn() [102](#)
- seed for random numbers [89](#)
- sending to IBM
  - reader comments [xvi](#)
- SET symbols
  - and AMODE [14](#)
  - and DSA [14](#)
  - and GPRs [14](#)
  - and number of fixed parameters [14](#)
  - and storage instructions [14](#)
  - compiler-defined [14](#)
  - for a user-supplied prolog [14](#)
- shortcut keys [153](#)
- size\_t structure [57](#)
- snprintf() library function [82](#)
- source-level information
  - extracting [47](#)
  - extracting in a batch environment
    - CDAASMC [47](#)
  - for disassembly
    - suppressing [47](#)
  - for IDF [47](#)
- space (white space)
  - characters
    - testing [72](#)
- sprintf() library function [83](#)
- srand() library function [89](#)
- sscanf() library function [89](#)
- stack
  - allocating space [26](#)
  - pre-allocated stack space [3](#)
- standard save area format
  - and AMODE [3](#)
  - and NAB [3](#)
- static variables
  - defining [11](#)
  - mapping [11](#)
- stdarg.h header file [57](#)
- stdbool.h header file [57](#)
- stddef.h header file [57](#)
- stdint.h header file [58](#)
- stdio.h header file [57](#)
- stdlib.h header file [59](#)
- storage
  - allocation [81](#)
- storage instructions
  - and global SET symbols [14](#)

- strcat() library function [94](#)
- strchr() library function [95](#)
- stricmp() library function [96](#)
- strncpy() library function [96](#)
- strcspn() library function [97](#)
- strdup() library function [98](#)
- streams
  - formatted I/O [89](#)
- string.h header file [60](#)
- strings
  - comparing [97](#), [99](#)
  - concatenating [94](#), [99](#)
  - conversions
    - to unsigned integer [111](#)
  - copying [96](#), [100](#)
  - ignoring case [96](#), [97](#)
  - initializing [100](#)
  - length of [98](#)
  - searching
    - strspn() [102](#)
  - searching for tokens [106](#), [107](#)
  - substring
    - locating [103](#)
- strings.h header file
  - data space allocation [36](#)
- strlen() library function [98](#)
- strncat() library function [99](#)
- strncmp() library function [99](#)
- strncpy library function
  - data space allocation [36](#)
- strncpy() library function [100](#)
- strpbrk() library function [101](#)
- strrchr() library function [102](#)
- strspn() library function [102](#)
- strstr() library function [103](#)
- strtod() library function [103](#)
- strtof() library function [105](#)
- strtok\_r() library function [107](#)
- strtok() library function [106](#)
- strtoll() library function [107](#)
- strtold() library function [108](#)
- strtoll() library function [110](#)
- strtoul() library function [111](#)
- strtoull() library function [112](#)
- summary of changes
  - z/OS Metal C Programming Guide and Reference [xvii](#)
- syntax diagrams
  - how to read [xiii](#)
- syntax of format for printf() [83](#)

## T

- TEST assembler option
  - and load module size [47](#)
- testing
  - characters
    - white space [72](#)
  - numbers
    - hexadecimal [72](#)
- tokens
  - strtok\_r() [107](#)
  - strtok() [106](#)
- tolower() library function [113](#)

- toupper() library function [113](#)

## U

- uppercase
  - toupper() [113](#)
- user interface
  - ISPF [153](#)
  - TSO/E [153](#)
- user-replaceable heap services [62](#)

## V

- va\_arg() macro [114](#)
- va\_end() macro [114](#)
- va\_start() macro [114](#)
- variables
  - making a C variable available to HLASM [21](#)
- vsnprintf() library function [115](#)
- vsprintf() library function [116](#)
- vsscanf() library function [116](#)

## X

- xlc utility
  - and HLASM source file [42](#)

## Z

- z/OS Basic Skills Documentation [xiii](#)
- z/OS Metal C Programming Guide and Reference
  - summary of changes [xvii](#)
- z/OS UNIX System Services
  - as utility
    - bind options [42](#)
  - ld utility
    - bind options [42](#)









Product Number: 5650-ZOS

SC14-7313-50

