

# **Panasonic**

使用说明书(另附保修证) Operating Instructions 电动剃须刀 AC • Rechargeable Shaver

> 型号 ES-LA12 Model No.

中文 2 English 9

在使用本产品前,请仔细阅读本说明书并妥善保管,以备将来参考。

Before operating this unit, please read these instructions completely and save them for future use.





#### 重要事项

中文

#### ▶使用剃须刀

注意 - 外刀网很薄,若使用不正确就可能造成损坏。使用剃须刀前,请确认刀网是否损坏。如果刀网已损坏请不要使用该剃须刀,因为这样会割伤皮肤。请勿用于修剪宠物的毛发。

#### ▶给剃须刀充电

除本型号(RE7-51)剃须刀专用充电器外,请勿使用其他任何电源线或充电器进行充电。将充电器插入家用插座内,操作时双手要保持干燥。剃须刀在使用和充电过程中可能会变热,但这不是故障。不要将剃须刀放置在阳光直射或有其他热源的地方下进行充电。从家用插座上拔出充电器时请抓紧充电器。如果用力拉电源线,可能会损坏电源线。电源线不能更换。如果电源线损坏,此充电器应废弃。

充电的合适环境温度为 15 至 35 摄氏度。 如➡不亮,稍等直至其亮起。

#### ▶清洁剃须刀

警告 - 清洁剃须刀前请断开电源线,以防 触电。 请保持两个内刀头同时装载的情况下进行清洗,否则有可能会损坏剃须刀。可用清水清洗剃须刀,不要使用盐水或热水。不要将剃须刀长时间浸泡在水中。可用蘸肥皂水的布擦拭剃须刀。不要使用稀释剂,汽油或酒精擦拭剃须刀任何部位。


#### ▶存放剃须刀

存放剃须刀时请拔出电源线。不要折弯电源 线或将电源线绕在剃须刀上。本品不宜供肢 体、感官或精神上有残疾者、缺乏经验和知 识者(包括儿童)使用,除非有人对此类人 加以监督或者对本品的使用加以指导,且对 使用者的安全能承担责任。请对儿童进行监 督,避免其将本品视为玩具,引发危险。 请妥善保管本说明书。请妥善处理本产品的 包装袋,避免婴幼儿窒息等意外发生。



#### •

#### 各部分名称



- A 保护盖
- **B** 外刀部
- ① 外刃架
  - ② 外刀网
  - ③ 外刀网释放按钮
- ❷ 内刀头
- ᡚ 机身
  - ④ 外刃架释放按钮

- ⑤ 电池电量指示灯 (☑)
- ⑥ 充电状态灯 (**→**)
- ⑦ 电源线插孔
- 8) 锁环
- ⑨ 0/1 开关
- ⑩ 修剪刀
- ① 修剪刀操纵杆

- **⚠** 充电器 (RE7-51)
  - -, -
  - ① 电源线 ① 电源插头
- ★ 旅行包
- G 清洁刷
- 润滑油

#### 充电

#### 给剃须刀充电

- **1** 将充电器电源线插头连接 到剃须刀上。
- **2** 将充电器插头插入家用电源插座里。
- ➡ 亮起充电开始。
- •→闪烁,充电完成。(最多 1 小时后)



#### ▶使用锁环

使用锁环锁住或开启 0/1 开关。

1. 旋转锁环直至其咔嗒到位。



#### 开启 0/1 开关:

用于剃须,清洗剃须刀,或润滑剃须 刀时



#### 锁住 0/1 开关:

用于随身携带剃须刀时



#### ▶交流电剃须

当电池电量低时, 您也可以将剃须刀通过充 ▶ | 电器连接至家用电源插座,利用交流电进行 剃须。

•如果剃须刀不能工作,请充电约1分钟后使 用。

充电完成后

#### 关于指示灯











•在"□"闪烁后还可剃须1至 2次。(根据使用情况而定。)

#### Ѿ闪烁。

•充足电后大约可提供14次剃须所需的电量。 (以一次剃须3分钟计)

#### 剃须

#### 使用剃须刀



旋转锁环并按 下 0/1 开关。

2 如上图所示握住剃 须刀剃须。

#### 第3页

•轻轻地压向面部开始剃须。用另一只手绷紧 脸上皮肤,逆着胡须生长方向前后移动剃须 刀。当皮肤适应剃须刀之后您可以稍稍增加 压力。但是施加过多的压力却有可能会造成 皮肤伤害。




#### ▶使用修剪刀

将修剪刀操纵杆往 上推,以打开修剪 刀。将修剪刀放置 与皮肤成直角(90 度)的位置,然后 向下移动以修剪鬓 角。





#### 清洁

#### 清洁剃须刀



- 1. 断开电源线。
- 2. 在外刀网上涂少许洗手液。
- 3. 旋转锁环以开启 0/1 开关。
- 4. 按下 0/1 开关 2 秒钟 以上启动声波洗净模 式进行"sonic"(声 波)振动清洗。
- ●或 母任意闪烁。
- •大约 20 秒钟后,它 会自动关闭,或者 按 0/1 开关关闭它。





- 5. 取下外刀部,按下 0/1 开关 2 秒钟以上 启动声波洗净模式进 行"sonic"(声波) 振动清洗。使用流动 水来清洁。
- 6. 用干布拭去水珠。
- 7. 将外刀部和剃须刀完 全擦干。
- 8. 将外刀部安装至剃须刀上。
- 9. 给剃须刀上油。

警告:剃须刀需与电源软线分离后才能用水清洗。

左侧符号表示剃须刀可以用水清洗。



# 中文

#### 注意声波洗净模式

- •以声波洗净模式剃须可能会损伤皮肤。请先 关闭剃须刀电源再重新打开即可取消声波洗 净模式。
- •使用剃须刀时不要将手指放在 0/1 开关上。 这样会导致剃须刀关闭或进入声波洗净模式。

#### 润滑


为长期保持剃须的舒适度,建议使用随剃须 刀一起提供的润滑油。

- 1. 关闭剃须刀。
- 2. 给每个外刀网加一滴油。
- 3. 推起修剪刀并加一滴油。
- 4. 接通剃须刀电源,运转约5秒钟。
- 5. 关闭剃须刀,使用软布从外刀网上拭去多 余的润滑油。

#### 更换外刀网和内刀头

建议外刀网每年更换一次,内刀头每两年更换 一次,以维持剃须刀剃须性能。

#### ▶ 更换外刀网




- 1. 如图示,按下外刃架 释放按钮并向上提起 取出外刀部。
- 2. 如图所示,按下外刀 网释放按钮,拉出外 刀网。
- 3. 向内插入外刀网,直 至卡到位。
  - •始终以正确的方向 安装外刀网。
  - •安装时请注意将外 刀网插入到外刃架 内。








### ▶ 更换内刀头



- 1. 如图示,按下外刃架 释放按钮并向上提起 取出外刀部。
- 2. 如图示取下内刀头, 每次取下一个。
  - •不要触摸内刀头的 边沿(金属部分), 以防止您的手受到 损伤。
- 3. 如图示,安装内刀头时,每次插入一只内 可头,直至固定位置 为止。

#### 使用刷子清洁



- 1. 使用短刷,沿图示 (A) 的移动方向移 动,清洁内刀头。 使用长刷,清洁外刀 网,剃须刀机身和修 剪刀。
  - •请勿沿(B)方向移动短刷,因为这样将损坏内刀头,影响刀片的锋利度。
  - •请勿使用短刷清洁 外刀网。








## 中文

#### 取出内置式充电电池

本机内藏有可充电的电池,在消费者决定废弃 本机前,请务必将电池从机器中取出。

- •分解剃须刀,取出电池前,一定要断开电源。
- •建议消费者在决定废弃剃须刀前,事先征求 经销商或本公司指定维修点的意见,尽量延 长剃须刀的使用寿命。
- 当消费者决定废弃剃须刀又不想自行分解机器取出电池时,建议消费者将器具送往本公司指定的维修站,由维修店对电池进行分解和回收。
- •电池务必废弃于政府规定的地方或回收处理 单位。
- •按右图所示的 ①  $\sim$  ④ 的顺序拆开本体,卸下电池。



#### 环境保护与资源回收

此剃须刀使用锂电池。 如果您的国家有相关规定,请务必在指定处 对旧电池进行统一处理。

#### 规格

产品名称	电动剃须刀	
产品型号	ES-LA12	
额定电压	交流 100-240 V 50-60 Hz	
	(自动电压转换)	
马达电压	直流 3.6 V	
充电时间	1 小时	
原产地	本 机: 日本	
	充电器:中国	
生产日期	请见商品上刻印	
执行标准	GB4706.1 附录 B、GB4706.9	

规格如有变更,恕不另行通知。

本产品仅适合家庭使用。



#### **Important**

#### ▶ Using the shaver

Caution - The outer foil is very thin and can be damaged if not used correctly. Check that the foil is not damaged before using the shaver. Do not use the shaver if the foil etc. is damaged as you will cut your skin.

#### ► Charging the shaver

Do not use any power cord or AC adaptor other than one specifically designed for this model (RE7-51). Plug in the adaptor into a household outlet where there is no moisture and handle it with dry hands. The shaver may become warm during use and charging. However, this is not a malfunction. Do not charge the shaver where it will be exposed to direct sunlight or other heat sources. Hold the adaptor when disconnecting it from the household outlet. If you tug on the power cord, you may damage it. The supply cord cannot be replaced. If the cord is damaged, the appliance should be scrapped. Adequate ambient temperature for charging is 15-35 °C.

If the plug symbol - does not glow initially when the shaver is plugged in, wait for a short while until it does.

#### ► Cleaning the shaver

Warning - Disconnect the power cord from the shaver before cleaning it to prevent electric shock. Keep both the inner blades inserted. If only one of

the inner blades is inserted, the shaver may be damaged. If you clean the shaver with water, do not use salt water or hot water. Do not soak the shaver in water for a long period of time. Wipe it with a cloth dampened with soapy water. Do not use thinner, benzine or alcohol.


#### ► Storing the shaver

Disconnect the power cord when storing the shaver. Do not bend the power cord or wrap it around the shaver. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

Keep these operating instructions in a safe place.



#### Parts identification



- A Protective cap
- Outer foil section
  - 1) Foil frame
  - ②System outer foil
  - ③System outer foil release buttons
- Inner blades
- Main body
  - (4) Foil frame release buttons
  - (5) Battery capacity lamp **(□)**

- ⑥ Charge status lamp (⇒)
- (7) Appliance socket
- (8) Lock ring
- 90/1 switch
- 10 Trimmer
- (1) Trimmer handle
- Adaptor (RE7-51)
- (12) Power cord
- (13) Appliance plug
- ♠ Travel pouch
- **G**Cleaning brush
- **M**Oil

#### Charge

#### Charging the shaver

- Insert the appliance plug into the shaver.
- Plug in the adaptor into a household outlet.
- = glows and charging starts.
- Charging is completed when = blinks.

(Max. 1 hour later)



#### Using the lock ring

Use the lock ring to lock or unlock the 0/1 switch.

1. Rotate the lock ring until it clicks.



#### Unlock the 0/1 switch:

For when shaving, washing the shaver, lubricating the shaver.



#### Lock the 0/1 switch:

For when carrying the shaver.

#### ► Cord shaving

If you insert the appliance plug to the shaver and plug in the adaptor into a household outlet, you can use it even if the battery capacity is low.

• If the shaver does not work, continue charging it for approx. 1 minute.



#### About the lamp

# While charging Ġ. glows red.

After charging is completed



blinks red once every second.

10 minutes after charging is completed



blinks red once every 2 seconds.

#### When the battery capacity is low




 You can shave 1 to 2 times after <</li> blinks. (This will differ depending on usage.)

☐ blinks

• A full charge will supply enough power for approx. 14 shaves of 3 minutes each.

#### **Shave**

#### Using the shaver



Rotate the lock 🤊 ring and press the 0/1 switch.

Hold the shaver as illustrated above and shave.

Page 10

· Start out shaving by applying gentle pressure to your face. Stretch your skin with your free hand and move the shaver back and forth in the direction of your beard. You may gently increase the amount of pressure as your skin becomes accustomed to this shaver. Applying excessive pressure does not provide a closer shave.

#### **►** Using the trimmer

Slide the trimmer handle up. Place at a right angle to your skin and move downwards to trim your sideburns.









#### Clean

#### Cleaning the shaver



- 1. Disconnect the power cord from the shaver.
- 2. Apply some hand soap and some water to the outer foil.
- 3. Rotate the lock ring to unlock the 0/1 switch.
- Press the 0/1 switch for more than 2 seconds to activate the turbo mode for "sonic" vibration cleaning.
  - **⇒** or **□** flash around randomly.
  - After about 20 seconds, it will be automatically turned off, or you can turn it off by pressing the 0/1 switch.





- 5. Remove the outer foil section and press the 0/1 switch for more than 2 seconds to activate the turbo mode for "sonic" vibration cleaning and clean it with running water.
- 6. Wipe off any drops of water with a dry cloth.
- 7. Dry the outer foil section and the shaver completely.
- 8. Attach the outer foil section to the shaver.
- 9. Lubricate the shaver.



The mark on the left is for a washable shaver and indicates it can be cleaned with water.

English



- Shaving in turbo mode may damage your skin. Turn the shaver off and then on again to cancel turbo mode.
- Do not place your fingers on the 0/1 switch while using the shaver. This may cause the shaver to turn off or enter turbo mode.

#### Lubrication


To maintain shaving comfort for a long time, it is recommended that the oil provided with the shaver is used

- 1 Switch off the shaver
- 2. Apply one drop of oil to each of the outer foils.
- 3. Raise the trimmer and apply a drop of oil.
- 4. Switch the shaver on, and run it for approximately five seconds.
- 5. Switch off the shaver, and wipe off any excess oil from the outer foils with a soft cloth.

#### Replacing the system outer foil and the inner blades

system outer foil	once every year
inner blade	once every two years

#### ▶ Replacing the system outer foil




- 1. Press the foil frame release buttons and lift the outer foil section upwards as illustrated.
- 2. Press the system outer foil release buttons and pull down the system outer foil as illustrated.
- 3. Insert the system outer foil until it clicks.
  - · Always attach the system outer foil in proper direction.
  - · Always insert the system outer foil to the foil frame when attaching to the shaver.






#### •

#### ▶ Replacing the inner blades



- Press the foil frame release buttons and lift the outer foil section upwards as illustrated.
- 2. Remove the inner blades one at a time as illustrated.
  - Do not touch the edges (metal parts) of the inner blades to prevent injury to your hand.
- 3. Insert the inner blades one at a time until they click as illustrated.

### Cleaning with the brush



- 1. Clean the inner blades using the short brush by moving it in direction (A). Clean the system outer foil, the shaver body and the trimmer using the long brush.
  - Do not move the short brush in direction (B) as it will damage the inner blades and affect their sharpness.
  - Do not use the short brush to clean the outer foils.








#### Removing the built-in rechargeable battery

Remove the built-in rechargeable battery before disposing of the shaver. Please make sure that the battery is disposed of at an officially designated location if there is one. Do not dismantle or replace the battery so that you can use the shaver again. This could cause fire or an electric shock. Replace it at an authorized service center.

 Disconnect the power cord from the shaver when removing the battery.

• Perform steps (1) to (4) and lift the battery, and then remove it.



#### For environmental protection and recycling of materials

This shaver contains a Lithium-ion battery. Please make sure that the battery is disposed of at an officially assigned location, if there is one in your country.

#### **SPECIFICATIONS**

Product name	AC • Rechargeable Shaver
Product model	ES-LA12
Power source	a.c 100-240 V 50-60 Hz
Motor voltage	d.c 3.6 V
Charging time	1 hour
Place of origin	Main body: Japan Adaptor: China
Produce date	See engraving on the commodity.
Execution standard	GB4706.1 appendix B GB4706.9

Specifications are subject to change without notice. This product is intended for household use only.







进口商: 松下电工(中国)有限公司 地址: 北京市朝阳区建国路79号 华贸中心2号写字楼6层、7层703室 电话: 86-10-59255988 邮政编码: 100025

制造商:松下电工株式会社地址:日本大阪府门真市门真1048

Panasonic Electric Works Co., Ltd. 1048, Kadoma, Osaka 571-8686, Japan

日本印刷 Printed in Japan ES9700LA121K F1009-0 发行: 2009年10月

F CH, EN